STIC Search Report
Biotech-Chem Library

To: James Schultz **Location:** rem/2d18/2c18 **Art Unit:** 1635 **Monday, March 08, 2004** **Case Serial Number:** 09/646651	**From:** Beverly Shears **Location:** Remsen Bldg. RM 1A54 **Phone:** 571-272-2528 **beverly.shears@uspto.gov**

Search Notes

SEARCH REQUEST FORM

Requestor's
Name: _____ - Serial
Number: _____

Date: _____ Phone: _____ Art Unit: _____

Search Topic:

Please write a detailed statement of search topic. Describe specifically as possible the subject matter to be searched. Define any terms that may have a special meaning. Give examples or relevent citations, authors, keywords, etc., if known. For sequences, please attach a copy of the sequence. You may include a copy of the broadest and/or most relevent claim(s).

STAFF USE ONLY

Date completed: 03-05-04

Searcher: Beverly C 2528

Terminal time: 20

Elapsed time: _____

CPU time: _____

Total time: 25

Number of Searches: _____

Number of Databases: 1

Search Site

_____ STIC

_____ CM-1

_____ Pre-S

Type of Search

_____ N.A. Sequence

_____ A.A. Sequence

_____ Structure

_____ Bibliographic

Vendors

_____ IG

_____ STN

_____ Dialog

_____ APS

_____ Geninfo

_____ SDC

_____ DARC/Questel

✓ Other CGN

09/646651
Seq IDs 14 2 w/Interf

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

M protein - protein search, using sw model

un on: March 5, 2004, 10:31:00 ; Search time 182 Seconds
(without alignments)
488.027 Million cell updates/sec

itle: US-09-646-651C-1
erfect score: 467
equence: 1 TKLEDHLEGIINIFHQYSVR.........EFVLVTDVLITAHDNIHKE 91

coring table: BLOSUM62
               Gapop 10.0 , Gapext 0.5

earched: 6019581 seqs, 97605377 residues

otal number of hits satisfying chosen parameters: 6019581

inimum DB seq length: 0
aximum DB seq length: 2000000000

ost-processing: Minimum Match 0%
                Maximum Match 100%
                Listing first 45 summaries

atabase :   Pending_Patents_AA_Main:*
          1: /cgn2_6/ptodata72/paa/PCTUS_COMB.pep:*
          2: /cgn2_6/ptodata/2/paa/US06_COMB.pep:*
          3: /cgn2_6/ptodata/2/paa/US07_COMB.pep:*
          4: /cgn2_6/ptodata/2/paa/US080_COMB.pep:*
          5: /cgn2_6/ptodata/2/paa/US081_COMB.pep:*
          6: /cgn2_6/ptodata/2/paa/US082_COMB.pep:*
          7: /cgn2_6/ptodata/2/paa/US083_COMB.pep:*
          8: /cgn2_6/ptodata/2/paa/US084_COMB.pep:*
          9: /cgn2_6/ptodata/2/paa/US085_COMB.pep:*
         10: /cgn2_6/ptodata/2/paa/US086_COMB.pep:*
         11: /cgn2_6/ptodata/2/paa/US087_COMB.pep:*
         12: /cgn2_6/ptodata/2/paa/US088_COMB.pep:*
         13: /cgn2_6/ptodata/2/paa/US089_COMB.pep:*
         14: /cgn2_6/ptodata/2/paa/US090_COMB.pep:*
         15: /cgn2_6/ptodata/2/paa/US091_COMB.pep:*
         16: /cgn2_6/ptodata/2/paa/US092_COMB.pep:*
         17: /cgn2_6/ptodata/2/paa/US093_COMB.pep:*
         18: /cgn2_6/ptodata/2/paa/US094_COMB.pep:*
         19: /cgn2_6/ptodata/2/paa/US095_COMB.pep:*
         20: /cgn2_6/ptodata/2/paa/US096_COMB.pep:*
         21: /cgn2_6/ptodata/2/paa/US097A_COMB.pep:*
         22: /cgn2_6/ptodata/2/paa/US097B_COMB.pep:*
         23: /cgn2_6/ptodata/2/paa/US098_COMB.pep:*
         24: /cgn2_6/ptodata/2/paa/US099A_COMB.pep:*
         25: /cgn2_6/ptodata/2/paa/US099B_COMB.pep:*
         26: /cgn2_6/ptodata/2/paa/US100_COMB.pep:*
         27: /cgn2_6/ptodata/2/paa/US101_COMB.pep:*
         28: /cgn2_6/ptodata/2/paa/US102_COMB.pep:*
         29: /cgn2_6/ptodata/2/paa/US103_COMB.pep:*
         30: /cgn2_6/ptodata/2/paa/US104_COMB.pep:*
         31: /cgn2_6/ptodata/2/paa/US106_COMB.pep:*
         32: /cgn2_6/ptodata/2/paa/US107_COMB.pep:*
         33: /cgn2_6/ptodata/2/paa/US60_COMB.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Match	Query Match Length	DB	DB ID	Description
1	467	100.0	91	1	US-08-794-000-2	Sequence 2, Appli
2	467	100.0	91	11	US-08-758-913-5	Sequence 5, Appli
3	467	100.0	91	20	US-09-646-651C-1	Sequence 1, Appli
4	467	100.0	91	22	US-09-791-537-101828	Sequence 101828,
5	455	97.4	91	11	US-08-761-289-9	Sequence 9, Appli
6	455	97.4	91	20	US-09-646-264A-1	Sequence 1, Appli
7	455	97.4	91	20	US-09-646-651A-1	Sequence 1, Appli
8	455	97.4	91	20	US-09-646-651B-1	Sequence 1, Appli
9	371	79.4	92	22	US-09-79-537-99618	Sequence 99618, A
10	366	78.4	90	15	US-09-167-705-3	Sequence 3, Appli
11	366	78.4	90	23	US-09-872-185-11	Sequence 11, Appl
12	366	78.4	90	23	US-09-872-185-12	Sequence 12, Appl
13	366	78.4	90	23	US-09-872-185B-11	Sequence 11, Appl
14	366	78.4	90	23	US-09-872-185B-12	Sequence 12, Appl
15	366	78.4	90	31	US-10-666-513-3	Sequence 3, Appli
16	332	71.1	91	22	US-09-791-537-132106	Sequence 132106,
17	332	71.1	91	26	US-10-030-937-21	Sequence 21, Appl
18	332	71.1	92	1	PCT-US95-16871-2	Sequence 2, Appli
19	332	71.1	92	11	US-08-759-913-1	Sequence 1, Appli
20	332	71.1	92	11	US-08-761-289-2	Sequence 2, Appli
21	332	71.1	92	16	US-09-227-854-2	Sequence 2, Appli
22	332	71.1	92	22	US-09-791-537-137536	Sequence 137536,
23	332	71.1	92	25	US-09-958-053-24	Sequence 24, Appl
24	332	71.1	92	26	US-10-030-937-19	Sequence 19, Appl
25	332	71.1	92	26	US-10-030-937-20	Sequence 20, Appl
26	332	71.1	92	26	US-10-030-937-22	Sequence 22, Appl
27	332	71.1	92	26	US-10-077-600-2	Sequence 2, Appli
28	332	71.1	92	32	US-10-440-068-334	Sequence 334, App
29	332	71.1	92	33	US-10-755-889-334	Sequence 334, App
30	332	71.1	92	33	US-60-452-680-12625	Sequence 12625, A
31	332	71.1	92	33	US-60-453-050-7882	Sequence 7882, Ap
32	332	71.1	92	33	US-60-453-135-7882	Sequence 7882, Ap
33	332	71.1	92	33	US-60-455-444-4409	Sequence 4409, Ap
34	332	71.1	92	33	US-60-466-241-4409	Sequence 4409, Ap
35	332	71.1	92	33	US-60-466-412-7882	Sequence 7882, Ap
36	332	71.1	92	33	US-60-469-757-334	Sequence 334, App
37	332	71.1	95	22	US-09-760-443-1495	Sequence 1495, Ap
38	332	71.1	95	22	US-09-760-457-432	Sequence 432, App
39	332	71.1	95	22	US-09-760-484-588	Sequence 588, App
40	332	71.1	95	28	US-10-212-054-1495	Sequence 1495, Ap
41	332	71.1	95	28	US-10-217-527-432	Sequence 432, App
42	306	65.5	95	1	PCT-US01-08631-57941	Sequence 57941, A
43	302	64.7	81	22	US-09-791-537-13830	Sequence 13830, A
44	289	61.9	70	22	US-09-791-537-138681	Sequence 13681,
45	271	58.0	139	22	US-09-760-484-450	Sequence 450, App

ALIGNMENTS

RESULT 1
US-08-794-000-2

; Sequence 2, Application PC/TDE9601337
; GENERAL INFORMATION:
; APPLICANT:
; TITLE OF INVENTION: Metal-Containing Ribonucleotide Polypeptides
; NUMBER OF SEQUENCES: 4
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA: APPLICATION NUMBER: US 08/794,000
; CURRENT APPLICATION DATA:
; PRIOR APPLICATION DATA: APPLICATION NUMBER: PCT/DE96/01337
; FILING DATE: 17-JUL-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: DE 195 25 992.0
; FILING DATE: 17-JUL-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: DE 195 30 500.0
; FILING DATE: 18-AUG-1995

```
;   INFORMATION FOR SEQ ID NO: 2:
;     SEQUENCE CHARACTERISTICS:
;       LENGTH: 91 amino acids
;       TYPE: amino acid
;       STRANDEDNESS: single
;       TOPOLOGY: linear
;     MOLECULE TYPE: peptide
US-08-794-000-2

Query Match             100.0%;  Score 467;  DB 1;  Length 91;
Best Local Similarity   100.0%;  Pred. No. 1.8e-44;
Matches   91;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy         1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60

Qy        61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
             ||||||||||||||||||||||||||||||
Db        61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91

RESULT 2
US-08-759-913-5
; Sequence 5, Application US/08759913
;   GENERAL INFORMATION:
;     APPLICANT: Bandman, Olga
;     APPLICANT: Gol, Surya K.
;     APPLICANT: Hillman, Jennifer L.
;     TITLE OF INVENTION: NOVEL HUMAN S100 PROTEINS
;     NUMBER OF SEQUENCES: 8
;     CORRESPONDENCE ADDRESS:
;       ADDRESSEE: INCYTE PHARMACEUTICALS, INC.
;       STREET: 3174 Porter Drive
;       CITY: Palo Alto
;       STATE: CA
;       COUNTRY: US
;       ZIP: 94304
;     COMPUTER READABLE FORM:
;       MEDIUM TYPE: Diskette
;       COMPUTER: IBM Compatible
;       OPERATING SYSTEM: DOS
;       SOFTWARE: FastSEQ Version 1.5
;     CURRENT APPLICATION DATA:
;       APPLICATION NUMBER: US/08/759,913
;       FILING DATE: Filed Herewith
;     PRIOR APPLICATION DATA:
;       APPLICATION NUMBER:
;       FILING DATE:
;     ATTORNEY/AGENT INFORMATION:
;       NAME: Billings, Lucy J.
;       REGISTRATION NUMBER: 36,749
;       REFERENCE/DOCKET NUMBER: PF-0172 US
;     TELECOMMUNICATION INFORMATION:
;       TELEPHONE: 415-855-0555
;       TELEFAX: 415-845-4166
; INFORMATION FOR SEQ ID NO: 5:
;     SEQUENCE CHARACTERISTICS:
;       LENGTH: 91 amino acids
;       TYPE: amino acid
;       STRANDEDNESS: single
;       TOPOLOGY: linear
;     MOLECULE TYPE: peptide
;     IMMEDIATE SOURCE:
;       LIBRARY: GenBank
;       CLONE: 461678
US-08-759-913-5

Query Match             100.0%;  Score 467;  DB 11;  Length 91;
Best Local Similarity   100.0%;  Pred. No. 1.8e-44;
Matches   91;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy         1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
```

```
Db         1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60

Qy        61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
             ||||||||||||||||||||||||||||||
Db        61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91

RESULT 3
US-09-646-651C-1
; Sequence 1, Application US/09646651C
;   GENERAL INFORMATION:
;     APPLICANT: Kieswetter, Stefan
;     APPLICANT: Kuhn, Eckehard
;     APPLICANT: Koch-Pelster, Brigitte
;     APPLICANT: Brunner, Herwig
;     TITLE OF INVENTION: METAL-CONTAINING RIBONUCLEOTIDE POLYPEPTIDES
;     FILE REFERENCE: 206579
;     CURRENT APPLICATION NUMBER: US/09/646,651C
;     CURRENT FILING DATE: 2001-01-16
;     PRIOR APPLICATION NUMBER: PCT/EP98/07722
;     PRIOR FILING DATE: 1998-11-30
;     PRIOR APPLICATION NUMBER: DE 198 11 047.2
;     PRIOR FILING DATE: 1998-03-13
;     NUMBER OF SEQ ID NOS: 4
;     SOFTWARE: PatentIn version 3.0
; SEQ ID NO 1
;     LENGTH: 91
;     TYPE: PRT
;     ORGANISM: Unknown
;     FEATURE:
;       NAME/KEY: misc_feature
;       LOCATION: ()..()
;     OTHER INFORMATION: Angiotropin-related protein
US-09-646-651C-1

Query Match             100.0%;  Score 467;  DB 20;  Length 91;
Best Local Similarity   100.0%;  Pred. No. 1.8e-44;
Matches   91;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy         1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
             ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60

Qy        61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
             ||||||||||||||||||||||||||||||
Db        61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91

RESULT 4
US-09-791-537-101828
; Sequence 101828, Application US/09791537
;   GENERAL INFORMATION:
;     APPLICANT: Bionomix, Inc.
;     APPLICANT: Debe, Derek
;     APPLICANT: Danzer, Joseph
;     TITLE OF INVENTION: THREE DIMENSIONAL STRUCTURES OF PROTEIN FAMILIES AND FAMILY MEMBE
;     TITLE OF INVENTION: METHODS OF USE THEREOF
;     FILE REFERENCE: 261/210
;     CURRENT APPLICATION NUMBER: US/09/791,537
;     CURRENT FILING DATE: 2001-02-22
;     NUMBER OF SEQ ID NOS: 153055
;     SOFTWARE: PatentIn version 3.0
; SEQ ID NO 101828
;     LENGTH: 91
;     TYPE: PRT
;     ORGANISM: Sus scrofa
US-09-791-537-101828

Query Match             100.0%;  Score 467;  DB 22;  Length 91;
Best Local Similarity   100.0%;  Pred. No. 1.8e-44;
Matches   91;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;
```

```
y    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
b    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60

y   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
       ||||||||||||||||||||||||||||||
b   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
```

RESULT 5
US-08-761-289-9
Sequence 9, Application US/08761289
GENERAL INFORMATION:
 APPLICANT: Ni, J., ET AL.
 TITLE OF INVENTION: Human Chemotactic Cytokine I
 NUMBER OF SEQUENCES: 10
 CORRESPONDENCE ADDRESS:
  ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
  ADDRESSEE: CECCHI, STEWART & OLSTEIN
  STREET: 6 BECKER FARM ROAD
  CITY: ROSELAND
  STATE: NEW JERSEY
  COUNTRY: USA
  ZIP: 07068
 COMPUTER READABLE FORM:
  MEDIUM TYPE: 3.5 INCH DISKETTE
  COMPUTER: IBM PS/2
  OPERATING SYSTEM: MS-DOS
  SOFTWARE: WORD PERFECT 5.1
 CURRENT APPLICATION DATA:
  APPLICATION NUMBER: US/08/761,289
  FILING DATE: December 6, 1996
  CLASSIFICATION: 435
 PRIOR APPLICATION DATA:
  APPLICATION NUMBER: 60/008387
  FILING DATE: December 8, 1995
 ATTORNEY/AGENT INFORMATION:
  NAME: MULLINS, J.G.
  REGISTRATION NUMBER: 33,073
  REFERENCE/DOCKET NUMBER: 325800-506 (PF210)
 TELECOMMUNICATION INFORMATION:
  TELEPHONE: 201-994-1700
  TELEFAX: 201-994-1744
INFORMATION FOR SEQ ID NO: 9:
 SEQUENCE CHARACTERISTICS:
  LENGTH: 91 AMINO ACIDS
  TYPE: AMINO ACID
  STRANDEDNESS:
  TOPOLOGY: LINEAR
 MOLECULE TYPE: PEPTIDE
US-08-761-289-9

Query Match   97.4%;   Score 455; DB 11; Length 91;
Best Local Similarity 97.8%;   Pred. No. 4.1e-43;
Matches 89; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

y   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
b   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLIYKELPNTLKNTKDQGTIDKIFQNL 60

y   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
       ||||||||||||||||||||||||||||||
b   61 NANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
```

RESULT 6
US-09-646-264A-1
Sequence 1, Application US/09646264A
GENERAL INFORMATION:
 APPLICANT: Kiesewetter, Stefan
 APPLICANT: Seibt, Jorg Volker
 APPLICANT: Noll, Michaela
 TITLE OF INVENTION: METAL-CONTAINING RIBONUCLEOTIDE POLYPEPTIDES
;  FILE REFERENCE: 206604
;  CURRENT APPLICATION NUMBER: US/09/646,264A
;  CURRENT FILING DATE: 2001-05-07
;  PRIOR APPLICATION NUMBER: PCT/EP99/00834
;  PRIOR FILING DATE: 1999-02-09
;  PRIOR APPLICATION NUMBER: DE19810998.9
;  PRIOR FILING DATE: 1998-03-13
;  NUMBER OF SEQ ID NOS: 6
;  SOFTWARE: PatentIn version 3.0
;  SEQ ID NO 1
;  LENGTH: 91
;  TYPE: PRT
;  ORGANISM: Unknown
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: ()..()
;  OTHER INFORMATION: Angiotropin-related protein
US-09-646-264A-1

Query Match           97.4%;   Score 455;  DB 20;  Length 91;
Best Local Similarity 97.8%;   Pred. No. 4.1e-43;
Matches  89;  Conservative  0;  Mismatches  2;  Indels  0;  Gaps  0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFYNL 60

Qy  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
       ||||||||||||||||||||||||||||||
Db  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
```

RESULT 7
US-09-646-651A-1
; Sequence 1, Application US/09646651A
; GENERAL INFORMATION:
; APPLICANT: Kiesewetter, Stefan
; APPLICANT: Kuhn, Eckehard
; APPLICANT: Koch-Pelster, Brigitte
; APPLICANT: Brunner, Herwig
; TITLE OF INVENTION: METAL-CONTAINING RIBONUCLEOTIDE POLYPEPTIDES
; FILE REFERENCE: 206579
; CURRENT APPLICATION NUMBER: US/09/646,651A
; CURRENT FILING DATE: 2000-09-13
; PRIOR APPLICATION NUMBER: PCT/EP98/07722
; PRIOR FILING DATE: 1998-11-30
; PRIOR APPLICATION NUMBER: DE 198 11 047.2
; PRIOR FILING DATE: 1998-03-13
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 1
; LENGTH: 91
; TYPE: PRT
; ORGANISM: Unknown
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Angiotropin-related protein
US-09-646-651A-1

```
Query Match           97.4%;   Score 455;  DB 20;  Length 91;
Best Local Similarity 97.8%;   Pred. No. 4.1e-43;
Matches  89;  Conservative  0;  Mismatches  2;  Indels  0;  Gaps  0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
       ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKYLITKELPNTLKNTKDQGTIDKIFYNL 60

Qy  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
       ||||||||||||||||||||||||||||||
Db  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
```

RESULT 8
US-09-646-651B-1
; Sequence 1, Application US/09646651B
; GENERAL INFORMATION:
; APPLICANT: Kiesewetter, Stefan
; APPLICANT: Kuhn, Eckehard
; APPLICANT: Koch-Pelster, Brigitte
; APPLICANT: Brunner, Herwig
; TITLE OF INVENTION: METAL-CONTAINING RIBONUCLEOTIDE POLYPEPTIDES
; FILE REFERENCE: 206579
; CURRENT APPLICATION NUMBER: US/09/646,651B
; CURRENT FILING DATE: 2000-09-13
; PRIOR APPLICATION NUMBER: PCT/EP98/07722
; PRIOR FILING DATE: 1998-11-30
; PRIOR APPLICATION NUMBER: DE 198 11 047.2
; PRIOR FILING DATE: 1998-03-13
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 1
; LENGTH: 91
; TYPE: PRT
; ORGANISM: Unknown
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: Angiotropin-related protein
US-09-646-651B-1

Query Match   97.4%; Score 455; DB 20; Length 91;
Best Local Similarity 97.8%; Pred. No. 4.1e-43;
Matches   89; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
       ||||||||||||||||||||||||||||||:||||||||||||||||||||||||||||
Db 1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKYLITKELPNTLKNTKDQGTIDKIFYNL 60

Qy 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
       ||||||||||||||||||||||||||||||
Db 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91

RESULT 9
US-09-791-537-99618
; Sequence 99618, Application US/09791537
; GENERAL INFORMATION:
; APPLICANT: Bionomix, Inc.
; APPLICANT: Debe, Derek
; APPLICANT: Danzer, Joseph
; TITLE OF INVENTION: THREE DIMENSIONAL STRUCTURES OF PROTEIN FAMILIES AND FAMILY MEMBE
; TITLE OF INVENTION: METHODS OF USE THEREOF
; FILE REFERENCE: 261/210
; CURRENT APPLICATION NUMBER: US/09/791,537
; CURRENT FILING DATE: 2001-02-22
; NUMBER OF SEQ ID NOS: 153055
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 99618
; LENGTH: 92
; TYPE: PRT
; ORGANISM: Bos taurus
US-09-791-537-99618

Query Match   79.4%; Score 371; DB 22; Length 92;
Best Local Similarity 81.3%; Pred. No. 1.3e-33;
Matches   74; Conservative 9; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
       ||||||||||||||||||||:|||:|||||||||||||||:||:|||||||:|||||:|
Db 2 TKLEDHLEGIINIFHQYSVRGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 61

Qy 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
       ||:||| |||:|||||||||:|||||:|||
Db 62 DADKDGAVSFEEFVVLVSRVLKTAHIDIHKE 92

RESULT 10
US-09-167-705-3
; Sequence 3, Application US/09167705B
; GENERAL INFORMATION:
; APPLICANT: Schmidt, Ann Marie
; APPLICANT: Stern, David
; TITLE OF INVENTION: Extracellular Novel RAGE Binding Protein (EN-RAGE) and
; TITLE OF INVENTION: Uses Thereof
; FILE REFERENCE: 0575/55873
; CURRENT APPLICATION NUMBER: US/09/167,705B
; CURRENT FILING DATE: 1998-10-06
; NUMBER OF SEQ ID NOS: 5
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 3
; LENGTH: 90
; TYPE: PRT
; ORGANISM: Human
US-09-167-705-3

Query Match   78.4%; Score 366; DB 15; Length 90;
Best Local Similarity 81.1%; Pred. No. 4.7e-33;
Matches   73; Conservative 9; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
       ||||||||||||||||||||:|||:|||||||||||||||:||:|||||||:|||||:|
Db 1 TKLEDHLEGIINIFHQYSVRGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
       ||:||| |||:|||||||||:||||||||
Db 61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

RESULT 11
US-09-872-185-11
; Sequence 11, Application US/09872185
; GENERAL INFORMATION:
; APPLICANT: Stern, David M.
; APPLICANT: Herold, Kevan
; APPLICANT: Yan, Shi Du
; APPLICANT: Schmidt, Ann Marie
; APPLICANT: Lamster, Ira
; TITLE OF INVENTION: METHODS FOR TREATING INFLAMMATION
; FILE REFERENCE: 0575/64080
; CURRENT APPLICATION NUMBER: US/09/872,185
; CURRENT FILING DATE: 2001-08-20
; NUMBER OF SEQ ID NOS: 16
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 11
; LENGTH: 90
; TYPE: PRT
; ORGANISM: Bovine
US-09-872-185-11

Query Match   78.4%; Score 366; DB 23; Length 90;
Best Local Similarity 81.1%; Pred. No. 4.7e-33;
Matches   73; Conservative 9; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
       ||||||||||||||||||||:|||:|||||||||||||||:||:|||||||:|||||:|
Db 1 TKLEDHLEGIINIFHQYSVRGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
       ||:||| |||:|||||||||:||||||||
Db 61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

RESULT 12
US-09-872-185-12
; Sequence 12, Application US/09872185
; GENERAL INFORMATION:
; APPLICANT: Stern, David M.
; APPLICANT: Herold, Kevan

APPLICANT: Yan, Shi Du
APPLICANT: Schmidt, Ann Marie
APPLICANT: Lamster, Ira
TITLE OF INVENTION: METHODS FOR TREATING INFLAMMATION
FILE REFERENCE: 0575/64080
CURRENT APPLICATION NUMBER: US/09/872,185
CURRENT FILING DATE: 2001-08-20
NUMBER OF SEQ ID NOS: 16
SOFTWARE: PatentIn version 3.1
SEQ ID NO 12
  LENGTH: 90
  TYPE: PRT
  ORGANISM: Bovine
S-09-872-185-12

Query Match   78.4%;   Score 366; DB 23; Length 90;
Best Local Similarity 81.1%; Pred. No. 4.7e-33;
Matches 73; Conservative 9; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         |||||||||||||||||||| ||||| |||||||||||| ||||||| |||||||
Db 1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
         || | |||:||||| ||| :|||
Db 61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

ESULT 13
S-09-872-185B-11
Sequence 11, Application US/09872185B
GENERAL INFORMATION:
APPLICANT: Stern, David M.
APPLICANT: Herold, Kevan
APPLICANT: Yan, Shi Du
APPLICANT: Schmidt, Ann Marie
APPLICANT: Lamster, Ira
TITLE OF INVENTION: METHODS FOR TREATING INFLAMMATION
FILE REFERENCE: 0575/64080
CURRENT APPLICATION NUMBER: US/09/872,185B
CURRENT FILING DATE: 2001-06-01
NUMBER OF SEQ ID NOS: 16
SOFTWARE: PatentIn version 3.1
SEQ ID NO 11
  LENGTH: 90
  TYPE: PRT
  ORGANISM: Bovine
S-09-872-185B-11

Query Match   78.4%;   Score 366; DB 23; Length 90;
Best Local Similarity 81.1%; Pred. No. 4.7e-33;
Matches 73; Conservative 9; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         |||||||||||||||||||| ||||| |||||||||||| ||||||| |||||||
Db 1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
         || | |||:||||| ||| :|||
Db 61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

ESULT 14
S-09-872-185-12
Sequence 12, Application US/09872185B
GENERAL INFORMATION:
APPLICANT: Stern, David M.
APPLICANT: Herold, Kevan
APPLICANT: Yan, Shi Du
APPLICANT: Schmidt, Ann Marie
APPLICANT: Lamster, Ira
TITLE OF INVENTION: METHODS FOR TREATING INFLAMMATION
FILE REFERENCE: 0575/64080

CURRENT APPLICATION NUMBER: US/09/872,185B
CURRENT FILING DATE: 2001-06-01
NUMBER OF SEQ ID NOS: 16
SOFTWARE: PatentIn version 3.1
SEQ ID NO 12
  LENGTH: 90
  TYPE: PRT
  ORGANISM: Bovine
US-09-872-185B-12

Query Match   78.4%;   Score 366; DB 23; Length 90;
Best Local Similarity 81.1%; Pred. No. 4.7e-33;
Matches 73; Conservative 9; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         |||||||||||||||||||| ||||| |||||||||||| ||||||| |||||||
Db 1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
         ||:| |||:||||| ||| :|||
Db 61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

RESULT 15
US-10-666-513-3
Sequence 3, Application US/10666513
GENERAL INFORMATION:
APPLICANT: Schmidt, Ann Marie
APPLICANT: Stern, David
TITLE OF INVENTION: Extracellular Novel RAGE Binding Protein (EN-RAGE) and
TITLE OF INVENTION: Uses Thereof
FILE REFERENCE: 0575/55873
CURRENT APPLICATION NUMBER: US/10/666,513
CURRENT FILING DATE: 2003-09-19
PRIOR APPLICATION NUMBER: US/09/167,705B
PRIOR FILING DATE: 1998-10-06
NUMBER OF SEQ ID NOS: 5
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 3
  LENGTH: 90
  TYPE: PRT
  ORGANISM: Human
US-10-666-513-3

Query Match   78.4%;   Score 366; DB 31; Length 90;
Best Local Similarity 81.1%; Pred. No. 4.7e-33;
Matches 73; Conservative 9; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         |||||||||||||||||||| ||||| |||||||||||| ||||||| |||||||
Db 1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
         ||:| |||:||||| ||| :|||
Db 61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

Search completed: March 5, 2004, 10:39:08
Job time : 183 secs

```
                    GenCore version 5.1.6
            Copyright (c) 1993 - 2004 Compugen Ltd.

M protein - protein search, using sw model

un on:   March  5, 2004, 10:31:35 ; Search time 10 Seconds
                                     (without alignments)
                              91.517 Million cell updates/sec

itle:          US-09-646-651C-1
erfect score:  467
equence:       1 TKLEDHLEGIINIFHQYSVR.........EFVVLVTDVLITAHDNIHKE 91

coring table:  BLOSUM62
               Gapop 10.0 , Gapext 0.5

earched:       105521 seqs, 10056811 residues

otal number of hits satisfying chosen parameters:    105621

inimum DB seq length: 0
aximum DB seq length: 2000000000

ost-processing: Minimum Match 0%
                Maximum Match 100%
                Listing first 45 summaries

atabase :     Pending Patents AA New:*
            1: /cgn2_6/ptodata/1/paa/PCT_NEW_COMB.pep:*
            2: /cgn2_6/ptodata/1/paa/US06_NEW_COMB.pep:*
            3: /cgn2_6/ptodata/1/paa/US07_NEW_COMB.pep:*
            4: /cgn2_6/ptodata/1/paa/US08_NEW_COMB.pep:*
            5: /cgn2_6/ptodata/1/paa/US09_NEW_COMB.pep:*
            6: /cgn2_6/ptodata/1/paa/US10_NEW_COMB.pep:*
            7: /cgn2_6/ptodata/1/paa/US60_NEW_COMB.pep:*
```

* Pred. No. is the number of results predicted by chance to have a
  score greater than or equal to the score of the result being printed,
  and is derived by analysis of the total score distribution.

SUMMARIES

esult No.	Score	% Query Match	Match Length	DB	ID	Description
1	366	78.4	90	6	US-10-665-867-3	Sequence 3, Appli
2	366	78.4	90	6	US-10-665-867-4	Sequence 4, Appli
3	206	44.1	50	6	US-10-665-867-2	Sequence 2, Appli
4	159	34.0	89	6	US-10-624-631-32	Sequence 32, Appl
5	151	32.3	93	6	US-10-624-631-31	Sequence 31, Appl
6	146	31.3	98	6	US-10-624-631-28	Sequence 28, Appl
7	134.5	28.8	95	6	US-10-487-337-4	Sequence 4, Appli
8	134	28.7	90	6	US-10-624-631-29	Sequence 29, Appl
9	133	28.5	99	6	US-10-624-631-33	Sequence 33, Appl
10	129.5	27.7	97	6	US-10-487-337-8	Sequence 8, Appli
11	127	27.2	88	6	US-10-624-631-34	Sequence 34, Appl
12	124	26.6	495	6	US-10-767-471-717	Sequence 717, App
13	109	23.3	61	6	US-10-624-631-30	Sequence 30, Appl
14	102	21.8	104	1	PCT-US04-02188-178	Sequence 178, App
15	102	21.8	104	6	US-10-764-425-178	Sequence 178, App
16	78	16.7	92	7	US-60-543-011-10	Sequence 10, Appl
17	74.5	16.0	135	6	US-10-767-701-38583	Sequence 38583, A
18	74.5	16.0	223	6	US-10-767-701-40040	Sequence 40040, A
19	72	15.4	532	6	US-10-451-467A-312	Sequence 312, App
20	71	15.2	226	6	US-10-767-701-39009	Sequence 39009, A
21	70.5	15.1	163	6	US-10-767-701-36974	Sequence 36974, A
22	66.5	14.2	305	6	US-10-767-701-44602	Sequence 44602, A
23	66	14.1	629	6	US-10-667-290-2	Sequence 2, Appli
24	66	14.1	629	6	US-10-667-289-2	Sequence 2, Appli
25	65.5	14.0	498	6	US-10-767-701-46009	Sequence 46009, A
26	65	13.9	95	6	US-10-767-701-61761	Sequence 61761, A
27	64.5	13.8	198	6	US-10-767-701-61992	Sequence 61992, A
28	64.5	13.8	386	6	US-10-417-884A-5555	Sequence 5555, Ap
29	64	13.7	167	6	US-10-767-701-40255	Sequence 40255, A
30	63.5	13.6	155	6	US-10-767-701-49565	Sequence 49565, A
31	63.5	13.6	244	5	US-09-830-230A-506	Sequence 506, App
32	63.5	13.6	264	5	US-09-830-230A-505	Sequence 505, App
33	62	13.3	623	6	US-10-416-330-38	Sequence 38, Appl
34	61.5	13.2	330	6	US-10-767-701-38434	Sequence 38434, A
35	61.5	13.2	395	6	US-10-451-467A-224	Sequence 224, App
36	61	13.1	561	6	US-10-417-884A-4239	Sequence 4239, Ap
37	61	13.1	873	1	PCT-US04-03291-37	Sequence 37, Appl
38	61	13.1	873	6	US-10-771-931-37	Sequence 37, Appl
39	60.5	13.0	319	6	US-10-417-884A-4910	Sequence 4910, Ap
40	60.5	13.0	319	6	US-10-417-884A-4912	Sequence 4912, Ap
41	60	12.8	780	6	US-10-417-884A-5050	Sequence 5050, Ap
42	59.5	12.7	179	6	US-10-767-701-57231	Sequence 57231, A
43	59.5	12.7	242	6	US-10-417-884A-4507	Sequence 4507, Ap
44	59.5	12.7	242	6	US-10-417-884A-4508	Sequence 4508, Ap
45	59.5	12.7	255	6	US-10-417-884A-3995	Sequence 3995, Ap

ALIGNMENTS

```
RESULT 1
US-10-665-867-3
; Sequence 3, Application US/10665867
; GENERAL INFORMATION:
;   APPLICANT: Schmidt, Ann Marie
;   APPLICANT: Stern, David
;   TITLE OF INVENTION: EXTRACELLULAR NOVEL RAGE BINDING PROTEIN (EN-RAGE) AND USES THERE
;   FILE REFERENCE: 0575/55873-B-PCT-US
;   CURRENT APPLICATION NUMBER: US/10/665,867
;   CURRENT FILING DATE: 2003-09-17
;   PRIOR APPLICATION NUMBER: US/09/826,589
;   PRIOR FILING DATE: 2001-04-05
;   NUMBER OF SEQ ID NOS: 6
;   SOFTWARE: PatentIn version 3.1
; SEQ ID NO 3
;   LENGTH: 90
;   TYPE: PRT
;   ORGANISM: Bovine
US-10-665-867-3

  Query Match             78.4%;  Score 366;  DB 6;  Length 90;
  Best Local Similarity   81.1%;  Pred. No. 3.6e-34;
  Matches    73;  Conservative    9;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 TKLEDHLEGIINIFHQYSVRLGHGYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              ||||||||||||||||||||:||:||||:||:||||||||||||||:|||:|||| ||::|
Db          1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy         61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
              ||||:|||:|:|||||||||||||||||||
Db         61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90


RESULT 2
US-10-665-867-4
; Sequence 4, Application US/10665867
; GENERAL INFORMATION:
;   APPLICANT: Schmidt, Ann Marie
;   APPLICANT: Stern, David
;   TITLE OF INVENTION: EXTRACELLULAR NOVEL RAGE BINDING PROTEIN (EN-RAGE) AND USES THERE
;   FILE REFERENCE: 0575/55873-B-PCT-US
;   CURRENT APPLICATION NUMBER: US/10/665,867
;   CURRENT FILING DATE: 2003-09-17
;   PRIOR APPLICATION NUMBER: US/09/826,589
;   PRIOR FILING DATE: 2001-04-05
;   NUMBER OF SEQ ID NOS: 6
;   SOFTWARE: PatentIn version 3.1
; SEQ ID NO 4
;   LENGTH: 90
```

;   TYPE: PRT
;   ORGANISM: Bovine
US-10-665-867-4

Query Match   78.4%;   Score 366; DB 6; Length 90;
Best Local Similarity   81.1%;   Pred. No. 3.6e-34;
Matches   73; Conservative   9; Mismatches   8; Indels   0; Gaps   0;

```
Qy      1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL  60
           |||||||||||||||||||||||  |||||||||||||:| ||||||| :|||||||::||:
Db      1  TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL  60

Qy     61  DANQDEQVSFKEFVVLVTDVLITAHDNIHK  90
           |||:||: |||||||||||:| |||| :||
Db     61  DADKDGAVSFEEFVVLVSRVLKTAHIDIHK  90
```

RESULT 3
US-10-665-867-2
;   Sequence 2, Application US/10665867
;   GENERAL INFORMATION:
;   APPLICANT: Schmidt, Ann Marie
;   APPLICANT: Stern, David
;   TITLE OF INVENTION: EXTRACELLULAR NOVEL RAGE BINDING PROTEIN (EN-RAGE) AND USES THERE
;   FILE REFERENCE: 0575/55873-B-PCT-US
;   CURRENT APPLICATION NUMBER: US/10/665,867
;   CURRENT FILING DATE: 2003-09-17
;   PRIOR APPLICATION NUMBER: US/09/826,589
;   PRIOR FILING DATE: 2001-04-05
;   NUMBER OF SEQ ID NOS: 6
;   SOFTWARE: PatentIn version 3.1
;   SEQ ID NO 2
;   LENGTH: 50
;   TYPE: PRT
;   ORGANISM: Human
;   FEATURE:
;   NAME/KEY: MISC_FEATURE
;   LOCATION: (47)..(47)
;   OTHER INFORMATION: x=any amino acid
US-10-665-867-2

Query Match   44.1%;   Score 206; DB 6; Length 50;
Best Local Similarity   82.0%;   Pred. No. 1e-16;
Matches   41; Conservative   3; Mismatches   6; Indels   0; Gaps   0;

```
Qy      1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQ  50
           ||||||||||||| ||||||:| |||||||||||||| :|||||||:|||
Db      1  TKLEDHLEGIINIGHQYSVRVRVGHFDTLNKYELKQLGTKELPKTLQNXKDQ  50
```

RESULT 4
US-10-624-631-32
;   Sequence 32, Application US/10624631
;   GENERAL INFORMATION:
;   APPLICANT: Morphotek, Inc.
;   APPLICANT: Grasso, Luigi
;   APPLICANT: Kline, J. Bradford
;   APPLICANT: Nicolaides, Nicholas C.
;   APPLICANT: Sass, Philip M.
;   TITLE OF INVENTION: Methods for Generating Enhanced Antibody-Producing Cell Lines wit
;   TITLE OF INVENTION: Improved Growth Characteristics
;   FILE REFERENCE: MOR-0241/HD0002 US
;   CURRENT APPLICATION NUMBER: US/10/624,631
;   CURRENT FILING DATE: 2003-07-21
;   PRIOR APPLICATION NUMBER: 60/397,027
;   PRIOR FILING DATE: 2002-07-19
;   NUMBER OF SEQ ID NOS: 34
;   SOFTWARE: PatentIn version 3.1
;   SEQ ID NO 32
;   LENGTH: 89
;   TYPE: PRT
;   ORGANISM: Rattus norvegicus
US-10-624-631-32

Query Match   34.0%;   Score 159; DB 6; Length 89;
Best Local Similarity   33.0%;   Pred. No. 3.9e-11;
Matches   30; Conservative   23; Mismatches   34; Indels   4; Gaps   1;

```
Qy      1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL  60
           |:||| :|| :::| |:: ::::|| ::::|: :|:| :
Db      3  TELEKALSNVIEVYHNYSGIKGNHHALYRDDFRKMVTTECPQFVQNK---NTESLFKEL  58

Qy     61  DANQDEQVSFKEFVVLVTDVLITAHDNIHKE  91
           ||| :::  ||
Db     59  DVNSDNAINFEEFLALVIRVGVAAHKDSHKE  89
```

RESULT 5
US-10-624-631-31
;   Sequence 31, Application US/10624631
;   GENERAL INFORMATION:
;   APPLICANT: Morphotek, Inc.
;   APPLICANT: Grasso, Luigi
;   APPLICANT: Kline, J. Bradford
;   APPLICANT: Nicolaides, Nicholas C.
;   APPLICANT: Sass, Philip M.
;   TITLE OF INVENTION: Methods for Generating Enhanced Antibody-Producing Cell Lines wit
;   TITLE OF INVENTION: Improved Growth Characteristics
;   FILE REFERENCE: MOR-0241/HD0002 US
;   CURRENT APPLICATION NUMBER: US/10/624,631
;   CURRENT FILING DATE: 2003-07-21
;   PRIOR APPLICATION NUMBER: 60/397,027
;   PRIOR FILING DATE: 2002-07-19
;   NUMBER OF SEQ ID NOS: 34
;   SOFTWARE: PatentIn version 3.1
;   SEQ ID NO 31
;   LENGTH: 93
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-624-631-31

Query Match   32.3%;   Score 151; DB 6; Length 93;
Best Local Similarity   35.2%;   Pred. No. 3.2e-10;
Matches   32; Conservative   24; Mismatches   31; Indels   4; Gaps   2;

```
Qy      1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL  60
           |:||| :|| :::| |:: ::::|| ::::|: :|:| :
Db      3  TELEKALNSIIDVYHKYSLIKGNFHAVYRDDLKKLLETECPQYIRK---KGA-DYWFKEL  58

Qy     61  DANQDEQVSFKEFVVLVTDVLITAHDNIHKE  91
           ||| :::  ||    : :: |
Db     59  DINTDGAVNFQEFLLIVIKMGVAAHKKSHEE  89
```

RESULT 6
US-10-624-631-28
;   Sequence 28, Application US/10624631
;   GENERAL INFORMATION:
;   APPLICANT: Morphotek, Inc.
;   APPLICANT: Grasso, Luigi
;   APPLICANT: Kline, J. Bradford
;   APPLICANT: Nicolaides, Nicholas C.
;   APPLICANT: Sass, Philip M.
;   TITLE OF INVENTION: Methods for Generating Enhanced Antibody-Producing Cell Lines wit
;   TITLE OF INVENTION: Improved Growth Characteristics
;   FILE REFERENCE: MOR-0241/HD0002 US
;   CURRENT APPLICATION NUMBER: US/10/624,631
;   CURRENT FILING DATE: 2003-07-21
;   PRIOR APPLICATION NUMBER: 60/397,027
;   PRIOR FILING DATE: 2002-07-19
;   NUMBER OF SEQ ID NOS: 34
;   SOFTWARE: PatentIn version 3.1
;   SEQ ID NO 28
;   LENGTH: 98
;   TYPE: PRT
;   ORGANISM: Mus musculus

US-10-624-631-28

Query Match   31.3%; Score 146; DB 6; Length 98;
Best Local Similarity   35.6%; Pred. No. 1.3e-09;
Matches   31; Conservative   18; Mismatches 38; Indels   0; Gaps   0;

```
Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
          ||  |:|:||:||:::: : ::|||||   ||::: :| | ||:::::::   :: :|
Db    3 TETERCIESLIAVFQKYSGKDGNNTQLSKTEFLSFMNTELAAFTKNQKDPGVLDRMKKL 62

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDN 87
          | :|: | ||:|:|| | || ||:
Db   63 DLNCDGQLDFQEFLNLIGGLAIACHDS 89
```

RESULT 7
US-10-487-337-4
; Sequence 4, Application US/10487337
; GENERAL INFORMATION:
; APPLICANT: Kenji OKUSE
; APPLICANT: Mark BAKER
; APPLICANT: Louis POON
; APPLICANT: John Nicholas WOOD
; APPLICANT: Misbah MALIK-HALL
; TITLE OF INVENTION: SODIUM CHANNEL REGULATORS AND MODULATORS
; FILE REFERENCE: 117-492 / N.86242A GCW
; CURRENT APPLICATION NUMBER: US/10/487,337
; CURRENT FILING DATE: 2004-02-20
; PRIOR APPLICATION NUMBER: PCT/GB02/03852
; PRIOR FILING DATE: 2002-08-20
; PRIOR APPLICATION NUMBER: GB 0120238.1
; PRIOR FILING DATE: 2001-08-20
; NUMBER OF SEQ ID NOS: 55
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 4
; LENGTH: 95
; TYPE: PRT
; ORGANISM: Rattus norvegicus
US-10-487-337-4

Query Match   28.8%; Score 134.5; DB 6; Length 95;
Best Local Similarity   32.6%; Pred. No. 2.3e-08;
Matches   28; Conservative   25; Mismatches 30; Indels   3; Gaps   1;

```
Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
          :::  |:: :|| |:|:: : :  ||:|: |:: : |:|||   |::| | :: :|
Db    3 SQMEHAMETMLTFHRFA--GEKNYLTKEDLRVLMEREPGFLENQKDPLAVDKIMKDL 59

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHD 86
          |  | |: ||:||:|:|| | ||
Db   60 DQCRDGKVGFQSFLSLVAGLLIACND 85
```

RESULT 8
US-10-624-631-29
; Sequence 29, Application US/10624631
; GENERAL INFORMATION:
; APPLICANT: Morphotek, Inc.
; APPLICANT: Grasso, Luigi
; APPLICANT: Kline, J. Bradford
; APPLICANT: Nicolaides, Nicholas C.
; APPLICANT: Sass, Philip M.
; TITLE OF INVENTION: Methods for Generating Enhanced Antibody-Producing Cell Lines wit
; TITLE OF INVENTION: Improved Growth Characteristics
; FILE REFERENCE: MOR-0241/HD0002 US
; CURRENT APPLICATION NUMBER: US/10/624,631
; CURRENT FILING DATE: 2003-07-21
; PRIOR APPLICATION NUMBER: 60/397,027
; PRIOR FILING DATE: 2002-07-19
; NUMBER OF SEQ ID NOS: 34
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 29
; LENGTH: 90
; TYPE: PRT
; ORGANISM: Canis familiaris
US-10-624-631-29

Query Match   28.7%; Score 134; DB 6; Length 90;
Best Local Similarity   34.6%; Pred. No. 2.4e-08;
Matches   27; Conservative   18; Mismatches 33; Indels   0; Gaps   0;

```
Qy   10 IINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDANQDEQVS 69
          :: :| |  |: :|| |:| ||||  ||  | | ||:|::|| ||:|: :|| || | |
Db    4 LIAVFQKFAGKEGNNCTLSKTEFLTFMNTELAAFTKNQKDPGVLDRMKKLDLNSDGQLD 63

Qy   70 FKEFVVLVTDVLITAHDN 87
          ::|| :| || ||:|:|
Db   64 FQEFLNLIGGMAIACHDS 81
```

RESULT 9
US-10-624-631-33
; Sequence 33, Application US/10624631
; GENERAL INFORMATION:
; APPLICANT: Morphotek, Inc.
; APPLICANT: Grasso, Luigi
; APPLICANT: Kline, J. Bradford
; APPLICANT: Nicolaides, Nicholas C.
; APPLICANT: Sass, Philip M.
; TITLE OF INVENTION: Methods for Generating Enhanced Antibody-Producing Cell Lines wit
; TITLE OF INVENTION: Improved Growth Characteristics
; FILE REFERENCE: MOR-0241/HD0002 US
; CURRENT APPLICATION NUMBER: US/10/624,631
; CURRENT FILING DATE: 2003-07-21
; PRIOR APPLICATION NUMBER: 60/397,027
; PRIOR FILING DATE: 2002-07-19
; NUMBER OF SEQ ID NOS: 34
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 33
; LENGTH: 99
; TYPE: PRT
; ORGANISM: Sus scrofa
US-10-624-631-33

Query Match   28.5%; Score 133; DB 6; Length 99;
Best Local Similarity   32.2%; Pred. No. 3.6e-08;
Matches   29; Conservative   21; Mismatches 40; Indels   0; Gaps   0;

```
Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
          ||  |:|:||:|| |:::  |||:|   |::: :| | ||:::::::   :: :|
Db    6 TETERCIESLIAIFQKHAGRDGNNTKISKTEFLIFMNTELAAPTQNQKDPGVLDRMMKKL 65

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
          | :|: | ||:|:|| | || ||:  :|
Db   66 DLDSDGQLDFQEFLNLIGGLAIACHDSFIK 95
```

RESULT 10
US-10-487-337-8
; Sequence 8, Application US/10487337
; GENERAL INFORMATION:
; APPLICANT: Kenji OKUSE
; APPLICANT: Mark BAKER
; APPLICANT: Louis POON
; APPLICANT: John Nicholas WOOD
; APPLICANT: Misbah MALIK-HALL
; TITLE OF INVENTION: SODIUM CHANNEL REGULATORS AND MODULATORS
; FILE REFERENCE: 117-492 / N.86242A GCW
; CURRENT APPLICATION NUMBER: US/10/487,337
; CURRENT FILING DATE: 2004-02-20
; PRIOR APPLICATION NUMBER: PCT/GB02/03852
; PRIOR FILING DATE: 2002-08-20
; PRIOR APPLICATION NUMBER: GB 0120238.1
; PRIOR FILING DATE: 2001-08-20
; NUMBER OF SEQ ID NOS: 55
; SOFTWARE: PatentIn version 3.1

; SEQ ID NO 8
; LENGTH: 97
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-487-337-8

```
Query Match         27.7%;  Score 129.5;  DB 6;  Length 97;
(Best Local Similarity   32.6%;  Pred. No. 8.5e-08;
Matches   28;  Conservative   23;  Mismatches   32;  Indels   3;  Gaps   1;

Qy.    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
           :::  ::  ||||||:  :|:  :| |||| :|
Db'    3 SQMEHAMETMMFTFHKFAGDKGY--LTKEDLRVLMEKEFPGFLENQKDPLAVDKIMKDL 59

Qy.   61 DANQDEQVSFKEFVVLVTDVLITAHD 86
          :|:|:|:  :|: : :| |
Db    60 DQCRDGKVGFQSFFSLIAGLITIACND 85
```

RESULT 11
US-10-624-631-34
; Sequence 34, Application US/10624631
; GENERAL INFORMATION:
; APPLICANT: Morphotek, Inc.
; APPLICANT: Grasso, Luigi
; APPLICANT: Kline, J. Bradford
; APPLICANT: Nicolaides, Nicholas C.
; APPLICANT: Sass, Philip M.
; TITLE OF INVENTION: Methods for Generating Enhanced Antibody-Producing Cell Lines wit
; TITLE OF INVENTION: Improved Growth Characteristics
; FILE REFERENCE: MOR-0241/HD0002 US
; CURRENT APPLICATION NUMBER: US/10/624,631
; CURRENT FILING DATE: 2003-07-21
; PRIOR APPLICATION NUMBER: 60/397,027
; PRIOR FILING DATE: 2002-07-19
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 34
; LENGTH: 88
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Consensus Sequence
US-10-624-631-34

```
Query Match         27.2%;  Score 127;  DB 6;  Length 88;
Best Local Similarity   34.6%;  Pred. No. 1.4e-07;
Matches   27;  Conservative   17;  Mismatches   32;  Indels   2;  Gaps   1;

Qy   10 IINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDANQDEQVS 69
         |||| |:|:|:  ||||:  :|:  ::|  :|||  :|
Db    8 LIAVFQKYAGKDG--NNLSKTEFLSFMNTELAAFTKNQKDPGVLDRMMKKLDLNSDGQLD 65

Qy   70 FKEFVVLVTDVLITAHDN 87
         |:||  :|| |:| :
Db   66 FQEFLNLIGGLAIACHDS 83
```

RESULT 12
US-10-767-471-717
; Sequence 717, Application US/10767471
; GENERAL INFORMATION:
; APPLICANT: CARGILL, Michele et al.
; TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
; TITLE OF INVENTION: RHEUMATOID ARTHRITIS, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001505
; CURRENT APPLICATION NUMBER: US/10/767,471
; CURRENT FILING DATE: 2004-01-30
; NUMBER OF SEQ ID NOS: 50231
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 717
; LENGTH: 495
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-767-471-717

```
Query Match         26.6%;  Score 124;  DB 6;  Length 495;
Best Local Similarity   34.2%;  Pred. No. 3.5e-06;
Matches   27;  Conservative   18;  Mismatches   34;  Indels   0;  Gaps   0;

Qy    2 KLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLD 61
          :|:||: |:  ||||:  :|::  |||::| :|||  |::| :::
Db    3 QLLQNINGIIEAFRRYARTEGNCTALTRGELKRLLEQEFADVIVKPHDPATVDEVLRLLD 62

Qy   62 ANQDEQVSFKEFVVLVTDV 80
         | :|||:||||||
Db   63 EDHTGTVEFKEFLVLVFKV 81
```

RESULT 13
US-10-624-631-30
; Sequence 30, Application US/10624631
; GENERAL INFORMATION:
; APPLICANT: Morphotek, Inc.
; APPLICANT: Grasso, Luigi
; APPLICANT: Kline, J. Bradford
; APPLICANT: Nicolaides, Nicholas C.
; APPLICANT: Sass, Philip M.
; TITLE OF INVENTION: Methods for Generating Enhanced Antibody-Producing Cell Lines wit
; TITLE OF INVENTION: Improved Growth Characteristics
; FILE REFERENCE: MOR-0241/HD0002 US
; CURRENT APPLICATION NUMBER: US/10/624,631
; CURRENT FILING DATE: 2003-07-21
; PRIOR APPLICATION NUMBER: 60/397,027
; PRIOR FILING DATE: 2002-07-19
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 30
; LENGTH: 61
; TYPE: PRT
; ORGANISM: Oryctolagus cuniculus
US-10-624-631-30

```
Query Match         23.3%;  Score 109;  DB 6;  Length 61;
Best Local Similarity   37.3%;  Pred. No. 8.4e-06;
Matches   22;  Conservative   11;  Mismatches   26;  Indels   0;  Gaps   0;

Qy   13 IFHQYSVRLGHYDTLIKELPNTLKNTKDQGTIDKIFQNLDANQDEQVSFK 71
          :||:|  |:  |  ::|  :::|:
Db    3 VFQKYAGKDGHSVTLSKTEFLSFMNTELAAFTKNQKDPGVLDRMMKKLDLNSDGQLDFQ 61
```

RESULT 14
PCT-US04-02188-178
; Sequence 178, Application PC/TUS0402188
; GENERAL INFORMATION:
; APPLICANT: Bayer Pharmaceuticals Corporation
; APPLICANT: Eveleigh, Deepa
; APPLICANT: Bigwood, Douglas
; APPLICANT: Taylor, Ian
; TITLE OF INVENTION: EXPRESSION PROFILES FOR COLON CANCER AND METHODS OF USE
; FILE REFERENCE: 5151
; CURRENT APPLICATION NUMBER: PCT/US04/02188
; CURRENT FILING DATE: 2004-01-23
; PRIOR APPLICATION NUMBER: 60/442,582
; PRIOR FILING DATE: 2003-01-24
; NUMBER OF SEQ ID NOS: 191
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 178
; LENGTH: 104
; TYPE: PRT
; ORGANISM: Homo sapiens
PCT-US04-02188-178

```
Query Match         21.8%;  Score 102;  DB 1;  Length 104;
Best Local Similarity   36.0%;  Pred. No. 0.00011;
```

Matches   27; Conservative   18; Mismatches   26; Indels   4; Gaps   3;

y   3 LEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDA 62
        :|:.|:|||||| ||||||| ||. :|:::|||:: : :|| :||
b   18 VERAIETLIKNFHQYSVE-GGKETLTPSELRDLVTQQLPHLMPS--NCGLEEKI-ANLGS 73

y   63 NQDEQVSFKEFVVLIV 77
        |:|| |:
b   74 CNDSKLEFRSFWELI 88

RESULT 15
US-10-764-425-178
  Sequence 178, Application US/10764425
GENERAL INFORMATION:
  APPLICANT: Bayer Pharmaceuticals Corporation
  APPLICANT: Eveleigh, Deepa
  APPLICANT: Bigwood, Douglas
  APPLICANT: Taylor, Ian
  TITLE OF INVENTION: EXPRESSION PROFILES FOR COLON CANCER AND METHODS OF USE
  FILE REFERENCE: 5151
  CURRENT APPLICATION NUMBER: US/10/764,425
  CURRENT FILING DATE: 2004-01-23
  PRIOR APPLICATION NUMBER: 60/442,582
  PRIOR FILING DATE: 2003-01-24
  NUMBER OF SEQ ID NOS: 191
  SOFTWARE: PatentIn version 3.2
SEQ ID NO 178
    LENGTH: 104
    TYPE: PRT
    ORGANISM: Homo sapiens
US-10-764-425-178

  Query Match   21.8%; Score 102; DB 6; Length 104;
  Best Local Similarity 36.0%; Pred. No. 0.00011;
  Matches   27; Conservative   18; Mismatches   26; Indels   4; Gaps   3;

y   3 LEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDA 62
        :|:.|:|||||| ||||||| ||. :|:::|||:: : :|| :||
b   18 VERAIETLIKNFHQYSVE-GGKETLTPSELRDLVTQQLPHLMPS--NCGLEEKI-ANLGS 73

y   63 NQDEQVSFKEFVVLIV 77
        |:|| |:
b   74 CNDSKLEFRSFWELI 88

Search completed: March 5, 2004, 10:39:30
Job time : 10 secs

M nucleic - nucleic search, using sw model

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

un on: March 8, 2004, 04:45:44 ; Search time 3135 Seconds
            (without alignments)
            1200.930 Million cell updates/sec

itle: US-09-646-651C-2
erfect score: 107
equence: 1 ggaaaaunnnnnnunauaugn.......nnnnnnnnnnnuuagcag 107

coring table: IDENTITY.NUC
                Gapop 10.0 , Gapext 1.0

earched: 37577330 seqs, 17593059518 residues

otal number of hits satisfying chosen parameters: 75154660

inimum DB seq length: 0
aximum DB seq length: 2000000000

ost-processing: Minimum Match 0%
                Maximum Match 100%
                Listing first 45 summaries

atabase :   Pending_Patents NA Main:*
    1: /cgn2_6/ptodata/2/pna/PCTUS_COMB.seq:*
    2: /cgn2_6/ptodata/2/pna/US06_COMB.seq:*
    3: /cgn2_6/ptodata/2/pna/US07_COMB.seq:*
    4: /cgn2_6/ptodata/2/pna/US080_COMB.seq:*
    5: /cgn2_6/ptodata/2/pna/US081_COMB.seq:*
    6: /cgn2_6/ptodata/2/pna/US082_COMB.seq:*
    7: /cgn2_6/ptodata/2/pna/US083_COMB.seq:*
    8: /cgn2_6/ptodata/2/pna/US084_COMB.seq:*
    9: /cgn2_6/ptodata/2/pna/US085_COMB.seq:*
   10: /cgn2_6/ptodata/2/pna/US086_COMB.seq:*
   11: /cgn2_6/ptodata/2/pna/US087_COMB.seq:*
   12: /cgn2_6/ptodata/2/pna/US088_COMB.seq:*
   13: /cgn2_6/ptodata/2/pna/US089_COMB.seq:*
   14: /cgn2_6/ptodata/2/pna/US090_COMB.seq:*
   15: /cgn2_6/ptodata/2/pna/US091_COMB.seq:*
   16: /cgn2_6/ptodata/2/pna/US092A_COMB.seq:*
   17: /cgn2_6/ptodata/2/pna/US092B_COMB.seq:*
   18: /cgn2_6/ptodata/2/pna/US093A_COMB.seq:*
   19: /cgn2_6/ptodata/2/pna/US093B_COMB.seq:*
   20: /cgn2_6/ptodata/2/pna/US094_COMB.seq:*
   21: /cgn2_6/ptodata/2/pna/US095A_COMB.seq:*
   22: /cgn2_6/ptodata/2/pna/US095B_COMB.seq:*
   23: /cgn2_6/ptodata/2/pna/US095C_COMB.seq:*
   24: /cgn2_6/ptodata/2/pna/US095D_COMB.seq:*
   25: /cgn2_6/ptodata/2/pna/US096A_COMB.seq:*
   26: /cgn2_6/ptodata/2/pna/US096B_COMB.seq:*
   27: /cgn2_6/ptodata/2/pna/US096C_COMB.seq:*
   28: /cgn2_6/ptodata/2/pna/US096D_COMB.seq:*
   29: /cgn2_6/ptodata/2/pna/US096E_COMB.seq:*
   30: /cgn2_6/ptodata/2/pna/US097A_COMB.seq:*
   31: /cgn2_6/ptodata/2/pna/US097B_COMB.seq:*
   32: /cgn2_6/ptodata/2/pna/US097C_COMB.seq:*
   33: /cgn2_6/ptodata/2/pna/US098A_COMB.seq:*
   34: /cgn2_6/ptodata/2/pna/US098B_COMB.seq:*
   35: /cgn2_6/ptodata/2/pna/US098C_COMB.seq:*
   36: /cgn2_6/ptodata/2/pna/US098D_COMB.seq:*
   37: /cgn2_6/ptodata/2/pna/US099A_COMB.seq:*
   38: /cgn2_6/ptodata/2/pna/US099B_COMB.seq:*
   39: /cgn2_6/ptodata/2/pna/US099C_COMB.seq:*
   40: /cgn2_6/ptodata/2/pna/US099D_COMB.seq:*
   41: /cgn2_6/ptodata/2/pna/US099E_COMB.seq:*
   42: /cgn2_6/ptodata/2/pna/US099F_COMB.seq:*
   43: /cgn2_6/ptodata/2/pna/US100A_COMB.seq:*
   44: /cgn2_6/ptodata/2/pna/US100B_COMB.seq:*
   45: /cgn2_6/ptodata/2/pna/US101A_COMB.seq:*
   46: /cgn2_6/ptodata/2/pna/US101B_COMB.seq:*
   47: /cgn2_6/ptodata/2/pna/US102A_COMB.seq:*
   48: /cgn2_6/ptodata/2/pna/US102B_COMB.seq:*
   49: /cgn2_6/ptodata/2/pna/US103A_COMB.seq:*
   50: /cgn2_6/ptodata/2/pna/US103B_COMB.seq:*
   51: /cgn2_6/ptodata/2/pna/US104A_COMB.seq:*
   52: /cgn2_6/ptodata/2/pna/US104B_COMB.seq:*
   53: /cgn2_6/ptodata/2/pna/US106_COMB.seq:*
   54: /cgn2_6/ptodata/2/pna/US107A_COMB.seq:*
   55: /cgn2_6/ptodata/2/pna/US107B_COMB.seq:*
   56: /cgn2_6/ptodata/2/pna/US6000_COMB.seq:*
   57: /cgn2_6/ptodata/2/pna/US6001_COMB.seq:*
   58: /cgn2_6/ptodata/2/pna/US6002_COMB.seq:*
   59: /cgn2_6/ptodata/2/pna/US6003_COMB.seq:*
   60: /cgn2_6/ptodata/2/pna/US6004_COMB.seq:*
   61: /cgn2_6/ptodata/2/pna/US6005_COMB.seq:*
   62: /cgn2_6/ptodata/2/pna/US6006_COMB.seq:*
   63: /cgn2_6/ptodata/2/pna/US6007_COMB.seq:*
   64: /cgn2_6/ptodata/2/pna/US6008_COMB.seq:*
   65: /cgn2_6/ptodata/2/pna/US6009_COMB.seq:*
   66: /cgn2_6/ptodata/2/pna/US6010_COMB.seq:*
   67: /cgn2_6/ptodata/2/pna/US6011_COMB.seq:*
   68: /cgn2_6/ptodata/2/pna/US6012_COMB.seq:*
   69: /cgn2_6/ptodata/2/pna/US6013_COMB.seq:*
   70: /cgn2_6/ptodata/2/pna/US6014_COMB.seq:*
   71: /cgn2_6/ptodata/2/pna/US6015_COMB.seq:*
   72: /cgn2_6/ptodata/2/pna/US6016_COMB.seq:*
   73: /cgn2_6/ptodata/2/pna/US6017_COMB.seq:*
   74: /cgn2_6/ptodata/2/pna/US6018_COMB.seq:*
   75: /cgn2_6/ptodata/2/pna/US6019_COMB.seq:*
   76: /cgn2_6/ptodata/2/pna/US6020_COMB.seq:*
   77: /cgn2_6/ptodata/2/pna/US6021_COMB.seq:*
   78: /cgn2_6/ptodata/2/pna/US6022_COMB.seq:*
   79: /cgn2_6/ptodata/2/pna/US6023A_COMB.seq:*
   80: /cgn2_6/ptodata/2/pna/US6023B_COMB.seq:*
   81: /cgn2_6/ptodata/2/pna/US6024_COMB.seq:*
   82: /cgn2_6/ptodata/2/pna/US6025_COMB.seq:*
   83: /cgn2_6/ptodata/2/pna/US6026_COMB.seq:*
   84: /cgn2_6/ptodata/2/pna/US6027_COMB.seq:*
   85: /cgn2_6/ptodata/2/pna/US6028_COMB.seq:*
   86: /cgn2_6/ptodata/2/pna/US6029_COMB.seq:*
   87: /cgn2_6/ptodata/2/pna/US6030_COMB.seq:*
   88: /cgn2_6/ptodata/2/pna/US6031_COMB.seq:*
   89: /cgn2_6/ptodata/2/pna/US6032_COMB.seq:*
   90: /cgn2_6/ptodata/2/pna/US6033_COMB.seq:*
   91: /cgn2_6/ptodata/2/pna/US6034_COMB.seq:*
   92: /cgn2_6/ptodata/2/pna/US6035_COMB.seq:*
   93: /cgn2_6/ptodata/2/pna/US6036_COMB.seq:*
   94: /cgn2_6/ptodata/2/pna/US6037_COMB.seq:*
   95: /cgn2_6/ptodata/2/pna/US6038_COMB.seq:*
   96: /cgn2_6/ptodata/2/pna/US6039_COMB.seq:*
   97: /cgn2_6/ptodata/2/pna/US6040_COMB.seq:*
   98: /cgn2_6/ptodata/2/pna/US6041_COMB.seq:*
   99: /cgn2_6/ptodata/2/pna/US6042_COMB.seq:*
  100: /cgn2_6/ptodata/2/pna/US6043_COMB.seq:*
  101: /cgn2_6/ptodata/2/pna/US6044_COMB.seq:*
  102: /cgn2_6/ptodata/2/pna/US6045_COMB.seq:*
  103: /cgn2_6/ptodata/2/pna/US6046_COMB.seq:*
  104: /cgn2_6/ptodata/2/pna/US6047_COMB.seq:*
  105: /cgn2_6/ptodata/2/pna/US6048_COMB.seq:*
  106: /cgn2_6/ptodata/2/pna/US6049_COMB.seq:*
  107: /cgn2_6/ptodata/2/pna/US6050_COMB.seq:*
  108: /cgn2_6/ptodata/2/pna/US6051_COMB.seq:*
  109: /cgn2_6/ptodata/2/pna/US6052_COMB.seq:*
  110: /cgn2_6/ptodata/2/pna/US6053_COMB.seq:*

SUMMARIES

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

Result No.	Score	% Query Match	Length	DB	ID	Description
1	49	45.8	107	27	US-09-646-651B-2	Sequence 2, Appli
2	49	45.8	107	27	US-09-646-651C-2	Sequence 2, Appli
3	31.4	29.3	298	27	US-09-646-651A-4	Sequence 4, Appli
4	31.4	29.3	298	27	US-09-646-651B-4	Sequence 4, Appli
5	31.4	29.3	298	27	US-09-646-651C-4	Sequence 4, Appli
6	29.8	27.9	226307	103	US-60-466-412-84605	Sequence 84605, A
7	29.4	27.5	1664976	1	PCT-US97-14900A-1	Sequence 1, Appli
8	29.4	27.5	1664976	29	US-09-692-570-1	Sequence 1, Appli
9	29.2	27.3	609	69	US-60-138-831-96	Sequence 96, Appl
10	29.2	27.3	903	70	US-60-140-806-338	Sequence 338, App
11	29.2	27.3	2334	70	US-60-141-856-255	Sequence 255, App
12	29.2	27.3	3020	73	US-60-173-464-20990	Sequence 20990, A
13	29.2	27.3	3020	75	US-60-191-637-25467	Sequence 25467, A
14	29.2	27.3	3020	75	US-60-191-681-20076	Sequence 20076, A
15	29.2	27.3	3238	70	US-60-142-844-270	Sequence 270, App
16	29.2	27.3	3456	25	US-09-614-150-25348	Sequence 25348, A
17	29.2	27.3	3456	25	US-09-614-150A-25348	Sequence 25348, A
18	29.2	27.3	4829	25	US-09-614-150-25336	Sequence 25336, A
19	29.2	27.3	4829	25	US-09-614-150A-25336	Sequence 25336, A
20	29.2	27.3	4829	73	US-60-173-464-20978	Sequence 20978, A
21	29.2	27.3	4829	75	US-60-191-637-25455	Sequence 25455, A
22	29.2	27.3	4829	75	US-60-191-681-20064	Sequence 20064, A
23	29.2	27.3	6062	72	US-60-167-217-9686	Sequence 9686, Ap
24	29.2	27.3	61423	21	US-09-528-237A-1870	Sequence 1870, Ap
25	29	27.1	27614	39	US-09-948-941-682	Sequence 682, App
26	29	27.1	35807	103	US-60-465-241-51556	Sequence 51556, A
27	28	26.2	183928	77	US-60-212-664-160	Sequence 160, App
28	27.8	26.0	510	25	US-09-605-702-3425	Sequence 3425, Ap
29	27.8	26.0	510	53	US-11-680-765-3425	Sequence 3425, Ap
30	27.4	25.6	474	104	US-60-475-872-2653	Sequence 2653, Ap
31	27.4	25.6	502	104	US-60-475-872-2591	Sequence 2591, Ap
32	27.4	25.6	524	1	PCT-US02-28214-280	Sequence 280, App
33	27.4	25.6	524	43	US-10-012-697-280	Sequence 280, App
34	27.4	25.6	524	84	US-60-275-688-280	Sequence 280, App
35	27.4	25.6	761	1	PCT-US02-28214-493	Sequence 493, App
36	27.4	25.6	761	43	US-10-012-697-493	Sequence 493, App
37	27.4	25.6	769	1	PCT-US02-28214-418	Sequence 418, App
38	27.4	25.6	769	43	US-10-012-697-418	GENERAL INFORMATI
39	27.4	25.6	769	84	US-60-275-688-419	Sequence 419, App
40	27.4	25.6	789	1	PCT-US02-28214-415	Sequence 415, App
41	27.4	25.6	789	43	US-10-012-697-415	Sequence 415, App
42	27.4	25.6	789	84	US-60-275-688-416	Sequence 416, App
43	27.4	25.6	835	84	US-60-275-688-494	Sequence 494, App
44	27.4	25.6	929	1	PCT-US02-28214-1307	Sequence 1307, Ap
45	27.4	25.6	929	43	US-10-012-697-1307	Sequence 1307, Ap

ALIGNMENTS

RESULT 1
US-09-646-651B-2
; Sequence 2, Application US/09646651B
; GENERAL INFORMATION:
; APPLICANT: Kiesewetter, Stefan
; APPLICANT: Kuhn, Eckehard
; APPLICANT: Koch-Pelster, Brigitte
; APPLICANT: Brunner, Hertwig
; TITLE OF INVENTION: METAL-CONTAINING RIBONUCLEOTIDE POLYPEPTIDES
; FILE REFERENCE: 206579
; CURRENT APPLICATION NUMBER: US/09/646,651B
; CURRENT FILING DATE: 2000-09-13
; PRIOR APPLICATION NUMBER: PCT/EP98/07722
; PRIOR FILING DATE: 1998-11-30
; PRIOR APPLICATION NUMBER: DE 198 11 047.2
; PRIOR FILING DATE: 1998-03-13
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 2

; LENGTH: 107
; TYPE: RNA
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Synthetic
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (8)..(8)
; OTHER INFORMATION: N is nucleotide A, C, U, or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (9)..(9)
; OTHER INFORMATION: N is nucleotide A, C, U, or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (10)..(10)
; OTHER INFORMATION: N is nucleotide A, C, U, or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (11)..(11)
; OTHER INFORMATION: N is nucleotide A, C, U, or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (12)..(12)
; OTHER INFORMATION: N is nucleotide A, C, U, or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (14)..(14)
; OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (20)..(20)
; OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (21)..(21)
; OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (22)..(22)
; OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (23)..(23)
; OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (24)..(24)
; OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (25)..(25)
; OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (28)..(28)
; OTHER INFORMATION: N is nucleotide A, C, U, or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (29)..(29)
; OTHER INFORMATION: N is nucleotide A, C, U, or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (30)..(30)
; OTHER INFORMATION: N is nucleotide A, C, U, or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (34)..(34)
; OTHER INFORMATION: N is nucleotide A, C, U, or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (35)..(35)
; OTHER INFORMATION: N is nucleotide A, C, U, or G

FEATURE:
NAME/KEY: misc_feature
LOCATION: (36)..(36)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (37)..(37)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (38)..(38)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (39)..(39)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (45)..(45)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (48)..(48)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (55)..(55)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (56)..(56)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (57)..(57)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (58)..(58)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (59)..(59)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (63)..(63)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (66)..(66)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (67)..(67)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (68)..(68)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (69)..(69)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (70)..(70)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (71)..(71)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:

FEATURE:
NAME/KEY: misc_feature
LOCATION: (72)..(72)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (73)..(73)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (74)..(74)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (75)..(75)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (76)..(76)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (77)..(77)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (78)..(78)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (85)..(85)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (86)..(86)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature

```
Query Match             45.8%;  Score 49;  DB 27;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 0.0005;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 GGAAAAUNNNNNDNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNC 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 GGAAAAUNNNNNDNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNC 60

Qy         61 UUNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAGCAG 107
              |||||||||||||||||||||||||||||||||||||||||||||
Db         61 UUNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAGCAG 107
```

RESULT 2
US-09-646-651C-2
; Sequence 2, Application US/09646651C
; GENERAL INFORMATION:
; APPLICANT: Kiesewetter, Stefan
; APPLICANT: Kuhn, Eckehard
; APPLICANT: Koch-Pelster, Brigitte
; APPLICANT: Brunner, Herwig
; TITLE OF INVENTION: METAL-CONTAINING RIBONUCLEOTIDE POLYPEPTIDES
; FILE REFERENCE: 206579
; CURRENT APPLICATION NUMBER: US/09/646,651C
; CURRENT FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: PCT/EP98/07722
; PRIOR FILING DATE: 1998-11-30
; PRIOR APPLICATION NUMBER: DE 198 11 047.2
; PRIOR FILING DATE: 1998-03-13
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 2
; LENGTH: 107
; TYPE: RNA
; ORGANISM: Artificial

FEATURE:
OTHER INFORMATION: Synthetic
FEATURE:
NAME/KEY: misc_feature
LOCATION: (8)..(8)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (9)..(9)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (10)..(10)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (11)..(11)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (12)..(12)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (14)..(14)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (20)..(20)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (21)..(21)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (22)..(22)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (23)..(23)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (24)..(24)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (25)..(25)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (28)..(28)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (29)..(29)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (30)..(30)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (34)..(34)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (35)..(35)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (36)..(36)

OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (37)..(37)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (38)..(38)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (39)..(39)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (45)..(45)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (48)..(48)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (55)..(55)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (56)..(56)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (57)..(57)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (58)..(58)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (59)..(59)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (63)..(63)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (66)..(66)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (67)..(67)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (68)..(68)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (69)..(69)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (70)..(70)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (71)..(71)
OTHER INFORMATION: N is nucleotide A, C, U, or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: (72)..(72)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present

; OTHER INFORMATION: snRNA
US-09-646-651A-4

Query Match   29.3%;   Score 31.4;   DB 27;   Length 298;
Best Local Similarity   42.1%;   Pred. No. 58;
Matches 32;   Conservative 0;   Mismatches 44;   Indels 0;   Gaps 0;

```
Qy    32  UUNNNNNNAAAAANUANAAACAUNNNNNCUNAGNNNNNNNNNNNNNNNNNNAGAAAUNNNNNNNN  91
              |||||  |||||  ||||| |||     ||                     |||||
Db    89  UUUGUACAUAAAAAUAAUAAACAUGACUCCUUAGACACUCCCUUCAUUAGAAUAAAAUAA  148

Qy    92  NNNNNNNNNUUAGCAG  107
                   ||||||
Db   149  AAUAAACAUUUAGCAG  164
```

RESULT 4
US-09-646-651B-4
; Sequence 4, Application US/09646651B
; GENERAL INFORMATION:
; APPLICANT: Kiesewetter, Stefan
; APPLICANT: Kuhn, Eckehard
; APPLICANT: Koch-Pelster, Brigitte
; APPLICANT: Brunner, Herwig
; TITLE OF INVENTION: METAL-CONTAINING RIBONUCLEOTIDE POLYPEPTIDES
; FILE REFERENCE: 206579
; CURRENT APPLICATION NUMBER: US/09/646,651B
; CURRENT FILING DATE: 2000-09-13
; PRIOR APPLICATION NUMBER: PCT/EP98/07722
; PRIOR FILING DATE: 1998-11-30
; PRIOR APPLICATION NUMBER: DE 198 11 047.2
; PRIOR FILING DATE: 1998-03-13
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 4
; LENGTH: 298
; TYPE: RNA
; ORGANISM: Unknown
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: ()..()
; OTHER INFORMATION: snRNA
US-09-646-651B-4

Query Match   29.3%;   Score 31.4;   DB 27;   Length 298;
Best Local Similarity   42.1%;   Pred. No. 58;
Matches 32;   Conservative 0;   Mismatches 44;   Indels 0;   Gaps 0;

```
Qy    32  UUNNNNNNAAAAANUANAAACAUNNNNNCUNAGNNNNNNNNNNNNNNNNNNAGAAAUNNNNNNNN  91
              |||||  |||||  ||||| |||     ||                     |||||
Db    89  UUUGUACAUAAAAAUAAUAAACAUGACUCCUUAGACACUCCCUUCAUUAGAAUAAAAUAA  148

Qy    92  NNNNNNNNNUUAGCAG  107
                   ||||||
Db   149  AAUAAACAUUUAGCAG  164
```

RESULT 5
US-09-646-651C-4
; Sequence 4, Application US/09646651C
; GENERAL INFORMATION:
; APPLICANT: Kiesewetter, Stefan
; APPLICANT: Kuhn, Eckehard
; APPLICANT: Koch-Pelster, Brigitte
; APPLICANT: Brunner, Herwig
; TITLE OF INVENTION: METAL-CONTAINING RIBONUCLEOTIDE POLYPEPTIDES
; FILE REFERENCE: 206579
; CURRENT APPLICATION NUMBER: US/09/646,651C
; CURRENT FILING DATE: 2001-01-16
; PRIOR APPLICATION NUMBER: PCT/EP98/07722
; PRIOR FILING DATE: 1998-11-30
; PRIOR APPLICATION NUMBER: DE 198 11 047.2
; PRIOR FILING DATE: 1998-03-13

FEATURE:
NAME/KEY: misc_feature
LOCATION: (73)..(73)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (74)..(74)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (75)..(75)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (76)..(76)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (77)..(77)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (78)..(78)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (85)..(85)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature
LOCATION: (86)..(86)
OTHER INFORMATION: N is nucleotide A, C, U, or G and may or may not be present
FEATURE:
NAME/KEY: misc_feature

Query Match   45.8%;   Score 49;   DB 27;   Length 107;
Best Local Similarity   100.0%;   Pred. No. 0.0005;
Matches 107;   Conservative 0;   Mismatches 0;   Indels 0;   Gaps 0;

```
Qy    1  GGAAAAUNNNNNUNAUAUGNNNNNNNNNNNNNCUNNNUUNNNNNAAAAAUNANAAACAUNNNNNC  60
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    1  GGAAAAUNNNNNUNAUAUGNNNNNNNNNNNNNCUNNNUUNNNNNAAAAAUNANAAACAUNNNNNC  60

Qy   61  UUNAGNNNNNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUUAGCAG  107
            |||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61  UUNAGNNNNNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUUAGCAG  107
```

RESULT 3
US-09-646-651A-4
; Sequence 4, Application US/09646651A
; GENERAL INFORMATION:
; APPLICANT: Kiesewetter, Stefan
; APPLICANT: Kuhn, Eckehard
; APPLICANT: Koch-Pelster, Brigitte
; APPLICANT: Brunner, Herwig
; TITLE OF INVENTION: METAL-CONTAINING RIBONUCLEOTIDE POLYPEPTIDES
; FILE REFERENCE: 206579
; CURRENT APPLICATION NUMBER: US/09/646,651A
; CURRENT FILING DATE: 2000-09-13
; PRIOR APPLICATION NUMBER: PCT/EP98/07722
; PRIOR FILING DATE: 1998-11-30
; PRIOR APPLICATION NUMBER: DE 198 11 047.2
; PRIOR FILING DATE: 1998-03-13
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 4
; LENGTH: 298
; TYPE: RNA
; ORGANISM: Unknown
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: ()..()

```
NUMBER OF SEQ ID NOS: 4
SOFTWARE: PatentIn version 3.0
SEQ ID NO 4
    LENGTH: 298
    TYPE: RNA
    ORGANISM: Unknown
    FEATURE:
    NAME/KEY: misc_feature
    LOCATION: ()..()
    OTHER INFORMATION: snRNA
JS-09-646-651C-4

Query Match           29.3%;  Score 31.4;  DB 27;  Length 298;
Best Local Similarity 42.1%;  Pred. No. 58;
Matches     32;  Conservative   0;  Mismatches 44;  Indels   0;  Gaps   0;

Qy      32 UUNNNNNAAAAANUANAAACAUNNNNNCUUNAGNNNNNNNNNNAGAAAUNNNNNNN 91
              |||||  |||||   |||||                      ||||||
Db      89 UUUGUACAUAAAAAAAUAAAACAUGACAUCCUUUAGACACUCCUUCAUUAGAAAUAAAAUAA 148

Qy      92 NNNNNNNNUUAGCAG 107
                   ||||||
Db     149 AAUAAACUAUUAGCAG 164


RESULT 6
JS-60-466-412-84605
; Sequence 84605, Application US/60466412
; GENERAL INFORMATION:
; APPLICANT: CARGILL, Michele
; APPLICANT: IAKOUBOVA, Olga
; TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
; TITLE OF INVENTION: MYOCARDIAL INFARCTION, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001466
; CURRENT APPLICATION NUMBER: US/60/466,412
; CURRENT FILING DATE: 2003-04-30
; NUMBER OF SEQ ID NOS: 429241
; SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 84605
    LENGTH: 226307
    TYPE: DNA
    ORGANISM: Homo sapiens
    FEATURE:
    NAME/KEY: misc_feature
    LOCATION: (1)...(226307)
    OTHER INFORMATION: n = A,T,C or G
US-60-466-412-84605

Query Match           27.9%;  Score 29.8;  DB 103;  Length 226307;
Best Local Similarity 23.4%;  Pred. No. 9.5e+02;
Matches     25;  Conservative  12;  Mismatches 70;  Indels   0;  Gaps   0;

Qy       1 GGAAAAUNNNNNNUNAUAUGNNNNNCUNNNUUNNNNNNAAAAANUANAAACAUNNNNNNC 60
            |||||      ::|: ::::|  |   ::: ||||  |||:
Db   90594 GGAAACATCTATTAATTTGACTTTTACATTGCCCAGAAAATTTGTAAGCATGGTCTC 90653

Qy      61 UUNAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNUUAGCAG 107
              |||||                :: |||
Db   90654 TGAAATAGGCTAAAGAGAAGAAATCGAAAGGAAATCGCCTTTTGTAG 90700


RESULT 7
PCT-US97-14900A-1/c
; Sequence 1, Application PC/TUS9714900A
; GENERAL INFORMATION:
; APPLICANT: THE INSTITUTE FOR GENOMIC RESEARCH
; APPLICANT: 9712 MEDICAL CENTER DRIVE
; APPLICANT: ROCKVILLE, MD 20850
; APPLICANT: UNITED STATES OF AMERICA
; APPLICANT: MICROBIOLOGY DEPARTMENT
; APPLICANT: CHAMPAIGN-URBANA, IL 61801
; APPLICANT: UNITED STATES OF AMERICA
; APPLICANT: SCHOOL OF MEDICINE
```

```
, APPLICANT: DEPARTMENT OF MOLECULAR BIOLOGY AND GENETICS
, APPLICANT: BALTIMORE, MD 21205
, APPLICANT: UNITED STATES OF AMERICA
, APPLICANT: APPLICANTS/INVENTORS: Bult, Carol J.
, APPLICANT: White, Owen R.
, APPLICANT: Smith, Hamilton O.
, APPLICANT: Woese, Carl R.
, APPLICANT: Venter, J. Craig
, TITLE OF INVENTION: Complete Genome Sequence of the Methanogenic
, TITLE OF INVENTION: Archaeon, Methanococcus jannaschii
, NUMBER OF SEQUENCES: 3
, CORRESPONDENCE ADDRESS:
,   ADDRESSEE: STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.
,   STREET: 1100 New York Avenue, NW, Suite 600
,   CITY: WASHINGTON
,   STATE: DC
,   COUNTRY: USA
,   ZIP: 20005-3934
, COMPUTER READABLE FORM:
,   MEDIUM TYPE: Floppy disk
,   COMPUTER: IBM PC COMPATIBLE
,   OPERATING SYSTEM: PC-DOS/MS-DOS
,   SOFTWARE: PatentIn Release #1.0, Version #1.30
, CURRENT APPLICATION DATA:
,   APPLICATION NUMBER: PCT/US97/14900A
,   FILING DATE: 22-AUG-1997
,   CLASSIFICATION:
, PRIOR APPLICATION DATA:
,   APPLICATION NUMBER: US 60/024,428
,   FILING DATE: 22-AUG-1996
, ATTORNEY/AGENT INFORMATION:
,   NAME: Eric K. Steffe
,   REGISTRATION NUMBER: 36,688
,   REFERENCE/DOCKET NUMBER: 1488.029PC01
, TELECOMMUNICATION INFORMATION:
,   TELEPHONE: (202) 371-2600
,   TELEFAX: (202) 371-2540
, INFORMATION FOR SEQ ID NO: 1:
,   SEQUENCE CHARACTERISTICS:
,   LENGTH: 1664976 base pairs
,   TYPE: nucleic acid
,   STRANDEDNESS: double
,   TOPOLOGY: linear
PCT-US97-14900A-1

Query Match           27.5%;  Score 29.4;  DB 1;  Length 1664976;
Best Local Similarity 24.8%;  Pred. No. 2e+03;
Matches     26;  Conservative  10;  Mismatches 69;  Indels   0;  Gaps   0;

Qy       3 AAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNNAAAAANUANAAACAUNNNNNCUU 62
            |||||  |  |||:  ::: |||:  :  ||||  :|||||
Db   573299 AAAATTAGTATTAGAGCTATAACTTATTTTAATGCCAAAAAATATAAACATTTCGGTG 573240

Qy      63 NAGNNNNNNNNNNNNNNNNNNNNNNNNNUUAGCAG 107
             ||||||  |:
Db   573239 AAATAATGACAGGCAAAGTTATCTTAGTAGGAGGACCGCGGAG 573195


RESULT 8
US-09-692-570-1/c
; Sequence 1, Application US/09692570
; GENERAL INFORMATION:
; APPLICANT: Bult et al.
; TITLE OF INVENTION: Complete Genome Sequence of the Methanogenic Archaeon, Methanococc
; TITLE OF INVENTION: jannaschii
; FILE REFERENCE: PB275C1
; CURRENT APPLICATION NUMBER: US/09/692,570
; CURRENT FILING DATE: 2003-01-14
; PRIOR APPLICATION NUMBER: US 60/024,428
; PRIOR FILING DATE: 1996-08-22
; PRIOR APPLICATION NUMBER: US 08/916,421
; PRIOR FILING DATE: 1997-08-22
; NUMBER OF SEQ ID NOS: 20
```

SOFTWARE: PatentIn version 3.1
SEQ ID NO 1
LENGTH: 1664976
TYPE: DNA
ORGANISM: Methanococcus jannaschii
FEATURE:
NAME/KEY: misc_feature
LOCATION: (28222)..(28222)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (28257)..(28258)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (84773)..(84773)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (84808)..(84808)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (84812)..(84812)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (98120)..(98120)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (98159)..(98159)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (98239)..(98239)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (98266)..(98266)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (98343)..(98343)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (103998)..(103998)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (148948)..(148948)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (163385)..(163385)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (191989)..(191989)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (191995)..(191995)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (231980)..(231980)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (234187)..(234187)
OTHER INFORMATION: n equals a, t, c, or g

FEATURE:
NAME/KEY: misc_feature
LOCATION: (234220)..(234220)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (234814)..(234814)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (309398)..(309398)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (309418)..(309418)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (312837)..(312837)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (312993)..(312993)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (319226)..(319226)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (559167)..(559167)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (559241)..(559241)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (600992)..(600992)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (622708)..(622708)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (657081)..(657081)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (657203)..(657203)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (674435)..(674435)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (682442)..(682442)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (713652)..(713652)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (741684)..(741684)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:
NAME/KEY: misc_feature
LOCATION: (779455)..(779455)
OTHER INFORMATION: n equals a, t, c, or g
FEATURE:

```
;     NAME/KEY: misc_feature
;     LOCATION: (779676)..(779676)
;     OTHER INFORMATION: n equals a, t, c, or g
;     FEATURE:
;     NAME/KEY: misc_feature
;     LOCATION: (855539)..(855539)
;     OTHER INFORMATION: n equals a, t, c, or g
;     FEATURE:
;     NAME/KEY: misc_feature
;     LOCATION: (871619)..(871619)
;     OTHER INFORMATION: n equals a, t, c, or g
;     FEATURE:
;     NAME/KEY: misc_feature
;     LOCATION: (1084830)..(1084830)
;     OTHER INFORMATION: n equals a, t, c, or g
;     FEATURE:
;     NAME/KEY: misc_feature
;     LOCATION: (1096846)..(1096846)
;     OTHER INFORMATION: n equals a, t, c, or g
;     FEATURE:
;     NAME/KEY: misc_feature
;     LOCATION: (1119881)..(1119881)
;     OTHER INFORMATION: n equals a, t, c, or g
;     FEATURE:
;     NAME/KEY: misc_feature
;     LOCATION: (1130881)..(1130881)
;     OTHER INFORMATION: n equals a, t, c, or g
;     FEATURE:
;     NAME/KEY: misc_feature
;     LOCATION: (1310988)..(1310988)
;     OTHER INFORMATION: n equals a, t, c, or g
;     FEATURE:
;     NAME/KEY: misc_feature
;     LOCATION: (1313224)..(1313224)
;     OTHER INFORMATION: n equals a, t, c, or g
;     FEATURE:
;     NAME/KEY: misc_feature
;     LOCATION: (1349473)..(1349473)
;     OTHER INFORMATION: n equals a, t, c, or g
;     FEATURE:
;     NAME/KEY: misc_feature

Query Match         27.5%;   Score 29.4;  DB 29;   Length 1664976;
Best Local Similarity  24.8%;   Pred. No. 2e+03;
Matches  26;  Conservative  10;  Mismatches  69;  Indels  0;  Gaps  0;

Qy      3 AAAAUNNNNNUNAUAUGNNNNNCUNNNNUUUNNNNNNAAAAANUANAAAACAUNNNNNCUU 62
            |||||       :::     ::::        |||||| :| |||||:
Db 573299 AAAATTAGTATTAGAAGCTATAACTTATTTTAATGCCAAAAAATATAAACATTTCTGGTG 573240

Qy     63 NAGNNNNNNNNNNNAGAAANNNNNNNNNNNNNNNNNNUUAGCAG 107
            |||  |:                              |||
Db 573239 AAATAATGACAGGCAAAGTTATCTTAGTAGGAGCAGGACCGGGAG 573195

RESULT 9
US-60-138-831-96/c
; Sequence 96, Application US/60138831
; GENERAL INFORMATION:
;   APPLICANT: Kerlavage, Anthony
;   TITLE OF INVENTION: ISOLATED KINASE PROTEINS, NUCLEIC ACID
;   TITLE OF INVENTION: MOLECULES ENCODING KINASE PROTEINS, AND USES THEREOF
;   FILE REFERENCE: CL000028
;   CURRENT APPLICATION NUMBER: US/60/138,831
;   CURRENT FILING DATE: 1999-06-14
;   NUMBER OF SEQ ID NOS: 620
;   SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 96
;   LENGTH: 609
;   TYPE: DNA
;   ORGANISM: Drosophila
US-60-138-831-96
```

```
Query Match         27.3%;   Score 29.2;  DB 69;   Length 609;
Best Local Similarity  25.0%;   Pred. No. 2.9e+02;
Matches  21;  Conservative  13;  Mismatches  50;  Indels  0;  Gaps  0;

Qy      1 GGAAAAUNNNNUNAUAUGNNNNNCUNNNUUNNNNNNAAAAANUANAAAACAUNNNNNC 60
            |||||       :| :::     :: :        |||||
Db    263 GGAAAATAAACTTAGTATTACAATCTTAGTTTTGTACCAAAAATAAAAATCTGTATAA 204

Qy     61 UUNAGNNNNNNNNNNAGAAAU 84
            ::|
Db    203 TTAATTTAAATTCAAATTTAAAT 180

RESULT 10
US-60-140-806-338
; Sequence 338, Application US/60140806
; GENERAL INFORMATION:
;   APPLICANT: Kerlavage, Anthony
;   TITLE OF INVENTION: ISOLATED KINASE PROTEINS, NUCLEIC ACID
;   TITLE OF INVENTION: MOLECULES ENCODING KINASE PROTEINS, AND USES THEREOF
;   FILE REFERENCE: CL000038
;   CURRENT APPLICATION NUMBER: US/60/140,806
;   CURRENT FILING DATE: 1999-06-25
;   NUMBER OF SEQ ID NOS: 1196
;   SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 338
;   LENGTH: 903
;   TYPE: DNA
;   ORGANISM: Drosophila
US-60-140-806-338

Query Match         27.3%;   Score 29.2;  DB 70;   Length 903;
Best Local Similarity  25.0%;   Pred. No. 3.2e+02;
Matches  21;  Conservative  13;  Mismatches  50;  Indels  0;  Gaps  0;

Qy      1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNNAAAAANUANAAAACAUNNNNNC 60
            |||||       :| :::     :: :        |||||
Db    641 GGAAAATAAACTTAGTATTACAATCTTAGTTTTGTACCAAAAATAAAAATCTGTATAA 700

Qy     61 UUNAGNNNNNNNNNNAGAAAU 84
            ::|
Db    701 TTAATTTAAATTCAAATTTAAAT 724

RESULT 11
US-60-141-856-255
; Sequence 255, Application US/60141856
; GENERAL INFORMATION:
;   APPLICANT: Kerlavage, Anthony
;   TITLE OF INVENTION: ISOLATED KINASE PROTEINS, NUCLEIC ACID
;   TITLE OF INVENTION: MOLECULES ENCODING KINASE PROTEINS, AND USES THEREOF
;   FILE REFERENCE: CL000044
;   CURRENT APPLICATION NUMBER: US/60/141,856
;   CURRENT FILING DATE: 1999-07-01
;   NUMBER OF SEQ ID NOS: 617
;   SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 255
;   LENGTH: 2334
;   TYPE: DNA
;   ORGANISM: Drosophila
US-60-141-856-255

Query Match         27.3%;   Score 29.2;  DB 70;   Length 2334;
Best Local Similarity  25.0%;   Pred. No. 4.2e+02;
Matches  21;  Conservative  13;  Mismatches  50;  Indels  0;  Gaps  0;

Qy      1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNNAAAAANUANAAAACAUNNNNNC 60
            |||||       :| :::     :: :        |||||
Db   2072 GGAAAATAAACTTAGTATTACAATCTTAGTTTTGTACCAAAAATAAAAATCTGTATAA 2131

Qy     61 UUNAGNNNNNNNNNNAGAAAU 84
            ::|
Db   2132 TTAATTTAAATTCAAATTTAAAT 2155
```

RESULT 12
US-60-173-464-20990
Sequence 20990, Application US/60173464
GENERAL INFORMATION:
  APPLICANT: Li, Peter W.D.
  TITLE OF INVENTION: ISOLATED G-PROTEIN COUPLED RECEPTORS, PROTEINS AND USES
  TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING GPCR PROTEINS AND USES
  TITLE OF INVENTION: THEREOF
  FILE REFERENCE: CL000173
  CURRENT APPLICATION NUMBER: US/60/173,464
  CURRENT FILING DATE: 1999-12-29
  NUMBER OF SEQ ID NOS: 30269
  SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 20990
  LENGTH: 3020
  TYPE: DNA
  ORGANISM: Drosophila
US-60-173-464-20990

Query Match   27.3%; Score 29.2; DB 73; Length 3020;
Best Local Similarity   25.0%; Pred. No. 4.5e+02;
  Matches   21; Conservative 13; Mismatches 50; Indels   0; Gaps   0;

Qy   1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAACAUNNNNNC 60
          |||||| : :|:   : ::| |: :: |||| :| |||
Db 769 GGAAAATAAACTTAGTATTACAATCTTAGTTTGTACCAAAAAATAAAAATCTGTATAA 828

Qy   61 UUNAGNNNNNNNNNAGAAAU 84
          :: |:
Db 829 TTAATTTAAATTCAAATTTAAAT 852

RESULT 13
US-60-191-637-25467
Sequence 25467, Application US/60191637
GENERAL INFORMATION:
  APPLICANT: Venter, J. Craig
  TITLE OF INVENTION: NUCLEIC ACID DETECTION KITS COMPRISING
  TITLE OF INVENTION: GENE SEQUENCES EXPRESSED FROM THE DROSOPHILA GENOME, AND
  TITLE OF INVENTION: USES THEREOF
  FILE REFERENCE: CL000392
  CURRENT APPLICATION NUMBER: US/60/191,637
  CURRENT FILING DATE: 2000-03-23
  NUMBER OF SEQ ID NOS: 42660
  SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 25467
  LENGTH: 3020
  TYPE: DNA
  ORGANISM: DROSOPHILA
US-60-191-637-25467

Query Match   27.3%; Score 29.2; DB 75; Length 3020;
Best Local Similarity   25.0%; Pred. No. 4.5e+02;
  Matches   21; Conservative 13; Mismatches 50; Indels   0; Gaps   0;

Qy   1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAACAUNNNNNC 60
          |||||| : :|:   : ::| |: :: |||| :| |||
Db 769 GGAAAATAAACTTAGTATTACAATCTTAGTTTGTACCAAAAAATAAAAATCTGTATAA 828

Qy   61 UUNAGNNNNNNNNNAGAAAU 84
          :: |:
Db 829 TTAATTTAAATTCAAATTTAAAT 852

RESULT 14
US-60-191-681-20076
Sequence 20076, Application US/60191681
GENERAL INFORMATION:
  APPLICANT: Li, Peter W.D.
  TITLE OF INVENTION: ISOLATED DROSOPHILA PROTEINS, NUCLEIC
  TITLE OF INVENTION: ACID MOLECULES ENCODING ISOLATED DROSOPHILA PROTEINS AND
  TITLE OF INVENTION: USES THEREOF.
  FILE REFERENCE: c1000390
  CURRENT APPLICATION NUMBER: US/60/191,681
  CURRENT FILING DATE: 2000-03-23
  NUMBER OF SEQ ID NOS: 30973
  SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 20076
  LENGTH: 3020
  TYPE: DNA
  ORGANISM: DROSOPHILA
US-60-191-681-20076

Query Match   27.3%; Score 29.2; DB 75; Length 3020;
Best Local Similarity   25.0%; Pred. No. 4.5e+02;
  Matches   21; Conservative 13; Mismatches 50; Indels   0; Gaps   0;

Qy   1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAACAUNNNNNC 60
          |||||| : :|:   : ::| |: :: |||| :| |||
Db 769 GGAAAATAAACTTAGTATTACAATCTTAGTTTGTACCAAAAAATAAAAATCTGTATAA 828

Qy   61 UUNAGNNNNNNNNNAGAAAU 84
          :: |:
Db 829 TTAATTTAAATTCAAATTTAAAT 852

RESULT 15
US-60-142-844-270
Sequence 270, Application US/60142844
GENERAL INFORMATION:
  APPLICANT: Kerlavage, Anthony
  TITLE OF INVENTION: ISOLATED KINASE PROTEINS, NUCLEIC ACID
  TITLE OF INVENTION: MOLECULES ENCODING KINASE PROTEINS, AND USES THEREOF
  FILE REFERENCE: CL000049
  CURRENT FILING DATE: 1999-07-08
  NUMBER OF SEQ ID NOS: 730
  SOFTWARE: FastSEQ for Windows Version 3.0
SEQ ID NO 270
  LENGTH: 3238
  TYPE: DNA
  ORGANISM: Drosophila
US-60-142-844-270

Query Match   27.3%; Score 29.2; DB 70; Length 3238;
Best Local Similarity   25.0%; Pred. No. 4.5e+02;
  Matches   21; Conservative 13; Mismatches 50; Indels   0; Gaps   0;

Qy   1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAACAUNNNNNC 60
          |||||| : :|:   : ::| |: :: |||| :| |||
Db 2073 GGAAAATAAACTTAGTATTACAATCTTAGTTTGTACCAAAAATAAAAATCTGTATAA 2132

Qy   61 UUNAGNNNNNNNNNAGAAAU 84
          :: |:
Db 2133 TTAATTTAAATTCAAATTTAAAT 2156

Search completed: March 8, 2004, 07:15:09
Job time : 3141 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

DM nucleic - nucleic search, using sw model

Run on: March 8, 2004, 05:20:29 ; Search time 44 Seconds
                                           (without alignments)
                                           597.965 Million cell updates/sec

Title: US-09-646-651C-2
Perfect score: 107
Sequence: 1 ggaaaaunnnnnnunauaugn..........nnnnnnnnnnnnuuagcag 107

Scoring table: IDENTITY NUC
Gapop 10.0 , Gapext 1.0

Searched: 517230 seqs, 12294014 residues

Total number of hits satisfying chosen parameters: 1034460

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   Pending Patents NA New:*
              1: /cgn2_6/ptodata/2/pna/PCT_NEW_COMB.seq:*
              2: /cgn2_6/ptodata/2/pna/US06_NEW_COMB.seq:*
              3: /cgn2_6/ptodata/2/pna/US07_NEW_COMB.seq:*
              4: /cgn2_6/ptodata/2/pna/US08_NEW_COMB.seq:*
              5: /cgn2_6/ptodata/2/pna/US09_NEW_COMB.seq:*
              6: /cgn2_6/ptodata/2/pna/US10_NEW_COMB.seq:*
              7: /cgn2_6/ptodata/2/pna/US60_NEW_COMB.seq:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Match	Query Length	DB	ID	Description
1	27.4	25.6	524	6	US-10-779-543-22280	Sequence 22280, A
2	27.4	25.6	761	6	US-10-779-543-22493	Sequence 22493, A
3	27.4	25.6	769	6	US-10-779-543-22418	Sequence 22418, A
4	27.4	25.6	789	6	US-10-779-543-22415	Sequence 22415, A
5	27.4	25.6	929	6	US-10-779-543-23307	Sequence 23307, A
6	24.6	23.0	3552	6	US-10-775-972-126	Sequence 126, App
c 7	24.6	23.0	1790242	6	US-10-767-471-10805	Sequence 10805, A
c 8	24.4	22.8	500	1	PCT-US04-02000-361	Sequence 361, App
9	24.2	22.6	1000	1	PCT-US04-02000-172	Sequence 172, App
c 10	23.8	22.2	184809	6	US-10-767-471-10627	Sequence 10627, A
11	23.6	22.1	104000	6	US-10-673-523-14	Sequence 14, Appl
c 12	23.6	22.1	138434	6	US-10-767-471-10732	Sequence 10732, A
13	23.4	21.9	1908	6	US-10-468-591A-8	Sequence 8, Appli
14	23.4	21.9	3258	5	US-09-830-230A-324	Sequence 324, App
15	23.4	21.9	3354	5	US-09-830-230A-323	Sequence 323, App
16	23.4	21.9	12751	6	US-10-767-471-10612	Sequence 10612, A
c 17	23.4	21.9	138244	6	US-10-767-471-10702	Sequence 10702, A
18	23.2	21.7	1119	6	US-10-091-007A-197	Sequence 197, App
19	23.2	21.7	116733	6	US-10-767-471-10741	Sequence 10741, A
20	23.2	21.7	130030	6	US-10-767-471-10854	Sequence 10854, A
21	23.2	21.7	165097	6	US-10-765-790-77	Sequence 77, Appl
c 22	23.2	21.7	166020	6	US-10-767-471-10806	Sequence 10806, A
c 23	23.2	21.7	193757	6	US-10-767-471-10614	Sequence 10614, A
c 24	23.2	21.7	546025	6	US-10-767-471-10717	Sequence 10717, A
25	23.2	21.7	1790242	6	US-10-767-471-10805	Sequence 10805, A
26	23	21.5	549	6	US-10-767-701-30635	Sequence 30635, A
27		23	21.5	1092	6	US-10-417-884A-3103	Sequence 3103, Ap
28		23	21.5	388939	6	US-10-417-375A-4	Sequence 4, Appli
c 29		23	21.5	495635	6	US-10-765-790-12	Sequence 12, Appl
c 30		23	21.5	705636	6	US-10-765-790-30	Sequence 30, Appl
31		22.8	21.3	77483	6	US-10-767-471-10844	Sequence 10844, A
32		22.6	21.1	580	6	US-10-779-543-20980	Sequence 20980, A
33		22.6	21.1	67253	6	US-10-765-790-88	Sequence 88,.Appl
34		22.6	21.1	102090	6	US-10-767-471-10823	Sequence 10823, A
c 35		22.6	21.1	102090	6	US-10-767-471-10823	Sequence 10823, A
36		22.4	20.9	411	6	US-10-417-884A-1919	Sequence 1919, Ap
37		22.4	20.9	526	6	US-10-779-543-20015	Sequence 20015, A
38		22.4	20.9	534	6	US-10-779-543-19540	Sequence 19540, A
39		22.4	20.9	631	6	US-10-779-543-22233	Sequence 22233, A
c 40		22.4	20.9	822	6	US-10-779-543-22331	Sequence 22331, A
41		22.4	20.9	873	6	US-10-417-884A-2829	Sequence 2829, Ap
42		22.4	20.9	38142	6	US-10-767-471-10650	Sequence 55, Appl
c 43		22.4	20.9	101001	6	US-10-767-471-10650	Sequence 10650, A
c 44		22.4	20.9	170546	6	US-10-767-471-10703	Sequence 10703, A
c 45		22.4	20.9	803755	6	US-10-767-471-10700	Sequence 10700, A

ALIGNMENTS

RESULT 1
US-10-779-543-22280
; Sequence 22280, Application US/10779543
; GENERAL INFORMATION:
; APPLICANT: Williams et al
; TITLE OF INVENTION: GENE PRODUCTS DIFFERENTIALLY EXPRESSED
; TITLE OF INVENTION: IN CANCEROUS CELLS AND THEIR METHODS OF USE II
; FILE REFERENCE: 2300-21302
; CURRENT APPLICATION NUMBER: US/10/779,543
; CURRENT FILING DATE: 2004-02-12
; PRIOR APPLICATION NUMBER: 10/076,555
; PRIOR FILING DATE: 2002-02-15
; PRIOR APPLICATION NUMBER: 09/217,471
; PRIOR FILING DATE: 1998-12-21
; PRIOR APPLICATION NUMBER: 60/068,755
; PRIOR FILING DATE: 1997-12-23
; PRIOR APPLICATION NUMBER: 60/080,664
; PRIOR FILING DATE: 1998-04-03
; PRIOR APPLICATION NUMBER: 60/105,234
; PRIOR FILING DATE: 1998-10-21
; PRIOR APPLICATION NUMBER: 09/297,648
; PRIOR FILING DATE: 2000-04-10
; PRIOR APPLICATION NUMBER: PCT/US99/01619
; PRIOR FILING DATE: 1999-01-28
; PRIOR APPLICATION NUMBER: 60/072,910
; PRIOR FILING DATE: 1998-01-28
; PRIOR APPLICATION NUMBER: 60/075,954
; PRIOR FILING DATE: 1998-02-24
; PRIOR APPLICATION NUMBER: 60/080,114
; PRIOR FILING DATE: 1998-03-31
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 23767
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 22280
; LENGTH: 524
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 479, 484, 486, 487, 496, 501, 505, 506, 509, 511, 513, 514,
; LOCATION: 515, 516, 521, 523
; OTHER INFORMATION: n = A,T,C or G
US-10-779-543-22280

  Query Match   25.6%; Score 27.4; DB 6; Length 524;
  Best Local Similarity 24.3%; Pred. No. 5.1;
  Matches   25; Conservative 9; Mismatches 69; Indels 0; Gaps 0;

Qy   2 GAAAAUNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNNAAAAANUANAAACAUNNNNNCU 61

Db   232 GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAGATACAAACTTGATTGCT 291
               ||||| : | : |||| | : |||
Qy   62 UNAGNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAG 104
               : || ||| ||
Db   292 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTTGTGAG 334

RESULT 2
US-10-779-543-22493
; Sequence 22493, Application US/10779543
; GENERAL INFORMATION:
; APPLICANT: Williams et al
; TITLE OF INVENTION: GENE PRODUCTS DIFFERENTIALLY EXPRESSED
; TITLE OF INVENTION: IN CANCEROUS CELLS AND THEIR METHODS OF USE II
; FILE REFERENCE: 2300-21302
; CURRENT APPLICATION NUMBER: US/10/779,543
; CURRENT FILING DATE: 2004-02-12
; PRIOR APPLICATION NUMBER: 10/076,555
; PRIOR FILING DATE: 2002-02-15
; PRIOR APPLICATION NUMBER: 09/217,471
; PRIOR FILING DATE: 1998-12-21
; PRIOR APPLICATION NUMBER: 60/068,755
; PRIOR FILING DATE: 1997-12-23
; PRIOR APPLICATION NUMBER: 60/080,664
; PRIOR FILING DATE: 1998-04-03
; PRIOR APPLICATION NUMBER: 60/105,234
; PRIOR FILING DATE: 1998-10-21
; PRIOR APPLICATION NUMBER: 09/297,648
; PRIOR FILING DATE: 2000-04-10
; PRIOR APPLICATION NUMBER: PCT/US99/01619
; PRIOR FILING DATE: 1999-01-28
; PRIOR APPLICATION NUMBER: 60/072,910
; PRIOR FILING DATE: 1998-01-28
; PRIOR APPLICATION NUMBER: 60/075,954
; PRIOR FILING DATE: 1998-02-24
; PRIOR APPLICATION NUMBER: 60/080,114
; PRIOR FILING DATE: 1998-03-31
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 23767
; SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 22493
; LENGTH: 761
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 534, 596, 615, 633, 641, 648, 656, 710, 729, 736, 744, 748,
; LOCATION: 749, 751, 752
; OTHER INFORMATION: n = A,T,C or G
US-10-779-543-22493

Query Match   25.6%; Score 27.4; DB 6; Length 761;
Best Local Similarity 24.3%; Pred. No. 5.4;
Matches   25; Conservative   9; Mismatches   69; Indels   0; Gaps   0;

Qy   2 GAAAAUNNNNNUNAUAUGNNNNNNCUNNNUUUNNNNNNAAAAANUANAAACAUNNNNNNCU 61
               ||||| || |||| :| |||| |
Db   237 GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAGATACAAACTTGATTGCT 296
               : || ||
Qy   62 UNAGNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAG 104
               : || ||| ||
Db   297 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTTGTGAG 339

RESULT 3
US-10-779-543-22418
; Sequence 22418, Application US/10779543
; GENERAL INFORMATION:
; APPLICANT: Williams et al
; TITLE OF INVENTION: GENE PRODUCTS DIFFERENTIALLY EXPRESSED
; TITLE OF INVENTION: IN CANCEROUS CELLS AND THEIR METHODS OF USE II
; FILE REFERENCE: 2300-21302

; CURRENT APPLICATION NUMBER: US/10/779,543
; CURRENT FILING DATE: 2004-02-12
; PRIOR APPLICATION NUMBER: 10/076,555
; PRIOR FILING DATE: 2002-02-15
; PRIOR APPLICATION NUMBER: 09/217,471
; PRIOR FILING DATE: 1998-12-21
; PRIOR APPLICATION NUMBER: 60/068,755
; PRIOR FILING DATE: 1997-12-23
; PRIOR APPLICATION NUMBER: 60/080,664
; PRIOR FILING DATE: 1998-04-03
; PRIOR APPLICATION NUMBER: 60/105,234
; PRIOR FILING DATE: 1998-10-21
; PRIOR APPLICATION NUMBER: 09/297,648
; PRIOR FILING DATE: 2000-04-10
; PRIOR APPLICATION NUMBER: PCT/US99/01619
; PRIOR FILING DATE: 1999-01-28
; PRIOR APPLICATION NUMBER: 60/072,910
; PRIOR FILING DATE: 1998-01-28
; PRIOR APPLICATION NUMBER: 60/075,954
; PRIOR FILING DATE: 1998-02-24
; PRIOR APPLICATION NUMBER: 60/080,114
; PRIOR FILING DATE: 1998-03-31
; Remaining Prior Application data removed - See File Wrapper or PALM.
; NUMBER OF SEQ ID NOS: 23767
; SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 22418
; LENGTH: 769
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 2, 3, 4, 8, 19, 21, 37, 40, 44, 45, 54, 57, 65, 66, 71, 500,
; LOCATION: 566, 574, 575, 576, 597, 604, 617, 633, 640, 656, 660, 680,
; LOCATION: 684, 694, 709, 716, 720, 730, 734, 750, 755, 762, 763, 766
; OTHER INFORMATION: n = A,T,C or G
US-10-779-543-22418

Query Match   25.6%; Score 27.4; DB 6; Length 769;
Best Local Similarity 24.3%; Pred. No. 5.4;
Matches   25; Conservative   9; Mismatches   69; Indels   0; Gaps   0;

Qy   2 GAAAAUNNNNNUNAUAUGNNNNNNCUNNNUUUNNNNNNAAAAANUANAAACAUNNNNNNCU 61
               ||||| || |||| :| |||| |
Db   88 GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAGATACAAACTTGATTGCT 147
               : || ||
Qy   62 UNAGNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAG 104
               : || ||| ||
Db   148 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTTGTGAG 190

RESULT 4
US-10-779-543-22415
; Sequence 22415, Application US/10779543
; GENERAL INFORMATION:
; APPLICANT: Williams et al
; TITLE OF INVENTION: GENE PRODUCTS DIFFERENTIALLY EXPRESSED
; TITLE OF INVENTION: IN CANCEROUS CELLS AND THEIR METHODS OF USE II
; FILE REFERENCE: 2300-21302
; CURRENT APPLICATION NUMBER: US/10/779,543
; CURRENT FILING DATE: 2004-02-12
; PRIOR APPLICATION NUMBER: 10/076,555
; PRIOR FILING DATE: 2002-02-15
; PRIOR APPLICATION NUMBER: 09/217,471
; PRIOR FILING DATE: 1998-12-21
; PRIOR APPLICATION NUMBER: 60/068,755
; PRIOR FILING DATE: 1997-12-23
; PRIOR APPLICATION NUMBER: 60/080,664
; PRIOR FILING DATE: 1998-04-03
; PRIOR APPLICATION NUMBER: 60/105,234
; PRIOR FILING DATE: 1998-10-21
; PRIOR APPLICATION NUMBER: 09/297,648
; PRIOR FILING DATE: 2000-04-10
; PRIOR APPLICATION NUMBER: PCT/US99/01619

```
   PRIOR FILING DATE: 1999-01-28
   PRIOR APPLICATION NUMBER: 60/072,910
   PRIOR FILING DATE: 1998-01-28
   PRIOR APPLICATION NUMBER: 60/075,954
   PRIOR FILING DATE: 1998-02-24
   PRIOR APPLICATION NUMBER: 60/080,114
   PRIOR FILING DATE: 1998-03-31
   Remaining Prior Application data removed - See File Wrapper or PALM.
   NUMBER OF SEQ ID NOS: 23767
   SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 22415
   LENGTH: 789
   TYPE: DNA
   ORGANISM: Homo sapiens
   FEATURE:
   NAME/KEY: misc_feature
   LOCATION: 5, 7, 9, 12, 15, 17, 19, 20, 27, 33, 46, 62, 63, 64, 66,
   LOCATION: 67, 74, 76, 509, 613, 645, 651, 655, 666, 678, 715, 718,
   LOCATION: 729, 742, 772, 776, 779, 780, 781, 783, 786, 787, 788
   OTHER INFORMATION: n = A,T,C or G
S-10-779-543-22415

Query Match     25.6%;  Score 27.4; DB 6; Length 789;
Best Local Similarity  24.3%;  Pred. No. 5.4;
Matches   25;  Conservative   9;  Mismatches   69;  Indels    0;  Gaps    0;

y     2 GAAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAAACAUNNNNNCU 61
          ||||    :|  |     :       :| ||||:
b    97 GAAAACTCTTGTTAGACATGATGTTTCCTATACAGAGAAGAAAAGATACAAACTTGATTGCT 156

y    62 UNAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNUUAG 104
          |||        |||:
b   157 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTGTGAG 199

RESULT 5
S-10-779-543-23307
Sequence 23307, Application US/10779543
GENERAL INFORMATION:
   APPLICANT: Williams et al
   TITLE OF INVENTION: GENE PRODUCTS DIFFERENTIALLY EXPRESSED
   TITLE OF INVENTION:   IN CANCEROUS CELLS AND THEIR METHODS OF USE II
   FILE REFERENCE: 2300-21302
   CURRENT APPLICATION NUMBER: US/10/779,543
   CURRENT FILING DATE: 2004-02-12
   PRIOR APPLICATION NUMBER: 10/076,555
   PRIOR FILING DATE: 2002-02-15
   PRIOR APPLICATION NUMBER: 09/217,471
   PRIOR FILING DATE: 1998-12-21
   PRIOR APPLICATION NUMBER: 60/068,755
   PRIOR FILING DATE: 1997-12-23
   PRIOR APPLICATION NUMBER: 60/080,664
   PRIOR FILING DATE: 1998-04-03
   PRIOR APPLICATION NUMBER: 60/105,234
   PRIOR FILING DATE: 1998-10-21
   PRIOR APPLICATION NUMBER: 09/297,648
   PRIOR FILING DATE: 2000-04-10
   PRIOR APPLICATION NUMBER: PCT/US99/01619
   PRIOR FILING DATE: 1999-01-28
   PRIOR APPLICATION NUMBER: 60/072,910
   PRIOR FILING DATE: 1998-01-28
   PRIOR APPLICATION NUMBER: 60/075,954
   PRIOR FILING DATE: 1998-02-24
   PRIOR APPLICATION NUMBER: 60/080,114
   PRIOR FILING DATE: 1998-03-31
   Remaining Prior Application data removed - See File Wrapper or PALM.
   NUMBER OF SEQ ID NOS: 23767
   SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 23307
   LENGTH: 929
   TYPE: DNA
   ORGANISM: Homo sapiens
   FEATURE:
   NAME/KEY: misc_feature
   LOCATION: 649, 785, 791, 795, 806, 818, 855, 858, 869, 882, 912, 916,
   LOCATION: 919, 920, 921, 923, 926, 927, 928
   OTHER INFORMATION: n = A,T,C or G
US-10-779-543-23307

Query Match     25.6%;  Score 27.4; DB 6; Length 929;
Best Local Similarity  24.3%;  Pred. No. 5.6;
Matches   25;  Conservative   9;  Mismatches   69;  Indels    0;  Gaps    0;

Qy    2 GAAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAAACAUNNNNNCU 61
          ||||    :|  |     :       :| ||||:
Db  237 GAAAACTCTTGTTAGACATGATGTTTCCTATACAGAGAAGAAAAGATACAAACTTGATTGCT 296

Qy   62 UNAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNUUAG 104
          |||        |||:
Db  297 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTGTGAG 339

RESULT 6
US-10-775-972-126
Sequence 126, Application US/10775972
GENERAL INFORMATION:
   APPLICANT: Henderson, Robert A.
   APPLICANT: Wang, Tongtong
   APPLICANT: Bangur, Chaitanya S.
   TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY
   TITLE OF INVENTION:  AND DIAGNOSIS OF LUNG CANCER
   FILE REFERENCE: 210121.455C21
   CURRENT APPLICATION NUMBER: US/10/775,972
   CURRENT FILING DATE: 2004-02-10
   NUMBER OF SEQ ID NOS: 563
   SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 126
   LENGTH: 3552
   TYPE: DNA
   ORGANISM: Homo sapiens
US-10-775-972-126

Query Match     23.0%;  Score 24.6; DB 6; Length 3552;
Best Local Similarity  27.2%;  Pred. No. 43;
Matches   22;  Conservative   8;  Mismatches   51;  Indels    0;  Gaps    0;

Qy    3 AAAAUNNNNNUNAUAUGNNNNNCUNNNUJUNNNNNAAAAANUANAAAACAUNNNNNCUU 62
          ||:|    :|  |     :||:|       : |   ||||:
Db 3081 AATATCACATTATTATGTATTCACTTTAAGTGATAGTTTAAAAATAAACAAGAAATATT 3140

Qy   63 NAGNNNNNNNNNNNNAGAAA 83
           ||||
Db 3141 GAGTATCACTTATGTGAAGAAA 3161

RESULT 7
US-10-767-471-10805/c
Sequence 10805, Application US/10767471
GENERAL INFORMATION:
   APPLICANT: CARGILL, Michele et al.
   TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
   TITLE OF INVENTION: RHEUMATOID ARTHRITIS, METHODS OF DETECTION AND USES THEREOF
   FILE REFERENCE: CL001505
   CURRENT APPLICATION NUMBER: US/10/767,471
   CURRENT FILING DATE: 2004-01-30
   NUMBER OF SEQ ID NOS: 50231
   SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 10805
   LENGTH: 1790242
   TYPE: DNA
   ORGANISM: Homo sapiens
   FEATURE:
   NAME/KEY: misc_feature
   LOCATION: (1)..(1790242)
   OTHER INFORMATION: n = A,T,C or G, or insertion/deletion polymorphism (see Tables 1-;
US-10-767-471-10805
```

Matches   20;   Conservative   12;   Mismatches   71;   Indels   0;   Gaps   0;

```
Qy      4 AAAUNNNNNUNAUAUGNNNNNCUNNNUJUNNNNNAAAANUANAAACAUNNNNNCUUN  63
           ||    |  |:|:|     ::       |||||   ||| ||:||
Db    710 AACAGTTGGTTATATGTAGGAGCTCCCTTAAGTTAATAAATAAATATTTTGTTTAG 769

Qy     64 AGNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAGCA 106
                                                 ::|||
Db    770 AGTATATTTCTTAATTAAAAGAGCTTAAAAATAAGTTTTGTA 812
```

RESULT 10
US-10-767-471-10627/c
; Sequence 10627, Application US/10767471
; GENERAL INFORMATION:
; APPLICANT: CARGILL, Michele et al.
; TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
; TITLE OF INVENTION: RHEUMATOID ARTHRITIS, METHODS OF DETECTION AND USES THEREOF
; FILE REFERENCE: CL001505
; CURRENT APPLICATION NUMBER: US/10/767,471
; CURRENT FILING DATE: 2004-01-30
; NUMBER OF SEQ ID NOS: 50231
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 10627
; LENGTH: 184809
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(184809)
; OTHER INFORMATION: n = A,T,C or G, or insertion/deletion polymorphism (see Tables 1-
US-10-767-471-10627

Query Match   22.2%;   Score 23.8;   DB 6;   Length 184809;
Best Local Similarity   20.8%;   Pred. No. 1.2e+02;
Matches   21;   Conservative   10;   Mismatches   70;   Indels   0;   Gaps   0;

```
Qy      3 AAAAUNNNNNNNAUAUGNNNNNCUNNNUUNNNNNAAAAAANUANAAACAUNNNNNCUU  62
           |||||                                    ||::|  |:|:
Db  75589 ATAAGTACAATTATGTGTCAATTTAATTTTAATTTTAAAATTAAAAAAGAAGGCTT 75530

Qy     63 NAGNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUA 103
                                                ||
Db  75529 TGGGAGCCCAACACATCCAAAGAGGAAACCATCTCAGGTA 75489
```

RESULT 11
US-10-673-523-14/c
; Sequence 14, Application US/10673523
; GENERAL INFORMATION:
; APPLICANT: Kenneth W. Dobie
; TITLE OF INVENTION: ANTISENSE MODULATION OF PHOSPHOLIPID SCRAMBLASE 4 EXPRESSION
; FILE REFERENCE: RTS-0334
; CURRENT APPLICATION NUMBER: US/10/673,523
; CURRENT FILING DATE: 2003-01-15
; PRIOR APPLICATION NUMBER: US/10/012,984
; PRIOR FILING DATE: 2001-12-04
; NUMBER OF SEQ ID NOS: 92
; SEQ ID NO 14
; LENGTH: 104000
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: unsure
; LOCATION: 14992
; OTHER INFORMATION: unknown
; FEATURE:
; NAME/KEY: unsure
; LOCATION: 14993
; OTHER INFORMATION: unknown
; FEATURE:
; NAME/KEY: unsure
; LOCATION: 14994
```

---

Query Match               23.0%;    Score 24.6;    DB 6;    Length 1790242;
Best Local Similarity     22.9%;    Pred. No. 73;
Matches    24;    Conservative    9;    Mismatches    72;    Indels    0;    Gaps    0;

```
Qy      3 AAAAUNNNNNUNAUAUGNNNNNCUNNNUJUNNNNNAAAAAANUANAAACAUNNNNNCUU  62
           ||||:                           ::      |||||   ::
Db 1427735 AAAATTTCCTCCATTGTGGTTAAATGTCTTTACCAAAAAAAAGATGAACATTGAGAGTT 1427676

Qy     63 NAGNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUUAGCAG 107
                                                 ||
Db 1427675 CAGTTCTCATTATGTTTAAGGGGTCTATAAAATTATGTGCAG 1427631
```

RESULT 8
PCT-US04-02000-361/c
; Sequence 361, Application PC/TUS0402000
; GENERAL INFORMATION:
; APPLICANT: Science Applications International Corporation
; TITLE OF INVENTION: Method and System for Identifying Biological Entities in
; TITLE OF INVENTION: Biological and Environmental Samples
; FILE REFERENCE: 36609-183264 (SAIC0087-PCT)
; CURRENT APPLICATION NUMBER: PCT/US04/02000
; CURRENT FILING DATE: 2004-01-23
; PRIOR APPLICATION NUMBER: US 60/441,745
; PRIOR FILING DATE: 2003-01-23
; PRIOR APPLICATION NUMBER: US 60/441,806
; PRIOR FILING DATE: 2003-01-23
; NUMBER OF SEQ ID NOS: 3242
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 361
; LENGTH: 500
; TYPE: DNA
; ORGANISM: Clostridium perfringens
PCT-US04-02000-361

Query Match   22.8%;   Score 24.4;   DB 1;   Length 500;
Best Local Similarity   19.0%;   Pred. No. 36;
Matches   19;   Conservative   12;   Mismatches   69;   Indels   0;   Gaps   0;

```
Qy      4 AAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUUN  63
           |  |:|    |:|:|      :::     |||     |:  ||:|||    ;
Db    476 ATATTTCATAAAATCCATTTATATTTTCTTTTAAATGTTAAAAATATAATTATATA 417

Qy     64 AGNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUA 103
                                            ::|
Db    416 AGTTCTATTATTTAATGAAATTTTGTGTTAAATTAGATTA 377
```

RESULT 9
PCT-US04-02000-172
; Sequence 172, Application PC/TUS0402000
; GENERAL INFORMATION:
; APPLICANT: Science Applications International Corporation
; TITLE OF INVENTION: Method and System for Identifying Biological Entities in
; TITLE OF INVENTION: Biological and Environmental Samples
; FILE REFERENCE: 36609-183264 (SAIC0087-PCT)
; CURRENT APPLICATION NUMBER: PCT/US04/02000
; CURRENT FILING DATE: 2004-01-23
; PRIOR APPLICATION NUMBER: US 60/441,745
; PRIOR FILING DATE: 2003-01-23
; PRIOR APPLICATION NUMBER: US 60/441,806
; PRIOR FILING DATE: 2003-01-23
; NUMBER OF SEQ ID NOS: 3242
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 172
; LENGTH: 1000
; TYPE: DNA
; ORGANISM: Clostridium perfringens
PCT-US04-02000-172

Query Match   22.6%;   Score 24.2;   DB 1;   Length 1000;
Best Local Similarity   19.4%;   Pred. No. 46;

OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 14995
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 14996
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 14997
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 14998
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 14999
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15000
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15001
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15002
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15003
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15004
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15005
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15006
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15007
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15008
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15009
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15010
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15011
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15012
OTHER INFORMATION: unknown

FEATURE:
NAME/KEY: unsure
LOCATION: 15013
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15014
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15015
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15016
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15017
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15018
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15019
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15020
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15021
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15022
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15023
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15024
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15025
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15026
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15027
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15028
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15029
OTHER INFORMATION: unknown
FEATURE:
NAME/KEY: unsure
LOCATION: 15030
OTHER INFORMATION: unknown
FEATURE:

```
;      NAME/KEY: unsure
;      LOCATION: 15031
;      OTHER INFORMATION: unknown
;      FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 15032
;      OTHER INFORMATION: unknown
;      FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 15033
;      OTHER INFORMATION: unknown
;      FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 15034
;      OTHER INFORMATION: unknown
;      FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 15035
;      OTHER INFORMATION: unknown
;      FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 15036
;      OTHER INFORMATION: unknown
;      FEATURE:
;      NAME/KEY: unsure
;      LOCATION: 15037
;      OTHER INFORMATION: unknown
;      FEATURE:
;      NAME/KEY: unsure
```

```
Query Match       22.1%; Score 23.6; DB 6; Length 104000;
Best Local Similarity    23.1%; Pred. No. 1.3e+02;
Matches   24; Conservative   8; Mismatches  72; Indels   0; Gaps   0;

Qy      3 AAAAUNNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
          ||||                                            :: |||:
Db  13486 AAAAAGAAAATCAAAAAAGCTAAAAAATTGTTGCTTTGAAAAGATCAAAACTGACAAACTT 13427

Qy     63 NAGNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUUAGCA 106
          ||||
Db  13426 TTGGATACACTAATAAAGAAGAAAAAGAAAAAGATTCAAAATTACCA 13383
```

```
RESULT 12
US-10-767-471-10732/c
; Sequence 10732, Application US/10767471
; GENERAL INFORMATION:
;   APPLICANT: CARGILL, Michele et al.
;   TITLE OF INVENTION: GENETIC POLYMORPHISMS ASSOCIATED WITH
;   TITLE OF INVENTION: RHEUMATOID ARTHRITIS, METHODS OF DETECTION AND USES THEREOF
;   FILE REFERENCE: CL001505
;   CURRENT APPLICATION NUMBER: US/10/767,471
;   CURRENT FILING DATE: 2004-01-30
;   NUMBER OF SEQ ID NOS: 50231
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   SEQ ID NO 10732
;   LENGTH: 138434
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-10-767-471-10732

Query Match       22.1%; Score 23.6; DB 6; Length 138434;
Best Local Similarity    23.1%; Pred. No. 1.3e+02;
Matches   24; Conservative   8; Mismatches  72; Indels   0; Gaps   0;

Qy      3 AAAAUNNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAGAAAUNNNUANAAACAUNNNNNCUU 62
          |:|:                :|        :|       ||||||
Db 123972 AAACAGTATTATTACCATTATACCATATTAGTGACTAAAACGAAAAATATATGATCTT 123913

Qy     63 NAGNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUUAGCA 106
          ||||
Db 123912 GAGGCACAAAAGCATATGATAAAAGTTTTTTTTGCTATTATGAA 123869
```

```
RESULT 13
US-10-468-591A-8/c
; Sequence 8, Application US/10468591A
; GENERAL INFORMATION:
;   APPLICANT: Sahin, Ugur
;   APPLICANT: Tureci, Ozlem
;   APPLICANT: Ludewig, Burkhard
;   TITLE OF INVENTION: Method for identifying biologically active structures of microbial
;   TITLE OF INVENTION: pathogens
;   FILE REFERENCE: 03-757
;   CURRENT APPLICATION NUMBER: US/10/468,591A
;   CURRENT FILING DATE: 2004-02-06
;   PRIOR APPLICATION NUMBER: PCT/EP02/01909
;   PRIOR FILING DATE: 2002-02-22
;   PRIOR APPLICATION NUMBER: DE 10108626.1
;   PRIOR FILING DATE: 2001-02-22
;   NUMBER OF SEQ ID NOS: 22
;   SOFTWARE: Patentin version 3.0
;   SEQ ID NO 8
;   LENGTH: 1908
;   TYPE: DNA
;   ORGANISM: Vaccinia virus
US-10-468-591A-8

Query Match       21.9%; Score 23.4; DB 6; Length 1908;
Best Local Similarity    29.5%; Pred. No. 85;
Matches   18; Conservative   9; Mismatches  34; Indels   0; Gaps   0;

Qy      2 GAAAAUNNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 61
          |||:        :|       ::|       |||:  :||
Db   1396 GATAATAGGGCATATAGGTCATCATTATTTGGATTAAAAATTTAGAAACATATACGCG 1337

Qy     62 U 62
          :
Db   1336 T 1336
```

```
RESULT 14
US-09-830-230A-324
; Sequence 324, Application US/09830230A
; GENERAL INFORMATION:
;   APPLICANT: Human Genome Sciences, Inc.
;   TITLE OF INVENTION: Lyme Disease Vaccines
;   FILE REFERENCE: PB481US
;   CURRENT APPLICATION NUMBER: US/09/830,230A
;   CURRENT FILING DATE: 2001-09-27
;   PRIOR APPLICATION NUMBER: PCT/US98/12718
;   PRIOR FILING DATE: 1998-06-18
;   PRIOR APPLICATION NUMBER: 60/057,483
;   PRIOR FILING DATE: 1997-09-03
;   PRIOR APPLICATION NUMBER: 60/053,344
;   PRIOR FILING DATE: 1997-07-22
;   PRIOR APPLICATION NUMBER: 60/053,377
;   PRIOR FILING DATE: 1997-07-22
;   PRIOR APPLICATION NUMBER: 60/050,359
;   PRIOR FILING DATE: 1997-06-20
;   NUMBER OF SEQ ID NOS: 756
;   SOFTWARE: PatentIn Ver. 2.0
;   SEQ ID NO 324
;   LENGTH: 3258
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-830-230A-324

Query Match       21.9%; Score 23.4; DB 5; Length 3258;
Best Local Similarity    21.2%; Pred. No. 92;
Matches   21; Conservative   9; Mismatches  69; Indels   0; Gaps   0;

Qy      3 AAAAUNNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
          ||||                                            :: ||||
Db   2324 AAAAAGCACTTCATAACAAGGAATAGCTTTAATGATGCTAAATAAAAACAAAAAAGCAA 2383
```

```
y        63  NAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNU 101
             ||:|
b      2384  TAGAATCTTTTGAGAAAGCAATACAAATTGATAAAAATT 2422
```

BSULT 15
S-09-830-230A-323
Sequence 323, Application US/09830230A
GENERAL INFORMATION:
APPLICANT: Human Genome Sciences, Inc.
TITLE OF INVENTION: Lyme Disease Vaccines
FILE REFERENCE: PB481US
CURRENT APPLICATION NUMBER: US/09/830,230A
CURRENT FILING DATE: 2001-09-27
PRIOR APPLICATION NUMBER: PCT/US98/12718
PRIOR FILING DATE: 1998-06-18
PRIOR APPLICATION NUMBER: 60/057,483
PRIOR FILING DATE: 1997-09-03
PRIOR APPLICATION NUMBER: 60/053,344
PRIOR FILING DATE: 1997-07-22
PRIOR APPLICATION NUMBER: 60/053,377
PRIOR FILING DATE: 1997-07-22
PRIOR APPLICATION NUMBER: 60/050,359
PRIOR FILING DATE: 1997-06-20
NUMBER OF SEQ ID NOS: 756
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 323
   LENGTH: 3354
   TYPE: DNA
   ORGANISM: Homo sapiens
S-09-830-230A-323

Query Match   21.9%;   Score 23.4; DB 5; Length 3354;
Best Local Similarity   21.2%;   Pred. No. 93;
Matches   21; Conservative   9; Mismatches   69; Indels   0; Gaps   0;

y   3 AAAAUNNNNNNUNAUAUGNNNNNNCUNNNUUNNNNNAAAANUANAAACAUNNNNNNCUU 62
            |||| :|:| :::| || :| |||||
b   2420 AAAAAGCACTTCATTACAACAGGAATAGCTTTAATGATGCTAAATAAAAACAAAAAAGCAA 2479

y   63 NAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNU 101
             ||:|
b   2480 TAGAATCTTTTGAGAAAGCAATACAAATTGATAAAAATT 2518
```

earch completed: March   8, 2004, 07:16:15
ob time : 51 secs

```
                GenCore version 5.1.6
        Copyright (c) 1993 - 2004 Compugen Ltd.

M protein - protein search, using sw model

un on:   March  5, 2004, 09:35:33 ; Search time 55 Seconds
                          (without alignments)
                          467.488 Million cell updates/sec

itle:     US-09-646-651C-1
erfect score:  467
equence:  1 TKLEDHLEGIINIFHQYSVR..........EFVVLVTDVLITAHDNIHKE 91

coring table:  BLOSUM62
               Gapop 10.0 , Gapext 0.5
earched:  1586107 seqs, 282547505 residues

otal number of hits satisfying chosen parameters:     1586107

inimum DB seq length: 0
aximum DB seq length: 2000000000

ost-processing: Minimum Match 0%
                Maximum Match 100%
                Listing first 45 summaries

atabase :   A_Geneseq_29Jan04:*
        1:  geneseqp1980s:*
        2:  geneseqp1990s:*
        3:  geneseqp2000s:*
        4:  geneseqp2001s:*
        5:  geneseqp2002s:*
        6:  geneseqp2003a:*
        7:  geneseqp2003bs:*
        8:  geneseqp2004s:*

                         SUMMARIES

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

esult No.	Score	% Query Match	Length	DB	ID	Description
1	467	100.0	91	2	AAW01826	Aaw01826 Component
2	467	100.0	91	2	AAW93819	Aaw93819 Angiotrop
3	371	79.4	92	2	AAW03563	Aaw03563 Calcium b
4	366	78.4	90	3	AAY90765	Aay90765 Bovine CA
5	366	78.4	91	3	AAY90764	Aay90764 Bovine co
6	332	71.1	92	4	AAB31909	Aab31909 Amino aci
7	332	71.1	92	2	AAW03564	Aaw03564 Calcium b
8	332	71.1	92	2	AAW24137	Aaw24137 Human che
9	332	71.1	92	3	AAB45542	Aab45542 Human S10
10	332	71.1	92	3	AAB31911	Aab31911 Amino aci
11	332	71.1	92	4	AAB31907	Aab31907 Amino aci
12	332	71.1	92	4	AAB31908	Aab31908 Amino aci
13	332	71.1	92	7	ADA93649	Ada93649 Human cal
14	306	65.5	95	7	ABG27582	Abg27582 Novel hum
15	213.5	45.7	114	2	AAW17062	Aaw17062 Human mul
16	213.5	45.7	114	2	AAW60178	Aaw60178 Human cal
17	213.5	45.7	114	3	AAY48615	Aay48615 Human bre
18	213.5	45.7	114	3	AAY87637	Aay87637 Human cal
19	213.5	45.7	114	3	AAB45539	Aab45539 Human S10
20	213.5	45.7	114	4	ABB44613	Abb44613 Human wou
21	213.5	45.7	114	4	AAB31905	Aab31905 Amino aci
22	213.5	45.7	114	6	ABB82712	Abb82712 Human MRP
23	213.5	45.7	114	7	ADB17567	Adb17567 Human mye
24	213.5	45.7	114	7	ADE57110	Ade57110 Human Pro
25	213.5	45.7	114	7	ADE34548	Ade34548 Human mig
26	213.5	45.7	152	4	AAM39994	Aam39994 Human pol
27	206	44.1	50	3	AAY90763	Aay90763 Human EN-
28	204.5	43.8	112	7	ADB79921	Adb79921 Rat intra
29	204.5	43.8	112	7	ADE57108	Ade57108 Rat Prote
30	204.5	43.8	113	6	ABU63335	Abu63335 Rat intra
31	203	43.5	115	4	AAB31930	Aab31930 Amino aci
32	192	41.1	46	4	ABB43183	Abb43183 Peptide #
33	192	41.1	46	4	AAM37021	Aam37021 Peptide #
34	192	41.1	46	4	ABB26281	Abb26281 Protein #
35	192	41.1	46	4	AAM76914	Aam76914 Human bon
36	192	41.1	46	4	AAM64093	Aam64093 Human bra
37	192	41.1	46	5	ABG58579	Abg58579 Human liv
38	192	41.1	46	5	ABG46027	Abg46027 Human pep
39	181	38.8	95	3	AAB45544	Aab45544 Human S10
40	181	38.8	95	3	AAB45545	Aab45545 Human S10
41	181	38.8	95	6	ABG77189	Abg77189 Prostate
42	181	38.8	95	6	ADA10980	Ada10980 Human cDN
43	181	38.8	113	4	ABB12007	Abb12007 Human Ca-
44	179.5	38.3	181	4	AAU31075	Aau31075 Novel hum
45	178.5	38.2	113	4	ABB44612	Abb44612 Mouse wou

```
                         ALIGNMENTS

RESULT 1
AAW01826
ID   AAW01826 standard; protein; 91 AA.
XX
AC   AAW01826;
XX
DT   16-OCT-1997  (first entry)
XX
DE   Component of bioactive metal RNA polypeptide.
XX
KW   Bioactive; metal; RNA polypeptide; RNP; modulation; analysis;
KW   angiogenesis; vascular state; mammalian tissue; transfer; cell;
KW   genetic information; selective; alteration; nucleic acid content;
KW   leukocyte; pig; monocyto-CuRNP.
XX
OS   Sus scrofa.
XX
XX
PN   DE19628895-A1.
XX
PD   23-JAN-1997.
XX
PF   17-JUL-1996;   96DE-01028895.
XX
PR   17-JUL-1995;   95DE-01025992.
PR   18-AUG-1995;   95DE-01030500.
XX
PA   (FRAU ) FRAUNHOFER GES FOERDERUNG ANGEWANDTEN.
XX
PI   Wissler JH, Logemann E, Kiesewetter S, Heilmeyer LMG;
XX
DR   WPI; 1997-088586/09.
DR   N-PSDB; AAT62569.
XX
PT   Bioactive metal RNA polypeptide - useful for modulating angiogenesis,
PT   etc.
XX
PS   Claim 1; Page 15; 16pp; German.
XX
CC   A novel bioactive metal RNA polypeptide (RNP) has a RNA component
CC   including the sequence AAT62568 and a polypeptide component having the
CC   sequence AAW01826, which is encoded by AAT62569. The RNP, or anti-RNP
CC   immunoglobulins, can be used to modulate and/or analyse angiogenesis and
CC   the vascular state of mammalian tissue, transfer genetic information in
CC   cells and selectively alter the nucleic acid content of cells. Leukocytes
CC   from pig's blood were cultured in medium, and the supernatant treated
CC   with NH4 sulphate at 35, 45 and 90% saturation to precipitate protein
CC   fractions. The residual supernatant was diluted to 45% NH4 sulphate
CC   saturation and concentrated by ultrafiltration using a 0.5 kD membrane.
```

CC   The retenate was purified to give 8 mg of product described as monocyto-
CC   CuRNP
XX
SQ   Sequence 91 AA;

Query Match   100.0%; Score 467; DB 2; Length 91;
Best Local Similarity   100.0%; Pred. No.7.5e-46;
Matches   91; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
            ||||||||||||||||||||||||||||||||
Db   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91

RESULT 2
AAW93819
ID   AAW93819 standard; peptide; 91 AA.
XX
AC   AAW93819;
XX
DT   21-JUN-1999 (first entry)
XX
DE   Angiotropin related protein derived peptide.
XX
KW   Angiotropin related protein; ARP; ternary complex; S100 protein;
KW   copper-containing ribonucleoprotein; copper; cell selective;
KW   morphogenic action; blood capillary endothelial cell; confluent;
KW   non-mitogenic induction; cell phenotype; three-dimensional organoid;
KW   spatiotemporal supracellular organisation; chemotropic; blood vessel;
KW   tissue neovascularisation; angiogenesis modulation.
XX
OS   Synthetic.
XX
PN   DE19811047-C1.
XX
PD   15-APR-1999.
XX
PF   13-MAR-1998;   98DE-01011047.
XX
PR   13-MAR-1998;   98DE-01011047.
XX
PA   (FRAU) FRAUNHOFER GES FOERDERUNG ANGEWANDTEN.
XX
PI   Kiesewetter S, Kuhn E, Koch-Pelster B, Brunner H;
XX
DR   WPI; 1999-216114/19.
XX
PT   Copper-containing ribonucleoproteins - useful for modulating
PT   angiogenesis.
XX
PS   Disclosure; Page 2; 16pp; German.
XX
CC   This invention describes novel copper-containing ribonucleoproteins which
CC   are ternary complexes of an S100 protein, copper ions, and RNA comprising
CC   the following consensus sequence or its complement GGARAAUNNNNUNAUAUGN1-
CC   6CUNNNNUUNNNNNNNAAAANO-1UANAAACAUNO-5CUUNAGNO- 13AGAA-AUN0-16UUAGCAG where
CC   N = G, A, U or C. The ribonucleoproteins are stated to have the following
CC   properties (1) cell-selective morphogenic action in vitro on isolated
CC   primary and/or cloned blood capillary endothelial cells in culture for
CC   the non-mitogenic induction of the change in cell phenotype from the
CC   confluent state, for non-mitogenic alteration of the spatiotemporal
CC   supracellular organisation of cells into three-dimensional organoid,
CC   capillary-like structures in culture, (2) a specific chemotropic action
CC   on blood vessels in vivo, (3) induction of directional growth of blood
CC   vessels in vivo and (4) induction of neovascularisation of tissues
CC   through directed ingrowth of blood vessels. Their use for modulating
CC   angiogenesis is claimed
XX
SQ   Sequence 91 AA;

Query Match   100.0%; Score 467; DB 2; Length 91;
Best Local Similarity   100.0%; Pred. No. 7.5e-46;
Matches   91; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
            ||||||||||||||||||||||||||||||||
Db   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91

RESULT 3
AAW03563
ID   AAW03563 standard; protein; 92 AA.
XX
AC   AAW03563;
XX
DT   01-MAY-1997 (first entry)
XX
DE   Calcium binding protein CAAF1.
XX
KW   Calcium binding protein; bovine; amniotic fluid; S100 protein family;
KW   intracellular signal transduction; squamous epithelial cell; neutrophil;
KW   macrophage; cancer; cancerous lesion; inflammation; neoplasia; cervix;
KW   squamous cell carcinoma; skin; oesophagus; CAAF1; lung; blood disease.
XX
OS   Bos taurus.
XX
PN   EP731166-A2.
XX
PD   11-SEP-1996.
XX
PF   04-DEC-1995;   95EP-00119045.
XX
PR   06-MAR-1995;   95JP-00045564.
PR   06-MAR-1995;   95JP-00070468.
XX
PA   (TOFU) TONEN CORP.
PA   (HITO/) HITOMI J.
XX
PI   Hitomi J, Yamaguchi K, Yamamura T, Kimura T;
XX
DR   WPI; 1996-403989/41.
DR   N-PSDB; AAT39345.
XX
PT   New human or bovine calcium binding protein and related nucleic acid - is
PT   a marker for inflammation, neoplasia, skin and blood diseases.
XX
PS   Claim 1; Page 21; 36pp; English.
XX
CC   This sequence represents the CAAF1 calcium-binding protein isolated from
CC   bovine amniotic fluid. CAAF1 belongs to the S100 protein family, which
CC   includes calcyclin, MRP8, and MRP14. Intracellular calcium ion
CC   concentration is one of the key factors for intracellular signal
CC   transduction.The calcium signals are transduced by various calcium-
CC   binding proteins, such as the protein encoded by this sequence. CAAF1 is
CC   normally expressed in squamous epithelial cells, neutrophils and
CC   macrophages, but atypical epithelial cells are negative for CAAF1 and
CC   overexpression is observed in several types of cancer cells and
CC   neutrophils/macrophages infiltrating cancerous lesions. Detection of
CC   CAAF1 (using antibodies in usual immunoassays) can be used to diagnose
CC   (or monitor) inflammation, neoplasia (particularly squamous cell
CC   carcinoma of the skin, oesophagus, lung and cervix), and skin and blood
CC   diseases
XX
SQ   Sequence 92 AA;

Query Match   79.4%; Score 371; DB 2; Length 92;
Best Local Similarity   81.3%; Pred. No. 8.2e-35;
Matches   74; Conservative   9; Mismatches   8; Indels   0; Gaps   0;

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
             ||:::|||||||:|| ||||:|||| :|||
Db   61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

RESULT 5
AAY90764
ID   AAY90764 standard; protein; 90 AA.
XX
AC   AAY90764;
XX
DT   18-AUG-2000   (first entry)
XX
DE   Bovine corneal antigen (B-COAg) acid sequence SEQ ID NO:3.
XX
KW   Bovine; EN-RAGE; extracellular novel RAGE binding protein;
KW   receptor for advanced glycation endproduct; inflammation; inhibition;
KW   antiinflammatory; immunoglobulin; cell surface molecule; septic shock;
KW   systemic lupus erythematosus; inflammatory lupus nephritis; endotoxaemia;
KW   autoimmune disorder; inflammatory disorder.
XX
OS   Bos taurus.
XX
PN   WO20020621-A1.
XX
PD   13-APR-2000.
XX
PF   06-OCT-1999;   99WO-US023303.
XX
PR   06-OCT-1998;   98US-00167705.
PR   05-MAR-1999;   99US-00263312.
XX
PA   (UYCO) UNIV COLUMBIA NEW YORK.
XX
PI   Schmidt AM, Stern D;
XX
DR   WPI; 2000-303794/26.
XX
PT   New human EN-RAGE (extracellular novel receptor for advanced glycation
PT   end products) peptide, useful for identifying anti-inflammatory compounds
PT   that inhibit its interaction with RAGE.
XX
PS   Claim 2; Page 41; 132pp; English.
XX
CC   The present invention describes an isolated human EN-RAGE (extracellular
CC   novel receptor for advanced glycation end products) peptide (P1). The EN-
CC   RAGE peptide binds to RAGE which is a member of the immunoglobulin
CC   superfamily of cell-surface molecules. A compound capable of inhibiting
CC   the interaction of EN-RAGE with RAGE is useful for the suppression of
CC   inflammation resulting from systemic lupus erythematosus, inflammatory
CC   lupus nephritis, septic shock, endotoxaemia, or an autoimmune or
CC   inflammatory disorder in which the recruitment of EN-RAGE containing
CC   inflammatory cells occurs. The compound is also useful for the treatment
CC   of systemic lupus erythematosus, inflammatory lupus nephritis in a
CC   subject. The human EN-RAGE peptide is useful for identifying compounds
CC   that inhibit its interaction with RAGE. The present sequence represents
CC   the bovine corneal antigen which shows homology to the human EN-RAGE N-
CC   terminal amino acid sequence
XX
SQ   Sequence 90 AA;

Query Match   78.4%; Score 366; DB 3; Length 90;
Best Local Similarity 81.1%; Pred. No. 3e-34;
Matches 73; Conservative 9; Mismatches 8; Indels 0; Gaps 0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         ||||||||||||||||||||:||:|||:|||||||||||||:||:|||||||:||||||:|
Db   1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
             ||:::|||||||:|| ||||:|||| :|||
Db   61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
             ||:::|||||||:|| ||||:|||| :||||
Db   62 DADKDGAVSFEEFVVLVSRVLKTAHIDIHKE 92

RESULT 4
AAY90765
ID   AAY90765 standard; protein; 90 AA.
XX
AC   AAY90765;
XX
DT   18-AUG-2000   (first entry)
XX
DE   Bovine CAAF1 acid sequence SEQ ID NO:4.
XX
KW   Bovine; EN-RAGE; extracellular novel RAGE binding protein;
KW   receptor for advanced glycation endproduct; inflammation; inhibition;
KW   antiinflammatory; immunoglobulin; cell surface molecule; septic shock;
KW   systemic lupus erythematosus; inflammatory lupus nephritis; endotoxaemia;
KW   autoimmune disorder; inflammatory disorder.
XX
OS   Bos taurus.
XX
PN   WO20020621-A1.
XX
PD   13-APR-2000.
XX
PF   06-OCT-1999;   99WO-US023303.
XX
PR   06-OCT-1998;   98US-00167705.
PR   05-MAR-1999;   99US-00263312.
XX
PA   (UYCO) UNIV COLUMBIA NEW YORK.
XX
PI   Schmidt AM, Stern D;
XX
DR   WPI; 2000-303794/26.
XX
PT   New human EN-RAGE (extracellular novel receptor for advanced glycation
PT   end products) peptide, useful for identifying anti-inflammatory compounds
PT   that inhibit its interaction with RAGE.
XX
PS   Claim 2; Page 41; 132pp; English.
XX
CC   The present invention describes an isolated human EN-RAGE (extracellular
CC   novel receptor for advanced glycation end products) peptide (P1). The EN-
CC   RAGE peptide binds to RAGE which is a member of the immunoglobulin
CC   superfamily of cell-surface molecules. A compound capable of inhibiting
CC   the interaction of EN-RAGE with RAGE is useful for the suppression of
CC   inflammation resulting from systemic lupus erythematosus, inflammatory
CC   lupus nephritis, septic shock, endotoxaemia, or an autoimmune or
CC   inflammatory disorder in which the recruitment of EN-RAGE containing
CC   inflammatory cells occurs. The compound is also useful for the treatment
CC   of systemic lupus erythematosus, inflammatory lupus nephritis in a
CC   subject. The human EN-RAGE peptide is useful for identifying compounds
CC   that inhibit its interaction with RAGE. The present sequence represents
CC   the bovine CAAF1 which shows homology to the human EN-RAGE N-terminal
CC   amino acid sequence
XX
SQ   Sequence 90 AA;

Query Match   78.4%; Score 366; DB 3; Length 90;
Best Local Similarity 81.1%; Pred. No. 3e-34;
Matches 73; Conservative 9; Mismatches 8; Indels 0; Gaps 0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         ||||||||||||||||||||:||:|||:|||||||||||||:||:|||||||:||||||:|
Db   1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
             ||:::|||||||:|| ||||:|||| :||||
Db   62 DADKDGAVSFEEFVVLVSRVLKTAHIDIHKE 92

RESULT 6
AAB31909
ID   AAB31909 standard; protein; 91 AA.
XX
AC   AAB31909;
XX
DT   15-MAY-2001 (first entry)
XX
DE   Amino acid sequence of a human protein.
XX
KW   Human; perlecan; retinol-binding plasma protein; calgranulin B; vaccine;
KW   ganglioside GM2 activator; saposin B; degenerative disease; glial cell;
KW   neurological disease; auto-immune disease; multiple sclerosis; toxicity;
KW   Alzheimer's disease; Parkinson's disease; amyotrophic lateral sclerosis;
KW   rheumatoid polyarthritis; lupus erythematosus; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO20010105422-A2.
XX
PD   25-JAN-2001.
XX
PF   17-JUL-2000; 2000WO-FR002057.
XX
PR   15-JUL-1999; 99FR-00009372.
XX
PA   (INMR) BIOMERIEUX STELHYS.
XX
PI   Roecklin D, Kolbe H, Charles M, Malcus C, Santoro L, Perron H;
XX
DR   WPI; 2001-159475/16.
XX
PT   Detecting, preventing and treating degenerative, neurological and
PT   autoimmune diseases, particularly multiple sclerosis, using specified
PT   polypeptides or related nucleic acid or ligand.
XX
PS   Claim 1; Page 167; 209pp; French.
XX
CC   The present sequence represents a human protein, which is used in the
CC   method of the invention. The specification describes a method which uses
CC   at least one polypeptide or polynucleotide sequence belonging to the
CC   perlecan, precursor of the retinol-binding plasma protein, precursor of
CC   the ganglioside GM2 activator, calgranulin B or saposin B protein
CC   families. The method is used for detecting, preventing or treating a
CC   degenerative, neurological and/or auto-immune disease. The
CC   polynucleotides and polypeptides are used for diagnosis, prognosis,
CC   prevention and treatment of multiple sclerosis (in its various forms and
CC   phases). They may also be useful in cases of e.g. Alzheimer's and
CC   Parkinson's diseases, amyotrophic lateral sclerosis, rheumatoid
CC   polyarthritis and lupus erythematosus, including use as vaccines and in
CC   gene therapy (expression of sense or antisense sequences). They can also
CC   be used to assess efficacy of potential therapeutic agents, particularly
CC   compounds that reduce or inhibit toxicity towards glial cells
XX
SQ   Sequence 91 AA;

Query Match   71.1%; Score 332; DB 4; Length 91;
Best Local Similarity   70.3%; Pred. No. 2.5e-30;
Matches   64; Conservative   10; Mismatches   17; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              |||||| ||||| :|||||||||||:||||||:||||||||||||||||||:||:|||:
Db   1 TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLITKELANTIKNIKDKAVIDEIFQGL 60

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
              |||||||| ::|||| |||||| ||||
Db   61 DANQDEQVDFQEFISLVAIALKAAHYHTHKE 91

RESULT 7
AAW03564
ID   AAW03564 standard; protein; 92 AA.
XX
AC   AAW03564;
XX
DT   01-MAY-1997 (first entry)
XX
DE   Calcium binding protein CAAF1.
XX
KW   Calcium binding protein; human; amniotic fluid; S100 protein family;
KW   intracellular signal transduction; squamous epithelial cell; neutrophil;
KW   macrophage; cancer; cancerous lesion; inflammation; neoplasia; cervix;
KW   squamous cell carcinoma; skin; oesophagus; CAAF1; lung; blood disease.
XX
OS   Homo sapiens.
XX
PN   BP73166-A2.
XX
PD   11-SEP-1996.
XX
PF   04-DEC-1995;   95EP-00119045.
XX
PR   06-MAR-1995;   95JP-00045564.
PR   06-MAR-1995;   95JP-00070468.
XX
PA   (TOFU) TONEN CORP.
PA   (HITO/) HITOMI J.
XX
PI   Hitomi J, Yamaguchi K, Yamamura T, Kimura T;
XX
DR   WPI; 1996-403989/41.
DR   N-PSDB; AAT39346.
XX
PT   New human or bovine calcium binding protein and related nucleic acid - is
PT   a marker for inflammation, neoplasia, skin and blood diseases.
XX
PS   Claim 1; Page 24; 36pp; English.
XX
CC   This sequence represents the CAAF1 calcium-binding protein isolated from
CC   human amniotic fluid. CAAF1 belongs to the S100 protein family, which
CC   includes calcyclin, MRP8, and MRP14. Intracellular calcium ion
CC   concentration is one of the key factors for intracellular signal
CC   transduction. The calcium signals are transduced by various calcium-
CC   binding proteins, such as this protein. CAAF1 is normally expressed in
CC   squamous epithelial cells, neutrophils and macrophages, but atypical
CC   epithelial cells are negative for CAAF1 and overexpression is observed in
CC   several types of cancer cells and neutrophils/macrophages infiltrating
CC   cancerous lesions. Detection of CAAF1 (using antibodies in usual
CC   immunoassays) can be used to diagnose (or monitor) inflammation,
CC   neoplasia (particularly squamous cell carcinoma of the skin, oesophagus,
CC   lung and cervix), and skin and blood diseases
XX
SQ   Sequence 92 AA;

Query Match   71.1%; Score 332; DB 2; Length 92;
Best Local Similarity   70.3%; Pred. No. 2.5e-30;
Matches   64; Conservative   10; Mismatches   17; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              |||||| ||||| :|||||||||||:||||||:||||||||||||||||||:||:|||:
Db   2 TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLITKELANTIKNIKDKAVIDEIFQGL 61

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
              |||||||| ::|||| |||||| |||
Db   62 DANQDEQVDFQEFISLVAIALKAAHYHTHKE 92

RESULT 8
AAW24137
ID   AAW24137 standard; protein; 92 AA.
XX
AC   AAW24137;
XX
DT   28-JAN-1998 (first entry)

```
IE  Human chemotactic cytokine I.
KW  chemotactic cytokine; tumour; autoimmune disease; antagonist; agonist.
OS  Homo sapiens.
PN  WO9723640-A1.
PD  03-JUL-1997.
PF  26-DEC-1995;    95WO-US016871.
PR  26-DEC-1995;    95WO-US016871.
PA  (HUMA-) HUMAN GENOME SCI INC.
PI  Ni J, Yu G, Alfonso P, Gentz R, Su JY;
DR  WPI; 1997-351075/32.
DR  N-PSDB; AAT85774.
PT  DNA encoding chemotactic cytokine I - used to treat, e.g. tumours,
PT  chronic infection, leukaemia, etc.
PS  Claim 12; Page 48-49; 64pp; English.
CC  This is a human chemotactic cytokine I polypeptide. The encoding
CC  polynucleotide, along with a vector and a host cell can be used for the
CC  recombinant production of the chemotactic cytokine. Cytokine agonists and
CC  antagonists can be used for the treatment of a patient requiring a
CC  chemotactic cytokine I and for the treatment of a patient requiring the
CC  inhibition of a chemotactic cytokine I polypeptide, respectively. The
CC  chemotactic cytokine is used to treat tumours, chronic infection,
CC  leukaemia and T-cell mediated autoimmune diseases
SQ  Sequence 92 AA;

Query Match      71.1%;   Score 332;  DB 2;  Length 92;
Best Local Similarity  70.3%;   Pred. No. 2.5e-30;
Matches  64;  Conservative  10;  Mismatches  17;  Indels  0;  Gaps  0;

Qy   1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
           ||||:||||||:||||||| |||||| ||::||||| ||: ||| :|:|| |||| |||
Db   2  TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLLTKELANTIKNIKDKAVIDEIFQGL 61

Qy  61  DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
           |||||||||:|:||||| :|||| |||
Db  62  DANQDEQVDFQEFISLVAIALKAAHYHTHKE 92

RESULT 9
AB45542
ID  AAB45542 standard; protein; 92 AA.
AC  AAB45542;
DT  22-FEB-2001  (first entry)
DE  Human S100A12 protein.
KW  S100 protein; human; treatment: cardiomyopathy; cardiac insufficiency;
KW  calcium-binding protein; calcium homeostasis; cardiac muscle;
KW  pumping capacity; myocardial cell; systolic calcium ion release;
KW  sarcoplasmic reticulum; cardiac disease; hypertension; rhythm disorder;
KW  valve defect.
OS  Homo sapiens.
PN  DE19915485-A1.
PD  19-OCT-2000.
```

```
PF  07-APR-1999;    99DE-01015485.
PR  07-APR-1999;    99DE-01015485.
PA  (KATU/) KATUS H A.
PA  (REMP/) REMPPIS A.
PI  Katus HA, Remppis A;
DR  WPI; 2000-673510/66.
DR  N-PSDB; AAC81812.
PT  Composition containing S100 protein, corresponding nucleic acid or
PT  vector, useful for treating cardiomyopathy and cardiac insufficiency.
PS  Claim 35; Page 20; 36pp; German.
CC  This invention describes a novel composition for treating primary or
CC  secondary cardiomyopathy or cardiac insufficiency contains at least one
CC  S100 protein (I) or nucleic acid (II) encoding (I), or their mutants or
CC  fragments, or a gene transfer vector containing (II), optionally
CC  formulated with auxiliaries and/or carriers. (I) are calcium-binding
CC  proteins involved in calcium homeostasis, so their overexpression in
CC  cardiac muscle will improve pumping capacity (and overall capacity) of
CC  the heart. In cultured myocardial cells they increase the contraction and
CC  relaxation rates associated with increased systolic calcium ion release
CC  from the sarcoplasmic reticulum (SR) and calcium re-uptake by SR. (I) are
CC  used to treat cardiomyopathy (CMP) where inherited or caused by
CC  spontaneous mutations and ischemic CMP caused by arteriosclerosis,
CC  dilative CMP caused by toxic/infectious disease, cardiac disease caused
CC  by pulmonary and/or arterial hypertension, and structural disease caused
CC  by rhythm disorders or valve defects, generally any condition associated
CC  with reduced contractile force. Unlike calmodulin, which is expressed
CC  ubiquitously, (I) show tissue-specific expression and treat the
CC  underlying defect in the sarcoplasmic reticulum (SR) that causes cardiac
CC  disease
SQ  Sequence 92 AA;

Query Match      71.1%;   Score 332;  DB 3;  Length 92;
Best Local Similarity  70.3%;   Pred. No. 2.5e-30;
Matches  64;  Conservative  10;  Mismatches  17;  Indels  0;  Gaps  0;

Qy   1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
           ||||:||||||:||||||| |||||| ||::||||| ||: ||| :|:|| |||| |||
Db   2  TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLLTKELANTIKNIKDKAVIDEIFQGL 61

Qy  61  DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
           |||||||||:|:||||| :|||| |||
Db  62  DANQDEQVDFQEFISLVAIALKAAHYHTHKE 92

RESULT 10
AAB31911
ID  AAB31911 standard; protein; 92 AA.
AC  AAB31911;
DT  15-MAY-2001  (first entry)
DE  Amino acid sequence of a human protein.
KW  Human; perlecan; retinol-binding plasma protein; calgranulin B; vaccine;
KW  ganglioside GM2 activator; saposin B; degenerative disease; glial cell;
KW  neurological disease; auto-immune disease; multiple sclerosis; toxicity;
KW  Alzheimer's disease; Parkinson's disease; amyotrophic lateral sclerosis;
KW  rheumatoid polyarthritis; lupus erythematosus; gene therapy.
OS  Homo sapiens.
PN  WO200105422-A2.
PD  25-JAN-2001.
```

```
XX
PA   (INMR ) BIOMERIEUX STELHYS.
XX
PI   Roecklin D, Kolbe H, Charles M, Malcus C, Santoro L, Perron H;
XX
DR   WPI; 2001-159475/16.
XX
PT   Detecting, preventing and treating degenerative, neurological and
PT   autoimmune diseases, particularly multiple sclerosis, using specified
PT   polypeptides or related nucleic acid or ligand.
XX
PS   Claim 1; Page 166-167; 209pp; French.
XX
CC   The present sequence represents a human protein, which is used in the
CC   method of the invention. The specification describes a method which uses
CC   at least one polypeptide or polynucleotide sequence belonging to the
CC   perlecan, precursor of the retinol-binding plasma protein, precursor of
CC   the ganglioside GM2 activator, calgranulin B or saposin B protein
CC   families. The method is used for detecting, preventing or treating a
CC   degenerative, neurological and/or auto-immune disease. The
CC   polynucleotides and polypeptides are used for diagnosis, prognosis,
CC   prevention and treatment of multiple sclerosis (in its various forms and
CC   phases). They may also be useful in cases of e.g. Alzheimer's and
CC   Parkinson's diseases, amyotrophic lateral sclerosis, rheumatoid
CC   polyarthritis and lupus erythematosus, including use as vaccines and in
CC   gene therapy (expression of sense or antisense sequences). They can also
CC   be used to assess efficacy of potential therapeutic agents, particularly
CC   compounds that reduce or inhibit toxicity towards glial cells
XX
SQ   Sequence 92 AA;

Query Match             71.1%;     Score 332;  DB 4;   Length 92;
Best Local Similarity   70.3%;     Pred. No. 2.5e-30;
Matches   64;  Conservative  10;  Mismatches  17;  Indels   0;  Gaps   0;

Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
          ||||:)))||:|:|||||||||||:||:||| ||| ||:||| ||:| ||||| ||:||
Db    2 TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLLTKELANTIKNIKDKAVIDEIFQGL 61

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
          ||||||||  |:|||:||||:|||||||
Db   62 DANQDEQVDFQEFISLVAIALKAAHYTHKE 92

RESULT 12
AAB31908
ID   AAB31908 standard; protein; 92 AA.
XX
AC   AAB31908;
XX
DT   15-MAY-2001 (first entry)
XX
DE   Amino acid sequence of a human protein.
XX
KW   Human; perlecan; retinol-binding plasma protein; calgranulin B; vaccine;
KW   ganglioside GM2 activator; saposin B; degenerative disease; glial cell;
KW   neurological disease; auto-immune disease; multiple sclerosis; toxicity;
KW   Alzheimer's disease; Parkinson's disease; amyotrophic lateral sclerosis;
KW   rheumatoid polyarthritis; lupus erythematosus; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO200105422-A2.
XX
PD   25-JAN-2001.
XX
PF   17-JUL-2000; 2000WO-FR002057.
XX
PR   15-JUL-1999;  99FR-00009372.
XX
PA   (INMR ) BIOMERIEUX STELHYS.
XX
PI   Roecklin D, Kolbe H, Charles M, Malcus C, Santoro L, Perron H;
```

```
XX
PF   17-JUL-2000; 2000WO-FR002057.
XX
PR   15-JUL-1999;  99FR-00009372.
XX
PA   (INMR ) BIOMERIEUX STELHYS.
XX
PI   Roecklin D, Kolbe H, Charles M, Malcus C, Santoro L, Perron H;
XX
DR   WPI; 2001-159475/16.
XX
PT   Detecting, preventing and treating degenerative, neurological and
PT   autoimmune diseases, particularly multiple sclerosis, using specified
PT   polypeptides or related nucleic acid or ligand.
XX
PS   Claim 1; Page 168; 209pp; French.
XX
CC   The present sequence represents a human protein, which is used in the
CC   method of the invention. The specification describes a method which uses
CC   at least one polypeptide or polynucleotide sequence belonging to the
CC   perlecan, precursor of the retinol-binding plasma protein, precursor of
CC   the ganglioside GM2 activator, calgranulin B or saposin B protein
CC   families. The method is used for detecting, preventing or treating a
CC   degenerative, neurological and/or auto-immune disease. The
CC   polynucleotides and polypeptides are used for diagnosis, prognosis,
CC   prevention and treatment of multiple sclerosis (in its various forms and
CC   phases). They may also be useful in cases of e.g. Alzheimer's and
CC   Parkinson's diseases, amyotrophic lateral sclerosis, rheumatoid
CC   polyarthritis and lupus erythematosus, including use as vaccines and in
CC   gene therapy (expression of sense or antisense sequences). They can also
CC   be used to assess efficacy of potential therapeutic agents, particularly
CC   compounds that reduce or inhibit toxicity towards glial cells
XX
SQ   Sequence 92 AA;

Query Match             71.1%;     Score 332;  DB 4;   Length 92;
Best Local Similarity   70.3%;     Pred. No. 2.5e-30;
Matches   64;  Conservative  10;  Mismatches  17;  Indels   0;  Gaps   0;

Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
          ||||:)))||:|:|||||||||||:||:||| ||| ||:||| ||:| ||||| ||:||
Db    2 TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLLTKELANTIKNIKDKAVIDEIFQGL 61

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
          ||||||||  |:|||:||||:|||||||
Db   62 DANQDEQVDFQEFISLVAIALKAAHYTHKE 92

RESULT 11
AAB31907
ID   AAB31907 standard; protein; 92 AA.
XX
AC   AAB31907;
XX
DT   15-MAY-2001 (first entry)
XX
DE   Amino acid sequence of a human protein.
XX
KW   Human; perlecan; retinol-binding plasma protein; calgranulin B; vaccine;
KW   ganglioside GM2 activator; saposin B; degenerative disease; glial cell;
KW   neurological disease; auto-immune disease; multiple sclerosis; toxicity;
KW   Alzheimer's disease; Parkinson's disease; amyotrophic lateral sclerosis;
KW   rheumatoid polyarthritis; lupus erythematosus; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO200105422-A2.
XX
PD   25-JAN-2001.
XX
PF   17-JUL-2000; 2000WO-FR002057.
XX
PR   15-JUL-1999;  99FR-00009372.
XX
PA   (INMR ) BIOMERIEUX STELHYS.
XX
PI   Roecklin D, Kolbe H, Charles M, Malcus C, Santoro L, Perron H;
```

WPI; 2001-159475/16.

Detecting, preventing and treating degenerative, neurological and autoimmune diseases, particularly multiple sclerosis, using specified polypeptides or related nucleic acid or ligand.

Claim 1; Page 167; 209pp; French.

The present sequence represents a human protein, which is used in the method of the invention. The specification describes a method which uses at least one polypeptide or polynucleotide sequence belonging to the perlecan, precursor of the retinol-binding plasma protein, precursor of the ganglioside GM2 activator, calgranulin B or saposin B protein families. The method is used for detecting, preventing or treating a degenerative, neurological and/or auto-immune disease. The polynucleotides and polypeptides are used for diagnosis, prognosis, prevention and treatment of multiple sclerosis (in its various forms and phases). They may also be useful in cases of e.g. Alzheimer's and Parkinson's diseases, amyotrophic lateral sclerosis, rheumatoid polyarthritis and lupus erythematosus, including use as vaccines and in gene therapy (expression of sense or antisense sequences). They can also be used to assess efficacy of potential therapeutic agents, particularly compounds that reduce or inhibit toxicity towards glial cells

Sequence 92 AA;

Query Match   71.1%;   Score 332; DB 4; Length 92;
Best Local Similarity 70.3%;   Pred. No. 2.5e-30;
Matches 64; Conservative 10; Mismatches 17;   Indels 0; Gaps 0;

```
Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         |||:||||| |||||||||| ||:|||| || ||:|| |||| :|| ||:|||||||
Db   2 TKLEBHLEGIVNIFHQYSVRKGHFDTLSKGELKQLLTKELANTIKNIKDKAVIDEIFQGL 61

Qy  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
         |||||||:|||:|| || || :||| :|||
Db  62 DANQDEQVDFQEFISLVAIALKAAHYHTHKE 92
```

RESULT 13
ADA93649
D ADA93649 standard; protein; 92 AA.
C ADA93649;
DT 20-NOV-2003 (first entry)
DE Human calgranulin C protein SEQ ID NO:2.
KW inflammatory disease; calgranulin C; antiinflammatory; gene therapy;
KW vasculitis; Kawasaki disease; cystic fibrosis;
KW chronic inflammatory disease; ulcerative colitis; Crohn's disease;
KW chronic bronchitis; inflammatory arthritis; psoriatic arthritis;
KW rheumatoid arthritis; seronegative arthritis;
KW systemic onset juvenile rheumatoid arthritis; SOJRA; Still's disease;
KW acute inflammation; human.
OS Homo sapiens.
XX
WO200306941-A2.
21-AUG-2003.
17-FEB-2003; 2003WO-EP001575.
15-FEB-2002; 2002US-00077600.
(SWIT-) SWITCH BIOTECH AG.
(SORG/) SORG C.
(ROTH/) ROTH J.
Sorg C, Roth J;

XX
DR WPI; 2003-671681/63.
DR N-PSDB; ADA93648.
XX
PT Diagnosing, treating or preventing inflammatory diseases comprises
PT determining the amount and/or concentration of CALGRANULIN C polypeptide
PT and/or nucleic acids encoding the polypeptide present in a biological
PT sample.
XX
PS Claim 7; Page 64; 64pp; English.
XX
CC The present invention describes a method for diagnosing inflammatory
CC diseases, which comprises determining the amount and/or concentration of
CC calgranulin C polypeptide and/or nucleic acids encoding the polypeptide
CC present in the biological sample. Also described are methods for treating
CC or preventing an inflammatory disease in a mammal, and medical treatment
CC of the mammal, where the treatment is based on the stage of the disease
CC to be treated or prevented. Calgranulin C has antiinflammatory activity
CC and can be used in gene therapy. The method is useful for diagnosing,
CC treating or preventing inflammatory diseases, e.g. vasculitis
CC (particularly Kawasaki disease), cystic fibrosis, chronic inflammatory
CC diseases like ulcerative colitis or Crohn's disease, chronic bronchitis,
CC inflammatory arthritis (e.g. psoriatic arthritis, rheumatoid arthritis or
CC seronegative arthritis), systemic onset juvenile rheumatoid arthritis
CC (SOJRA or Still's disease), acute inflammation above the background of a
CC chronic inflammation, an acquired infection on the background of an
CC inflammatory disease, or an exacerbation of an already present disease.
CC The method is also useful for diagnosing specific stages of inflammatory
CC diseases, for determining the risk of relapse, and for discriminating
CC between diseases with similar symptoms. The present sequence represents
CC human calgranulin C, which is used in the exemplification of the present
CC invention.
XX
SQ Sequence 92 AA;

Query Match   71.1%;   Score 332; DB 7; Length 92;
Best Local Similarity 70.3%;   Pred. No. 2.5e-30;
Matches 64; Conservative 10; Mismatches 17;   Indels 0; Gaps 0;

```
Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         |||:||||| |||||||||| ||:|||| || ||:|| |||| :|| ||:|||||||
Db   2 TKLEBHLEGIVNIFHQYSVRKGHFDTLSKGELKQLLTKELANTIKNIKDKAVIDEIFQGL 61

Qy  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
         |||||||:|||:|| || || :||| :|||
Db  62 DANQDEQVDFQEFISLVAIALKAAHYHTHKE 92
```

RESULT 14
ABG27582
ID ABG27582 standard; protein; 95 AA.
AC ABG27582;
XX
DT 18-FEB-2002 (first entry)
XX
DE Novel human diagnostic protein #27573.
XX
KW Human; chromosome mapping; gene mapping; gene therapy; forensic;
KW food supplement; medical imaging; diagnostic; genetic disorder.
XX
OS Homo sapiens.
XX
PN WO200175067-A2.
XX
PD 11-OCT-2001.
XX
PF 30-MAR-2001; 2001WO-US008631.
XX
PR 31-MAR-2000; 2000US-00540217.
PR 23-AUG-2000; 2000US-00649167.
XX
PA (HYSE-) HYSEQ INC.

XX
PI Drmanac RT, Liu C, Tang YT;
XX
DR WPI; 2001-639362/73.
DR N-PSDB; AAS91769.
XX
PT New isolated polynucleotide and encoded polypeptides, useful in
PT diagnostics, forensics, gene mapping, identification of mutations
PT responsible for genetic disorders or other traits and to assess
PT biodiversity.
XX
PS Claim 20; SEQ ID NO 57941; 103pp; English.
XX
CC The invention relates to isolated polynucleotide (I) and polypeptide (II)
CC sequences. (I) is useful as hybridisation probes, polymerase chain
CC reaction (PCR) primers, oligomers, and for chromosome and gene mapping,
CC and in recombinant production of (II). The polynucleotides are also used
CC in diagnostics as expressed sequence tags for identifying expressed
CC genes. (I) is useful in gene therapy techniques to restore normal
CC activity of (II) or to treat disease states involving (II). (II) is
CC useful for generating antibodies against it, detecting or quantitating a
CC polypeptide in tissue, as molecular weight markers and as a food
CC supplement. (II) and its binding partners are useful in medical imaging
CC of sites expressing (II). (I) and (II) are useful for treating disorders
CC involving aberrant protein expression or biological activity. The
CC polypeptide and polynucleotide sequences have applications in
CC diagnostics, forensics, gene mapping, identification of mutations
CC responsible for genetic disorders or other traits to assess biodiversity
CC and to produce other types of data and products dependent on DNA and
CC amino acid sequences. ABG00010-ABG30377 represent novel human diagnostic
CC amino acid sequences of the invention. Note: The sequence data for this
CC patent did not appear in the printed specification, but was obtained in
CC electronic format directly from WIPO at
CC ftp.wipo.int/pub/published_pct_sequences
XX
SQ Sequence 95 AA;

Query Match   65.5%; Score 306; DB 4; Length 95;
Best Local Similarity   67.0%; Pred. No. 2.5e-27;
Matches   61; Conservative 10; Mismatches 20; Indels 0; Gaps 0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
        |||||||||||||:|| ||:|||||||:|||||||||||| |||| |:||||||||||||
Db   5 TKLEEHLEGIVNISPQXSVRKGHFDTLSKGELKQLLTKELANTIKNIKDKAVIDEIFQGL 64

Qy 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
        |||||||:||:|| || :|| ||
Db 65 DANQDEQVDFQEFISLVAIALKAAHYHTHKE 95

RESULT 15
AAW17062
ID AAW17062 standard; protein; 114 AA.
XX
AC AAW17062;
XX
DT 16-JUL-1997 (first entry)
XX
DE Human multidrug resistance protein 14 (MRP14).
XX
KW Genetic engineering; MRP; multidrug resistance protein; transgenic;
KW animal model; cell death inhibition; apoptosis; cell proliferation; HIV;
KW human immunodeficiency virus; cancer; cystic fibrosis; neoplasia; tumour.
XX
OS Homo sapiens.
XX
PN US5614397-A.
XX
PD 25-MAR-1997.
XX
PF 22-FEB-1994; 94US-00200016.
XX
PR 22-FEB-1994; 94US-00200016.

XX
PA (STRD) UNIV LELAND STANFORD JUNIOR.
XX
PI Weisman I, Lagasse E;
XX
DR WPI; 1997-224943/20.
DR N-PSDB; AAT68322.
XX
PT Increasing life-span of mammalian haemato-lymphoid cells by transforming
PT stem cells - with construct contg. cell-specific transcription initiator
PT and gene encoding protein that increases lifetime, useful for drug
PT screening and treatment.
XX
PS Example 1; Col 33-34; 34pp; English.
XX
CC AAW17062 is the human MRP14 protein. The transcriptional initiator of the
CC MRP8 gene was used in a construct for expressing an open reading frame
CC that increase the lifespan of a mammalian haematolymphoid cell, e.g. the
CC mammalian bcl-2 gene, a CFTR (cystic fibrosis transmembrane regulator)
CC gene, the herpes virus thymidine kinase gene or an oncogene.
CC Haematolymphoid cells are especially neutrophils and the construct
CC doubles the lifespan of transgenic cells. Transgenic cells or transgenic
CC animals produced are used for screening for substances and treatments
CC that prevent or promote cell death. They can also be returned to the
CC patient to modulate apoptosis, i.e. in the treatment of disorders related
CC to abnormal cell proliferation or death. Typical applications are
CC treatment of viral diseases, including HIV; cancer and cystic fibrosis
XX
SQ Sequence 114 AA;

Query Match   45.7%; Score 213.5; DB 2; Length 114;
Best Local Similarity 45.1%; Pred. No. 1.3e-16;
Matches 41; Conservative 25; Mismatches 24; Indels 1; Gaps 1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
        ::|| :::||||||||||||||:|||:|||| ::||||||| :: ||
Db   6 SQLERNIETIINTFHQYSVKLGHPDTLNQGEFKELVRKDLQNFLKKENKNEKVIEHIMED 65

Qy 60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
        |||||||||| |::|| |||||:||||||
Db 66 LDTNADKQLSFEEFIMLMARLTWASHEKMHE 96

Search completed: March 5, 2004, 09:46:44
Job time : 56 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

M protein - protein search, using sw model

un on: March 5, 2004, 09:45:44 ; Search time 23 Seconds
(without alignments)
204.259 Million cell updates/sec

itle: US-09-646-651C-1
erfect score: 467
equence: 1 TKLEDHLEGIINIFHQYSVR.........EFVVLVTDVLITAHDNIHKE 91

coring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

earched: 389414 seqs, 51625971 residues

otal number of hits satisfying chosen parameters: 389414

inimum DB seq length: 0
aximum DB seq length: 2000000000

ost-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

atabase : Issued Patents_AA:*
1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

esult No.	Score	% Query Match	Query Match	Length	DB	ID	Description
1	467	100.0	467	91	3	US-08-794-000-2	Sequence 2, Appli
2	371	79.4		92	2	US-08-568-310D-19	Sequence 19, Appl
3	371	79.4		92	4	US-09-270-455-19	Sequence 19, Appli
4	366	78.4		90	4	US-09-263-312-3	Sequence 3, Appli
5	366	78.4		90	4	US-09-826-589-3	Sequence 3, Appli
6	366	78.4		90	4	US-09-826-589-4	Sequence 4, Appli
7	332	71.1		92	2	US-08-568-310D-20	Sequence 20, Appli
8	332	71.1		92	4	US-09-270-455-20	Sequence 20, Appl
9	235	50.3		51	2	US-08-568-310D-2	Sequence 2, Appli
10	235	50.3		51	4	US-09-270-455-2	Sequence 2, Appl
11	213.5	45.7		114	1	US-08-385-241-3	Sequence 3, Appl
12	213.5	45.7		114	1	US-09-214-272-4	Sequence 4, Appl
13	211.5	45.3		109	1	US-07-987-272A-8	Sequence 8, Appli
14	206	44.1		50	4	US-09-263-312-2	Sequence 2, Appli
15	206	44.1		50	4	US-09-826-589-2	Sequence 2, Appli
16	204.5	43.8		113	2	US-08-918-727-7	Sequence 7, Appli
17	204.5	43.8		113	3	US-09-205-680A-7	Sequence 7, Appli
18	181	38.8		95	4	US-09-919-172-102	Sequence 102, App
19	181	38.8		95	4	US-09-976-594-467	Sequence 467, App
20	164	35.1		92	1	US-09-051-589-1	Sequence 1, Appli
21	163	34.9		88	1	US-07-987-272A-1	Sequence 1, Appli
22	163	34.9		89	1	US-07-987-272A-14	Sequence 14, Appl
23	162	34.7		91	1	US-07-987-272A-11	Sequence 11, Appl
24	162	34.7		92	3	US-08-918-727-5	Sequence 5, Appli
25	162	34.7		92	3	US-09-205-680A-5	Sequence 5, Appli
26	156	33.4		101	1	US-08-190-560-2	Sequence 2, Appli
27	156	33.4		101	1	US-08-469-277-2	Sequence 2, Appli
28	156	33.4		101	2	US-08-468-946-2	Sequence 2, Appli
29	156	33.4		101	2	US-08-468-942-2	Sequence 2, Appli
30	156	33.4		101	4	US-09-298-625-2	Sequence 2, Appli
31	151	32.3		93	1	US-07-987-272A-7	Sequence 7, Appli
32	151	32.3		93	1	US-07-987-272A-16	Sequence 16, Appl
33	151	32.3		93	1	US-08-385-241-1	Sequence 1, Appli
34	151	32.3		93	4	US-09-214-272-2	Sequence 2, Appli
35	150	32.1		105	2	US-08-918-727-6	Sequence 6, Appli
36	150	32.1		105	3	US-09-205-680A-6	Sequence 6, Appli
37	148	31.7		97	3	US-07-662-198B-2	Sequence 2, Appli
38	140.5	30.1		98	2	US-08-918-727-3	Sequence 3, Appli
39	140.5	30.1		98	3	US-09-205-680A-3	Sequence 3, Appli
40	140.5	30.1		98	3	US-09-048-889-11	Sequence 11, Appl
41	140	30.0		92	4	US-09-621-976-7537	Sequence 7537, Ap
42	137	29.3		76	1	US-07-987-272A-17	Sequence 17, Appl
43	136	29.1		88	4	US-09-621-976-7524	Sequence 7524, Ap
44	136	29.1		88	4	US-09-621-976-7526	Sequence 7526, Ap
45	136	29.1		89	1	US-07-987-272A-10	Sequence 10, Appl

ALIGNMENTS

RESULT 1
US-08-794-000-2
; Sequence 2, Application US/08794000
; Patent No. 6087123
; GENERAL INFORMATION:
;   APPLICANT:
;   TITLE OF INVENTION: Metal-Containing Ribonucleotide Polypeptides
;   NUMBER OF SEQUENCES: 4
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: Floppy disk
;   COMPUTER: IBM PC compatible
;   OPERATING SYSTEM: PC-DOS/MS-DOS
;   SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/794,000
;   FILING DATE:
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: PCT/DE96/01337
;   FILING DATE: 17-JUL-1996
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: DE 195 25 992.0
;   FILING DATE: 17-JUL-1995
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: DE 195 30 500.0
;   FILING DATE: 18-AUG-1995
;   INFORMATION FOR SEQ ID NO: 2:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 91 amino acids
;   TYPE: amino acid
;   STRANDEDNESS: single
;   TOPOLOGY: linear
;   MOLECULE TYPE: peptide
US-08-794-000-2

Query Match   100.0%; Score 467; DB 3; Length 91;
Best Local Similarity   100.0%; Pred No. 4.4e-49;
Matches   91; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
            ||||||||||||||||||||||||||||||
Db   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91

RESULT 2
US-08-568-310D-19
; Sequence 19, Application US/08568310D

```
; Patent No. 5976832
; GENERAL INFORMATION:
; APPLICANT: HITOMI, JIRO
; APPLICANT: YAMAGUCHI, KEN
; APPLICANT: YAMAMURA, TOKUJIRO
; APPLICANT: KIMURA, TATSUJI
; TITLE OF INVENTION: NOVEL CALCIUM-BINDING PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: WYATT,GERBER,MELLER & O'ROURKE
; STREET: 99 PARK AVENUE
; STREET: 6th FLOOR
; CITY: NEW YORK CITY
; STATE: NEW YORK
; COUNTRY: USA
; ZIP: 10016
; COMPUTER READABLE FORM:
; MEDIUM TYPE: DISKETTE,3.50 INCH,720 Kb
; MEDIUM TYPE: STORAGE
; COMPUTER: IBM-PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS 6.2
; SOFTWARE: WORDPERFECT 6.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/568,310D
; FILING DATE: DECEMBER 6, 1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 7-70468 and 7-45564(both Japan)
; FILING DATE: 3/6/95 and 3/6/95,respectively
; ATTORNEY/AGENT INFORMATION:
; NAME: KLEIN, MILTON
; REGISTRATION NUMBER: 27101
; REFERENCE/DOCKET NUMBER: 3316
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)953-3350
; TELEFAX: (212)953-3352
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 92
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; PUBLICATION INFORMATION:
; RELEVANT RESIDUES IN SEQ ID NO: 19:
; RELEVANT RESIDUES IN SEQ ID NO: FROM 1 TO 92
US-08-568-310D-19

Query Match       79.4%;  Score 371;  DB 2;  Length 92;
Best Local Similarity   81.3%;  Pred. No. 1.7e-37;
Matches   74;  Conservative   9;  Mismatches   8;  Indels   0;  Gaps   0;

Qy    1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL  60
         ||||||||||||||||||||:||:||||||||||::|||||:||||||||:||:|
Db    2  TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL  61

Qy   61  DANQDEQVSFKEFVVLVTDVLITAHDNIHKE  91
         ||::|||||||||||:||:|| |||||||||
Db   62  DADKDGAVSFEEFVVLVSRVLKTAHIDIHKE  92

RESULT 3
US-09-270-455-19
; Sequence 19, Application US/09270455
; Patent No. 6313267
; GENERAL INFORMATION:
; APPLICANT: HITOMI, JIRO
; APPLICANT: YAMAGUCHI, KEN
; APPLICANT: YAMAMURA, TOKUJIRO
; APPLICANT: KIMURA, TATSUJI
; TITLE OF INVENTION: NOVEL CALCIUM-BINDING PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
```

```
; ADDRESSEE: WYATT,GERBER,MELLER & O'ROURKE
; STREET: 99 PARK AVENUE
; STREET: 6th FLOOR
; CITY: NEW YORK CITY
; STATE: NEW YORK
; COUNTRY: USA
; ZIP: 10016
; COMPUTER READABLE FORM:
; MEDIUM TYPE: DISKETTE,3.50 INCH,720 Kb
; MEDIUM TYPE: STORAGE
; COMPUTER: IBM-PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS 6.2
; SOFTWARE: WORDPERFECT 6.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/270,455
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/568,310
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: KLEIN, MILTON
; REGISTRATION NUMBER: 27101
; REFERENCE/DOCKET NUMBER: 3316
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)953-3350
; TELEFAX: (212)953-3352
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 92
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; PUBLICATION INFORMATION:
; RELEVANT RESIDUES IN SEQ ID NO: 19: FROM 1 TO 92
US-09-270-455-19

Query Match       79.4%;  Score 371;  DB 4;  Length 92;
Best Local Similarity   81.3%;  Pred. No. 1.7e-37;  Indels   0;  Gaps   0;
Matches   74;  Conservative   9;  Mismatches   8;

Qy    1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL  60
         ||||||||||||||||||||:||:||||||||||::|||||:||||||||:||:|
Db    2  TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL  61

Qy   61  DANQDEQVSFKEFVVLVTDVLITAHDNIHKE  91
         ||::|||||||||||:||:|| |||||||||
Db   62  DADKDGAVSFEEFVVLVSRVLKTAHIDIHKE  92

RESULT 4
US-09-263-312-3
; Sequence 3, Application US/09263312
; Patent No. 6555340
; GENERAL INFORMATION:
; APPLICANT: Schmidt, Ann Marie
; APPLICANT: Stern, David
; TITLE OF INVENTION: Extracellular No. 6555340el RAGE Binding Protein (EN-RAGE) and
; TITLE OF INVENTION: Uses Thereof
; FILE REFERENCE: 0575/55873-A
; CURRENT APPLICATION NUMBER: US/09/263,312
; CURRENT FILING DATE: 1999-03-05
; NUMBER OF SEQ ID NOS: 5
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 3
; LENGTH: 90
; TYPE: PRT
; ORGANISM: Human
US-09-263-312-3

Query Match       78.4%;  Score 366;  DB 4;  Length 90;
Best Local Similarity   81.1%;  Pred. No. 6.7e-37;
```

Matches   73;   Conservative   9;   Mismatches   8;   Indels   0;   Gaps   0;

```
Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         |||||||||||||||||:||::|||||||||||||| :|||||||:|||||||
Db   1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
         ||::| ||:|||||  ||| :|||
Db  61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90
```

RESULT 5
US-09-826-589-3
; Sequence 3, Application US/09826589
; Patent No. 6670136
; GENERAL INFORMATION:
;   APPLICANT: Schmidt, Ann Marie
;   APPLICANT: Stern, David
;   TITLE OF INVENTION: EXTRACELLULAR NOVEL RAGE BINDING PROTEIN (EN-RAGE) AND USES THERE
;   FILE REFERENCE: 0575/55873-B-PCT-US
;   CURRENT APPLICATION NUMBER: US/09/826,589
;   CURRENT FILING DATE: 2001-04-05
;   NUMBER OF SEQ ID NOS: 6
;   SOFTWARE: PatentIn version 3.1
; SEQ ID NO 3
;   LENGTH: 90
;   TYPE: PRT
;   ORGANISM: Bovine
US-09-826-589-3

Query Match   78.4%; Score 366; DB 4; Length 90;
Best Local Similarity 81.1%; Pred. No. 6.7e-37;
Matches   73; Conservative   9; Mismatches   8; Indels   0; Gaps   0;

```
Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         |||||||||||||||||:||::|||||||||||||| :|||||||:|||||||
Db   1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
         ||::| ||:|||||  ||| :|||
Db  61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90
```

RESULT 6
US-09-826-589-4
; Sequence 4, Application US/09826589
; Patent No. 6670136
; GENERAL INFORMATION:
;   APPLICANT: Schmidt, Ann Marie
;   APPLICANT: Stern, David
;   TITLE OF INVENTION: EXTRACELLULAR NOVEL RAGE BINDING PROTEIN (EN-RAGE) AND USES THERE
;   FILE REFERENCE: 0575/55873-B-PCT-US
;   CURRENT APPLICATION NUMBER: US/09/826,589
;   CURRENT FILING DATE: 2001-04-05
;   NUMBER OF SEQ ID NOS: 6
;   SOFTWARE: PatentIn version 3.1
; SEQ ID NO 4
;   LENGTH: 90
;   TYPE: PRT
;   ORGANISM: Bovine
US-09-826-589-4

Query Match   78.4%; Score 366; DB 4; Length 90;
Best Local Similarity 81.1%; Pred. No. 6.7e-37;
Matches   73; Conservative   9; Mismatches   8; Indels   0; Gaps   0;

```
Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         |||||||||||||||||:||::|||||||||||||| :|||||||:|||||||
Db   1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
         ||::| ||:|||||  ||| :|||
Db  61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90
```

RESULT 7
US-08-568-310D-20
; Sequence 20, Application US/08568310D
; Patent No. 5976832
; GENERAL INFORMATION:
;   APPLICANT: HITOMI, JIRO
;   APPLICANT: YAMAGUCHI, KEN
;   APPLICANT: YAMAMURA, TOKUJIRO
;   APPLICANT: KIMURA, TATSUJI
;   TITLE OF INVENTION: NOVEL CALCIUM-BINDING PROTEINS
;   NUMBER OF SEQUENCES: 20
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE: WYATT,GERBER,MELLER & O'ROURKE
;   STREET: 99 PARK AVENUE
;   STREET: 6th FLOOR
;   CITY: NEW YORK CITY
;   STATE: NEW YORK
;   COUNTRY: USA
;   ZIP: 10016
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE: DISKETTE,3.50 INCH,720 Kb
;   MEDIUM TYPE: STORAGE
;   COMPUTER: IBM-PC COMPATIBLE
;   OPERATING SYSTEM: PC-DOS 6.2
;   SOFTWARE: WORDPERFECT 6.1
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER: US/08/568,310D
;   FILING DATE: DECEMBER 6, 1995
;   CLASSIFICATION: 435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER: 7-70468 and 7-45564(both Japan)
;   FILING DATE: 3/6/95 and 3/6/95,respectively
;   ATTORNEY/AGENT INFORMATION:
;   NAME: KLEIN, MILTON
;   REGISTRATION NUMBER: 27101
;   REFERENCE/DOCKET NUMBER: 3316
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE: (212)953-3350
;   TELEFAX: (212)953-3352
; INFORMATION FOR SEQ ID NO: 20:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH: 92
;   TYPE: amino acid
;   STRANDEDNESS:
;   TOPOLOGY: linear
;   MOLECULE TYPE: cDNA
;   PUBLICATION INFORMATION:
;   RELEVANT RESIDUES IN SEQ ID NO: 20:
;   RELEVANT RESIDUES IN SEQ ID NO: FROM 1 TO 92
US-08-568-310D-20

Query Match   71.1%; Score 332; DB 2; Length 92;
Best Local Similarity 70.3%; Pred. No. 8.7e-33;
Matches   64; Conservative   10; Mismatches   17; Indels   0; Gaps   0;

```
Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         ||||:|||||:||||||||| ||:|||:|  |||||:||| ||:||:|| :||:||| |
Db   2 TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLLTKELANTIKNIKDKAVIDEIFQGL 61

Qy  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
         |||||||| |: |::||    ||| ||:
Db  62 DANQDEQVDFQFISLVAIALKAAHYHTHKE 92
```

RESULT 8
US-09-270-455-20
; Sequence 20, Application US/09270455
; Patent No. 6313267
; GENERAL INFORMATION:
;   APPLICANT: HITOMI, JIRO
;   APPLICANT: YAMAGUCHI, KEN

APPLICANT: YAMAMURA,TOKUJIRO
APPLICANT: KIMURA, TATSUJI
TITLE OF INVENTION: NOVEL CALCIUM-BINDING PROTEINS
NUMBER OF SEQUENCES: 20
CORRESPONDENCE ADDRESS:
  ADDRESSEE: WYATT,GERBER,MELLER & O'ROURKE
  STREET: 99 PARK AVENUE
  STREET: 6th FLOOR
  CITY: NEW YORK CITY
  STATE: NEW YORK
  COUNTRY: USA
  ZIP: 10016
COMPUTER READABLE FORM:
  MEDIUM TYPE: DISKETTE,3.50 INCH,720 Kb
  MEDIUM TYPE: STORAGE
  COMPUTER: IBM-PC COMPATIBLE
  OPERATING SYSTEM: PC-DOS 6.2
  SOFTWARE: WORDPERFECT 6.1
CURRENT APPLICATION DATA:
  APPLICATION NUMBER: US/09/270,455
  FILING DATE:
  CLASSIFICATION: 435
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: 08/568,310
  FILING DATE:
ATTORNEY/AGENT INFORMATION:
  NAME: KLEIN, MILTON
  REGISTRATION NUMBER: 27101
  REFERENCE/DOCKET NUMBER: 3316
TELECOMMUNICATION INFORMATION:
  TELEPHONE: (212)953-3350
  TELEFAX: (212)953-3352
INFORMATION FOR SEQ ID NO: 20:
SEQUENCE CHARACTERISTICS:
  LENGTH: 92
  TYPE: amino acid
  STRANDEDNESS:
  TOPOLOGY: linear
MOLECULE TYPE: cDNA
PUBLICATION INFORMATION:
  RELEVANT RESIDUES IN SEQ ID NO: 20: FROM 1 TO 92
US-09-270-455-20

Query Match   71.1%; Score 332; DB 4; Length 92;
Best Local Similarity 70.3%; Pred. No. 8.7e-33;
Matches 64; Conservative 10; Mismatches 17; Indels 0; Gaps 0;

```
Qy    1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL  60
         ||||:|||||||||||||||||:|:||  ||||||||||||||||| |||:||| |:|||
Db    2  TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLITKELANTIKNIKDKAVIDEIFQGL  61

Qy   61  DANQDEQVSFKEFVVLVTDVLITAHDNIHKE  91
         ||||||| :|:|||:| ||:|  :||: |||
Db   62  DANQDEQVDFQEFISLVATALKAAHYHTHKE  92
```

RESULT 9
US-08-568-310D-2
; Sequence 2, Application US/08568310D
; Patent No. 5976832
; GENERAL INFORMATION:
; APPLICANT: HITOMI, JIRO
; APPLICANT: YAMAGUCHI, KEN
; APPLICANT: YAMAMURA,TOKUJIRO
; APPLICANT: KIMURA, TATSUJI
; TITLE OF INVENTION: NOVEL CALCIUM-BINDING PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: WYATT,GERBER,MELLER & O'ROURKE
; STREET: 99 PARK AVENUE
; STREET: 6th FLOOR
; CITY: NEW YORK CITY
; STATE: NEW YORK

  COUNTRY: USA
  ZIP: 10016
COMPUTER READABLE FORM:
  MEDIUM TYPE: DISKETTE,3.50 INCH,720 Kb
  MEDIUM TYPE: STORAGE
  COMPUTER: IBM-PC COMPATIBLE
  OPERATING SYSTEM: PC-DOS 6.2
  SOFTWARE: WORDPERFECT 6.1
CURRENT APPLICATION DATA:
  APPLICATION NUMBER: US/08/568,310D
  FILING DATE: DECEMBER 6, 1995
  CLASSIFICATION: 435
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: 7-70468 and 7-45564(both Japan)
  FILING DATE: 3/6/95 and 3/6/95,respectively
ATTORNEY/AGENT INFORMATION:
  NAME: KLEIN, MILTON
  REGISTRATION NUMBER: 27101
  REFERENCE/DOCKET NUMBER: 3316
TELECOMMUNICATION INFORMATION:
  TELEPHONE: (212)953-3350
  TELEFAX: (212)953-3352
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
  LENGTH: 51
  TYPE: amino acid
  STRANDEDNESS:
  TOPOLOGY: linear
PUBLICATION INFORMATION:
  RELEVANT RESIDUES IN SEQ ID NO: 2:
  RELEVANT RESIDUES IN SEQ ID NO: 2: FROM 1 TO 51
US-08-568-310D-2

Query Match   50.3%; Score 235; DB 2; Length 51;
Best Local Similarity 90.0%; Pred. No. 2e-21;
Matches 45; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

```
Qy    1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQ  50
         ||||:|||||:||||||||||||:|||||:|||||||||||||:||||||
Db    1  TKLEDHLEGIVNIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQ  50
```

RESULT 10
US-09-270-455-2
; Sequence 2, Application US/09270455
; Patent No. 6311267
; GENERAL INFORMATION:
; APPLICANT: HITOMI, JIRO
; APPLICANT: YAMAGUCHI, KEN
; APPLICANT: YAMAMURA,TOKUJIRO
; APPLICANT: KIMURA, TATSUJI
; TITLE OF INVENTION: NOVEL CALCIUM-BINDING PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: WYATT,GERBER,MELLER & O'ROURKE
; STREET: 99 PARK AVENUE
; STREET: 6th FLOOR
; CITY: NEW YORK CITY
; STATE: NEW YORK
; COUNTRY: USA
; ZIP: 10016
; COMPUTER READABLE FORM:
; MEDIUM TYPE: DISKETTE,3.50 INCH,720 Kb
; MEDIUM TYPE: STORAGE
; COMPUTER: IBM-PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS 6.2
; SOFTWARE: WORDPERFECT 6.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/270,455
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/568,310

```
       FILING DATE:
       ATTORNEY/AGENT INFORMATION:
       NAME: KLEIN, MILTON
       REGISTRATION NUMBER: 27101
       REFERENCE/DOCKET NUMBER: 3316
       TELECOMMUNICATION INFORMATION:
          TELEPHONE: (212)953-3350
          TELEFAX: (212)953-3352
INFORMATION FOR SEQ ID NO: 2:
       SEQUENCE CHARACTERISTICS:
          LENGTH: 51
          TYPE: amino acid
          STRANDEDNESS:
          TOPOLOGY: linear
       PUBLICATION INFORMATION:
          RELEVANT RESIDUES IN SEQ ID NO: 2: FROM 1 TO 51
JS-09-270-455-2
```

Query Match   50.3%; Score 235; DB 4; Length 51;
Best Local Similarity 90.0%; Pred. No. 2e-21; Indels 0; Gaps 0;
Matches 45; Conservative 3; Mismatches 2;

```
Qy  1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQ 50
        |||||||||||||||||:||:|||||||||||:||:|||
Db  1 TKLEDHLEGIINIFHQYSVRGHFDTLNKRELPKTLQNTKDQ 50
```

```
RESULT 11
JS-08-385-241-3
Sequence 3, Application US/08385241
Patent No. 5776348
       GENERAL INFORMATION:
       APPLICANT: Selengut Ph.D., Jeremy D.
       APPLICANT: Orme-Johnson Ph.D., William H.
       APPLICANT: Dretler M.D., Stephen P.
       APPLICANT: Asakura M.D., Hirotaka
       TITLE OF INVENTION: SYSTEM AND METHOD FOR INHIBITING
       TITLE OF INVENTION: FORMATION OF CRYSTALLINE STRUCTURES THAT INCLUDE STRUVITE
       NUMBER OF SEQUENCES: 4
       CORRESPONDENCE ADDRESS:
          ADDRESSEE: Choate, Hall & Stewart
          STREET: 53 State Street
          CITY: Boston
          STATE: MA
          COUNTRY: USA
          ZIP: 02109-2891
       COMPUTER READABLE FORM:
          MEDIUM TYPE: Floppy disk
          COMPUTER: IBM PC compatible
          OPERATING SYSTEM: PC-DOS/MS-DOS
          SOFTWARE: PatentIn Release #1.0, Version #1.25
       CURRENT APPLICATION DATA:
          APPLICATION NUMBER: US/08/385,241
          FILING DATE:
          CLASSIFICATION: 514
       ATTORNEY/AGENT INFORMATION:
          NAME: Herschbach Ph.D., Brenda M.
          REGISTRATION NUMBER: P-39,223
          REFERENCE/DOCKET NUMBER: 492611-000 (MIT6915)
       TELECOMMUNICATION INFORMATION:
          TELEPHONE: (617) 248-5175
          TELEFAX: (617) 248-4000
INFORMATION FOR SEQ ID NO: 3:
       SEQUENCE CHARACTERISTICS:
          LENGTH: 114 amino acids
          TYPE: amino acid
          STRANDEDNESS: single
          TOPOLOGY: linear
       MOLECULE TYPE: protein
       HYPOTHETICAL: NO
       ANTI-SENSE: NO
       IMMEDIATE SOURCE:
          CLONE: hMRP-14 protein
```

```
US-08-385-241-3
```

Query Match   45.7%; Score 213.5; DB 1; Length 114;
Best Local Similarity 45.1%; Pred. No. 2.3e-18;
Matches 41; Conservative 25; Mismatches 24; Indels 1; Gaps 1;

```
Qy  1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
        ::||::|||||||||||||||| |||  |:|:|: ||:|:|:|
Db  6 SQLERNIETIINTFHQYSVKLGHPDTLNQGEFKELVRKDLQNFLKKENKNEKVIEHIMED 65

Qy 60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
        ||||:|::|:::|::|::|: :|::::
Db 66 LDTNADKQLSFEEFIMLMARLITWASHEKMHE 96
```

```
RESULT 12
US-09-214-272-4
; Sequence 4, Application US/09214272
; Patent No. 6620790
; GENERAL INFORMATION:
; APPLICANT: Siegenthaler, Georges
; TITLE OF INVENTION: Isolated Arachidonic Acid-Binding Heteromer and its Use in
; TITLE OF INVENTION: Cosmetics and Pharmaceutics
; FILE REFERENCE: 016800-254
; CURRENT APPLICATION NUMBER: US/09/214,272
; CURRENT FILING DATE: 1999-04-09
; PRIOR APPLICATION NUMBER: PCT/FR97/01164
; PRIOR FILING DATE: 1997-06-30
; PRIOR APPLICATION NUMBER: FR 96/08219
; PRIOR FILING DATE: 1996-07-02
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 4
; LENGTH: 114
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Amino acid sequence of MRP-14.
US-09-214-272-4
```

Query Match   45.7%; Score 213.5; DB 4; Length 114;
Best Local Similarity 45.1%; Pred. No. 2.3e-18;
Matches 41; Conservative 25; Mismatches 24; Indels 1; Gaps 1;

```
Qy  1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
        ::||::|||||||||||||||| |||  |:|:|: ||:|:|:|
Db  6 SQLERNIETIINTFHQYSVKLGHPDTLNQGEFKELVRKDLQNFLKKENKNEKVIEHIMED 65

Qy 60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
        ||||:|::|:::|::|::|: :|::::
Db 66 LDTNADKQLSFEEFIMLMARLITWASHEKMHE 96
```

```
RESULT 13
US-07-987-272A-8
; Sequence 8, Application US/07987272A
; Patent No. 5731166
; GENERAL INFORMATION:
; APPLICANT: Geczy, C., Simpson, R. J. and Lackmann, M
; TITLE OF INVENTION: No. 5731166el Chemotactic Factor
; NUMBER OF SEQUENCES: 23
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Cushman Darby & Cushman
; STREET: 1100 New York Avenue, N. W., Ninth Floor, East Tower
; CITY: Washington
; STATE: D. C.
; COUNTRY: USA
; ZIP: 20005-3918
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
```

Left column:

```
 ;    CURRENT APPLICATION DATA:
 ;       APPLICATION NUMBER: US/07/987,272A
 ;       FILING DATE: 05-MAR-1993
 ;       CLASSIFICATION: 435
 ;    PRIOR APPLICATION DATA:
 ;       APPLICATION NUMBER: AU PK 2127
 ;       FILING DATE: 05-FEB-1990
 ;    PRIOR APPLICATION DATA:
 ;       APPLICATION NUMBER: AU PK 4463
 ;       FILING DATE: 05-SEP-1991
 ;    ATTORNEY/AGENT INFORMATION:
 ;       NAME: Brinkman, David W
 ;       REGISTRATION NUMBER: 20,817
 ;       REFERENCE/DOCKET NUMBER: DWB/1925/200259
 ;    TELECOMMUNICATION INFORMATION:
 ;       TELEPHONE: 202-861 3000
 ;       TELEFAX: 202-822 0944
 ;       TELEX: 6714627 CUSH
 ;    INFORMATION FOR SEQ ID NO: 8:
 ;    SEQUENCE CHARACTERISTICS:
 ;       LENGTH: 109 amino acids
 ;       TYPE: amino acid
 ;       STRANDEDNESS: single
 ;       TOPOLOGY: linear
 ;       MOLECULE TYPE: protein
US-07-987-272A-8
```

Query Match   45.3%; Score 211.5; DB 1; Length 109;
Best Local Similarity 45.1%; Pred. No. 3.7e-18;
Matches 41; Conservative 25; Mismatches 24; Indels 1; Gaps 1;

```
Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
          |||||||||| ||||| :|:|||::|||| |: |:|::|| :|::| |  ||: |: :|:
Db    1 SQLERNIETIINTFHQYSVKLGHPDTLNQGEFKELVRKDLQNFLKKENKNELVIEHIMED 60

Qy   60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
          || |::||:|:|:||: : || :: :|: :
Db   61 LDTNADKQLSFEEFIMLMARLTWASHEKMHE 91
```

```
RESULT 14
US-09-263-312-2
 ;  Sequence 2, Application US/09263312
 ;  Patent No. 6555340
 ;  GENERAL INFORMATION:
 ;     APPLICANT: Schmidt, Ann Marie
 ;     APPLICANT: Stern, David
 ;     TITLE OF INVENTION: Extracellular No. 6555340el RAGE Binding Protein (EN-RAGE) and
 ;     TITLE OF INVENTION: Uses Thereof
 ;     FILE REFERENCE: 0575/55873-A
 ;     CURRENT APPLICATION NUMBER: US/09/263,312
 ;     CURRENT FILING DATE: 1999-03-05
 ;     NUMBER OF SEQ ID NOS: 5
 ;     SOFTWARE: PatentIn Ver. 2.1
 ;  SEQ ID NO 2
 ;     LENGTH: 50
 ;     TYPE: PRT
 ;     ORGANISM: Human
 ;     FEATURE:
 ;     NAME/KEY: UNSURE
 ;     LOCATION: (47)
 ;     OTHER INFORMATION: Xaa at this position is unknown
US-09-263-312-2
```

Query Match   44.1%; Score 206; DB 4; Length 50;
Best Local Similarity 82.0%; Pred. No. 6.3e-18;
Matches 41; Conservative 3; Mismatches 6; Indels 0; Gaps 0;

```
Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQ 50
          ||||||||||||| ||||||||||:|||||:|||||||:|||||||||||
Db    1 TKLEDHLEGIINIGHQYSVRVGHFDTLNKYELKQLGTKELPKTLQNXKDQ 50
```

Right column:

```
RESULT 15
US-09-826-589-2
 ;  Sequence 2, Application US/09826589
 ;  Patent No. 6670136
 ;  GENERAL INFORMATION:
 ;     APPLICANT: Schmidt, Ann Marie
 ;     APPLICANT: Stern, David
 ;     TITLE OF INVENTION: EXTRACELLULAR NOVEL RAGE BINDING PROTEIN (EN-RAGE) AND USES THERI
 ;     FILE REFERENCE: 0575/55873-B-PCT-US
 ;     CURRENT APPLICATION NUMBER: US/09/826,589
 ;     CURRENT FILING DATE: 2001-04-05
 ;     NUMBER OF SEQ ID NOS: 6
 ;     SOFTWARE: PatentIn version 3.1
 ;  SEQ ID NO 2
 ;     LENGTH: 50
 ;     TYPE: PRT
 ;     ORGANISM: Human
 ;     FEATURE:
 ;     NAME/KEY: MISC_FEATURE
 ;     LOCATION: (47)..(47)
 ;     OTHER INFORMATION: x=any amino acid
US-09-826-589-2
```

Query Match   44.1%; Score 206; DB 4; Length 50;
Best Local Similarity 82.0%; Pred. No. 6.3e-18;
Matches 41; Conservative 3; Mismatches 6; Indels 0; Gaps 0;

```
Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQ 50
          ||||||||||||| ||||||||||:|||||:|||||||:|||||||||||
Db    1 TKLEDHLEGIINIGHQYSVRVGHFDTLNKYELKQLGTKELPKTLQNXKDQ 50
```

Search completed: March 5, 2004, 09:50:52
Job time : 23 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 5, 2004, 09:46:49 ; Search time 34 Seconds
                                   (without alignments)
                                   565.145 Million cell updates/sec

Title: US-09-646-651C-1
Perfect score: 467
Sequence: 1 TKLEDHLEGIINIFHQYSVR.........EFVVLVTDVLJTAHDNIHKE 91

Scoring table: BLOSUM62
                 Gapop 10.0 , Gapext 0.5

Searched: 809742 seqs, 21153259 residues

Total number of hits satisfying chosen parameters: 809742

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   Published Applications AA:*
        1: /cgn2_6/ptodata/1/pubpaa/US07_PUBCOMB.pep:*
        2: /cgn2_6/ptodata/1/pubpaa/PCT_NEW_PUB.pep:*
        3: /cgn2_6/ptodata/1/pubpaa/US06_NEW_PUB.pep:*
        4: /cgn2_6/ptodata/1/pubpaa/US06_PUBCOMB.pep:*
        5: /cgn2_6/ptodata/1/pubpaa/US07_NEW_PUB.pep:*
        6: /cgn2_6/ptodata/1/pubpaa/PCTUS_PUBCOMB.pep:*
        7: /cgn2_6/ptodata/1/pubpaa/US08_NEW_PUB.pep:*
        8: /cgn2_6/ptodata/1/pubpaa/US08_PUBCOMB.pep:*
        9: /cgn2_6/ptodata/1/pubpaa/US09A_PUBCOMB.pep:*
       10: /cgn2_6/ptodata/1/pubpaa/US09B_PUBCOMB.pep:*
       11: /cgn2_6/ptodata/1/pubpaa/US09C_PUBCOMB.pep:*
       12: /cgn2_6/ptodata/1/pubpaa/US09_NEW_PUB.pep:*
       13: /cgn2_6/ptodata/1/pubpaa/US10A_PUBCOMB.pep:*
       14: /cgn2_6/ptodata/1/pubpaa/US10B_PUBCOMB.pep:*
       15: /cgn2_6/ptodata/1/pubpaa/US10C_PUBCOMB.pep:*
       16: /cgn2_6/ptodata/1/pubpaa/US10_NEW_PUB.pep:*
       17: /cgn2_6/ptodata/1/pubpaa/US60_NEW_PUB.pep:*
       18: /cgn2_6/ptodata/1/pubpaa/US60_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	366	78.4	90	9	US-09-826-589-3	Sequence 3, Appli
2	366	78.4	90	9	US-09-826-589-4	Sequence 4, Appli
3	366	78.4	90	9	US-09-872-185B-11	Sequence 11, Appl
4	366	78.4	90	9	US-09-872-185B-12	Sequence 12, Appli
5	332	71.1	92	14	US-10-077-600-2	Sequence 2, Appli
6	213.5	45.7	114	14	US-10-134-841-4	Sequence 4, Appli
7	213.5	45.7	114	14	US-10-308-279-32	Sequence 32, Appl
8	213.5	45.7	114	15	US-10-116-275-225	Sequence 225, Appl
9	213.5	45.7	114	15	US-10-131-410-146	Sequence 146, App
10	206	44.1	50	9	US-09-826-589-2	Sequence 2, Appli
11	206	44.1	50	9	US-09-872-185B-2	Sequence 9, Appli
12	204.5	43.8	112	14	US-10-205-219-161	Sequence 16, App
13	204.5	43.8	113	10	US-09-492-026-7	Sequence 7, Appli
14	192	41.1	46	9	US-09-864-761-41579	Sequence 41579, A
15	181	38.8	95	9	US-09-919-172-102	Sequence 102, App
16	181	38.8	95	9	US-09-981-353-98	Sequence 98, Appl
17	178.5	38.2	113	14	US-10-134-881-3	Sequence 3, Appli
18	171	36.6	91	14	US-10-106-698-6907	Sequence 6907, Ap
19	163	34.9	89	14	US-10-134-841-1	Sequence 1, Appli
20	163	34.9	101	9	US-09-393-433-2	Sequence 2, Appli
21	163	34.9	101	9	US-09-781-509-2	Sequence 2, Appli
22	163	34.7	101	14	US-10-269-643-2	Sequence 2, Appli
23	162	34.7	92	10	US-09-492-026-5	Sequence 5, Appli
24	162	34.7	92	10	US-09-919-039-184	Sequence 184, App
25	160	34.3	94	14	US-10-097-340-270	Sequence 270, App
26	159	34.0	89	14	US-10-316-253-46	Sequence 46, Appl
27	156	33.4	101	9	US-09-393-433-1	Sequence 1, Appli
28	156	33.4	101	9	US-09-781-509-1	Sequence 1, Appli
29	156	33.4	101	13	US-10-067-618-2	Sequence 2, Appli
30	156	33.4	101	13	US-10-135-152-2	Sequence 2, Appli
31	156	33.4	101	13	US-10-269-643-1	Sequence 1, Appli
32	154	33.0	93	15	US-10-094-886-58	Sequence 58, Appl
33	151	32.3	93	14	US-10-134-841-2	Sequence 2, Appli
34	151	32.3	477	15	US-10-161-927-62	Sequence 62, Appli
35	150	32.1	105	10	US-09-492-026-6	Sequence 6, Appli
36	150	32.1	105	14	US-10-097-340-272	Sequence 272, App
37	150	32.1	105	14	US-10-301-822-177	Sequence 177, App
38	150	32.1	134	9	US-09-925-302-694	Sequence 694, App
39	143	30.6	97	14	US-10-097-340-274	Sequence 274, App
40	143	30.6	97	15	US-10-171-311-206	Sequence 206, App
41	143	30.6	97	15	US-10-236-031B-40	Sequence 40, Appl
42	141	30.2	84	10	US-09-849-138-34	Sequence 34, Appl
43	140.5	30.1	98	9	US-09-492-026-3	Sequence 3, Appli
44	140.5	30.1	110	15	US-10-264-049-2820	Sequence 2820, Ap
45	138	29.6	186	15	US-10-264-049-4104	Sequence 4104, Ap

ALIGNMENTS

RESULT 1
US-09-826-589-3
; Sequence 3, Application US/09826589
; Patent No. US20020106726A1
; GENERAL INFORMATION:
;   APPLICANT: Schmidt, Ann Marie
;   APPLICANT: Stern, David
;   TITLE OF INVENTION: EXTRACELLULAR NOVEL RAGE BINDING PROTEIN (EN-RAGE) AND USES THERE
;   FILE REFERENCE: 0575/55873-B-PCT-US
;   CURRENT APPLICATION NUMBER: US/09/826,589
;   CURRENT FILING DATE: 2001-04-05
;   NUMBER OF SEQ ID NOS: 6
;   SOFTWARE: PatentIn version 3.1
;
; SEQ ID NO 3
;   LENGTH: 90
;   TYPE: PRT
;   ORGANISM: Bovine
US-09-826-589-3

Query Match   78.4%;   Score 366; DB 9; Length 90;
Best Local Similarity   81.1%;   Pred. No. 1.2e-32;
Matches   73; Conservative   9; Mismatches   8; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKELQLITKELPNTLKNTKDQGTIDKIFQNL 60

Db   1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy   61 DANQDEQVSFKEFVLVTDVLITAHDNIHK 90
          |||:|| ||:|||:||| |:|||:|:|||
Db   61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

RESULT 2
US-09-826-589-4
; Sequence 4, Application US/09826589
; Patent No. US20020106726A1
; GENERAL INFORMATION:
;   APPLICANT: Schmidt, Ann Marie

; APPLICANT: Stern, David
; TITLE OF INVENTION: EXTRACELLULAR NOVEL RAGE BINDING PROTEIN (EN-RAGE) AND USES THERE
; FILE REFERENCE: 0575/55873-B-PCT-US
; CURRENT APPLICATION NUMBER: US/09/826,589
; CURRENT FILING DATE: 2001-04-05
; NUMBER OF SEQ ID NOS: 6
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 4
;   LENGTH: 90
;   TYPE: PRT
;   ORGANISM: Bovine
US-09-826-589-4

Query Match   78.4%; Score 366; DB 9; Length 90;
Best Local Similarity   81.1%; Pred. No. 1.2e-32;
Matches   73; Conservative   9; Mismatches   8; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              |||||||||||||||||||:||:|| |||||||||| |:||||||||||:|||||||:|
Db   1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
              ||::|:| ||:|||||| :||:|||:|:||
Db   61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

RESULT 3
US-09-872-185B-11
; Sequence 11, Application US/09872185B
; Patent No. US2002012279A1
; GENERAL INFORMATION:
; APPLICANT: Stern, David M.
; APPLICANT: Herold, Kevan
; APPLICANT: Yan, Shi Du
; APPLICANT: Schmidt, Ann Marie
; APPLICANT: Lamster, Ira
; TITLE OF INVENTION: METHODS FOR TREATING INFLAMMATION
; FILE REFERENCE: 0575/64080
; CURRENT APPLICATION NUMBER: US/09/872,185B
; CURRENT FILING DATE: 2001-06-01
; NUMBER OF SEQ ID NOS: 16
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 11
;   LENGTH: 90
;   TYPE: PRT
;   ORGANISM: Bovine
US-09-872-185B-11

Query Match   78.4%; Score 366; DB 9; Length 90;
Best Local Similarity   81.1%; Pred. No. 1.2e-32;
Matches   73; Conservative   9; Mismatches   8; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              |||||||||||||||||||:||:|| |||||||||| |:||||||||||:|||||||:|
Db   1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
              ||::|:| ||:|||||| :||:|||:|:||
Db   61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

RESULT 4
US-09-872-185B-12
; Sequence 12, Application US/09872185B
; Patent No. US2002012279A1
; GENERAL INFORMATION:
; APPLICANT: Stern, David M.
; APPLICANT: Herold, Kevan
; APPLICANT: Yan, Shi Du
; APPLICANT: Schmidt, Ann Marie
; APPLICANT: Lamster, Ira
; TITLE OF INVENTION: METHODS FOR TREATING INFLAMMATION
; FILE REFERENCE: 0575/64080

; CURRENT APPLICATION NUMBER: US/09/872,185B
; CURRENT FILING DATE: 2001-06-01
; NUMBER OF SEQ ID NOS: 16
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 12
;   LENGTH: 90
;   TYPE: PRT
;   ORGANISM: Bovine
US-09-872-185B-12

Query Match   78.4%; Score 366; DB 9; Length 90;
Best Local Similarity   81.1%; Pred. No. 1.2e-32;
Matches   73; Conservative   9; Mismatches   8; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              |||||||||||||||||||:||:|| |||||||||| |:||||||||||:|||||||:|
Db   1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
              ||::|:| ||:|||||| :||:|||:|:||
Db   61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHK 90

RESULT 5
US-10-077-600-2
; Sequence 2, Application US/10077600
; Publication No. US2003017571A1
; GENERAL INFORMATION:
; APPLICANT: Switch Biotech AG
; TITLE OF INVENTION: Method for diagnosis of inflammatory diseases using Calgranulin (
; FILE REFERENCE: S30274US
; CURRENT APPLICATION NUMBER: US/10/077,600
; CURRENT FILING DATE: 2002-06-14
; NUMBER OF SEQ ID NOS: 2
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
;   LENGTH: 92
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-077-600-2

Query Match   71.1%; Score 332; DB 14; Length 92;
Best Local Similarity   70.3%; Pred. No. 6.6e-29;
Matches   64; Conservative 10; Mismatches 17; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              ||||:||||| ||||||||| ||:|||.: |||||||||| || :|:|| |:|||||| |
Db   2 TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLITKELANTIKNIKDKAVIDEIFQGL 61

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
              ||||||||.|:||:.:| :|: ||:|:||||
Db   62 DANQDEQVDFQEFISLVAIALKAAHYHTHKE 92

RESULT 6
US-10-134-841-4
; Sequence 4, Application US/10134841
; Publication No. US20030003482A1
; GENERAL INFORMATION:
; APPLICANT: HALLE, JORN-PETER
; APPLICANT: GOPPELT, ANDREAS
; TITLE OF INVENTION: MRP8/MRP14 heterodimer, or its
; TITLE OF INVENTION: individual components in combination, for treating and/or
; TITLE OF INVENTION: preventing skin diseases, wounds and/or wound-healing
; TITLE OF INVENTION: disturbances, having a reduced quantity of MRP8/MRP14
; TITLE OF INVENTION: heterodimers
; FILE REFERENCE: 50125/031002
; CURRENT APPLICATION NUMBER: US/10/134,841
; CURRENT FILING DATE: 2002-04-29
; PRIOR APPLICATION NUMBER: US 60/322,925
; PRIOR FILING DATE: 2001-09-17
; PRIOR APPLICATION NUMBER: DE 10121254.2
; PRIOR FILING DATE: 2001-04-30

NUMBER OF SEQ ID NOS: 18
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 4
; LENGTH: 114
; TYPE: PRT
; ORGANISM: Homo sapien
US-10-134-841-4

Query Match   45.7%; Score 213.5; DB 14; Length 114;
Best Local Similarity   45.1%; Pred. No. 7.7e-16;
Matches 41; Conservative 25; Mismatches 24; Indels 1; Gaps 1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
          ::|| ||||||||||||:|| |||:|::: |:::::|| :::: ||:::|:: :: :
Db   6 SQLRNIETIINTFHQYSVKLGHPDTLNQGEFKELVRKDLQNFLKKENKNEKVIEHIMED 65

Qy   60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
          ||||:|:|||::|::::|: :||: :|: :|:
Db   66 LDTNADKQLSFEEFIMLMARLTWASHEKMHE 96

ESULT 7
S-10-308-279-32
Sequence 32, Application US/10308279
Publication No. US20030170742A1
GENERAL INFORMATION:
; APPLICANT: Bristol-Myers Squibb Company
; TITLE OF INVENTION: POLYNUCLEOTIDES AND POLYPEPTIDES ASSOCIATED WITH THE DEVELOPMENT
; TITLE OF INVENTION: RHEUMATOID ARTHRITIS
; FILE REFERENCE: D0190 NP
; CURRENT APPLICATION NUMBER: US/10/308,279
; CURRENT FILING DATE: 2002-12-03
; PRIOR APPLICATION NUMBER: 60/337,429
; PRIOR FILING DATE: 2001-12-03
; NUMBER OF SEQ ID NOS: 91
; SOFTWARE: PatentIn version 3.1
SEQ ID NO 32
; LENGTH: 114
; TYPE: PRT
; ORGANISM: homo sapiens
S-10-308-279-32

Query Match   45.7%; Score 213.5; DB 14; Length 114;
Best Local Similarity   45.1%; Pred. No. 7.7e-16;
Matches 41; Conservative 25; Mismatches 24; Indels 1; Gaps 1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
          ::|| ||||||||||||:|| |||:|::: |:::::|| :::: ||:::|:: :: :
Db   6 SQLRNIETIINTFHQYSVKLGHPDTLNQGEFKELVRKDLQNFLKKENKNEKVIEHIMED 65

Qy   60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
          ||||:|:|||::|::::|: :||: :|: :|:
Db   66 LDTNADKQLSFEEFIMLMARLTWASHEKMHE 96

ESULT 8
S-10-116-275-225
Sequence 225, Application US/10116275
Publication No. US20030211476A1
GENERAL INFORMATION:
; APPLICANT: Elan Pharmaceutical Technology
; APPLICANT: O'Mahony, Daniel J.
; APPLICANT: Brayden, David
; APPLICANT: Byrne, Daragh
; APPLICANT: Lambkin, Imelda
; APPLICANT: Higgins, Lisa
; TITLE OF INVENTION: Genetic Analysis of Peyer's Patches and M Cells and Methods and
; TITLE OF INVENTION: Compositions Targeting Peyer's Patches and M Cell Receptors
; FILE REFERENCE: E1067/20897
; CURRENT APPLICATION NUMBER: US/10/116,275
; CURRENT FILING DATE: 2002-10-04
; NUMBER OF SEQ ID NOS: 349
; SOFTWARE: PatentIn version 3.1

; SEQ ID NO 225
; LENGTH: 114
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-116-275-225

Query Match   45.7%; Score 213.5; DB 15; Length 114;
Best Local Similarity   45.1%; Pred. No. 7.7e-16;
Matches 41; Conservative 25; Mismatches 24; Indels 1; Gaps 1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
          ::|| ||||||||||||:|| |||:|::: |:::::|| :::: ||:::|:: :: :
Db   6 SQLRNIETIINTFHQYSVKLGHPDTLNQGEFKELVRKDLQNFLKKENKNEKVIEHIMED 65

Qy   60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
          ||||:|:|||::|::::|: :||: :|: :|:
Db   66 LDTNADKQLSFEEFIMLMARLTWASHEKMHE 96

RESULT 9
US-10-131-410-146
; Sequence 146, Application US/10131410
; Publication No. US20030235915A1
; GENERAL INFORMATION:
; APPLICANT: SPECHT, THOMAS
; APPLICANT: HINZMANN, BERND
; APPLICANT: SCHMITT, ARMIN
; APPLICANT: PILARSKY, CHRISTIAN
; APPLICANT: DAHL, EDGAR
; APPLICANT: ROSENTHAL, ANDRE
; TITLE OF INVENTION: HUMAN NUCLEIC ACID SEQUENCES FROM TISSUE OF BREAST
; TITLE OF INVENTION: TUMORS
; FILE REFERENCE: SCH-1763
; CURRENT APPLICATION NUMBER: US/10/131,410
; CURRENT FILING DATE: 2002-04-25
; PRIOR APPLICATION NUMBER: 09/646,673
; PRIOR FILING DATE: 2000-09-20
; PRIOR APPLICATION NUMBER: PCT/DE99/00908
; PRIOR FILING DATE: 1999-03-19
; NUMBER OF SEQ ID NOS: 202
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 146
; LENGTH: 114
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-131-410-146

Query Match   45.7%; Score 213.5; DB 15; Length 114;
Best Local Similarity   45.1%; Pred. No. 7.7e-16;
Matches 41; Conservative 25; Mismatches 24; Indels 1; Gaps 1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
          ::|| ||||||||||||:|| |||:|::: |:::::|| :::: ||:::|:: :: :
Db   6 SQLRNIETIINTFHQYSVKLGHPDTLNQGEFKELVRKDLQNFLKKENKNEKVIEHIMED 65

Qy   60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
          ||||:|:|||::|::::|: :||: :|: :|:
Db   66 LDTNADKQLSFEEFIMLMARLTWASHEKMHE 96

RESULT 10
US-09-826-589-2
; Sequence 2, Application US/09825589
; Patent No. US2002010672AA1
; GENERAL INFORMATION:
; APPLICANT: Schmidt, Ann Marie
; APPLICANT: Stern, David
; TITLE OF INVENTION: EXTRACELLULAR NOVEL RAGE BINDING PROTEIN (EN-RAGE) AND USES THEREE
; FILE REFERENCE: 0575/55873-B-PCT-US
; CURRENT APPLICATION NUMBER: US/09/826,589
; CURRENT FILING DATE: 2001-04-05
; NUMBER OF SEQ ID NOS: 6
; SOFTWARE: PatentIn version 3.1

; SEQ ID NO 2
; LENGTH: 50
; TYPE: PRT
; ORGANISM: Human
; FEATURE:
; NAME/KEY: MISC_FEATURE
; LOCATION: (47)..(47)
; OTHER INFORMATION: x=any amino acid
US-09-826-589-2

Query Match   44.1%;   Score 206; DB 9; Length 50;
Best Local Similarity   82.0%;   Pred. No. 1.9e-15;
Matches   41; Conservative   3; Mismatches   6; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQ 50
         |||||||||||| |||||| |:||| |||| |||:| |||:| |||
Db   1 TKLEDHLEGIINIGHQYSVRVGHFDTLNKYELKQLGTKELPKTLQNXKDQ 50

RESULT 11
US-09-872-185B-9
; Sequence 9, Application US/09872185B
; Patent No. US2002012279A1
; GENERAL INFORMATION:
; APPLICANT: Stern, David M.
; APPLICANT: Herold, Kevan
; APPLICANT: Yan, Shi Du
; APPLICANT: Schmidt, Ann Marie
; APPLICANT: Lamster, Ira
; TITLE OF INVENTION: METHODS FOR TREATING INFLAMMATION
; FILE REFERENCE: 0575/64080
; CURRENT APPLICATION NUMBER: US/09/872,185B
; CURRENT FILING DATE: 2001-06-01
; NUMBER OF SEQ ID NOS: 16
; SOFTWARE: PatentIn version 3.1
SEQ ID NO 9
; LENGTH: 50
; TYPE: PRT
; ORGANISM: Bovine
; FEATURE:
; NAME/KEY: MISC_FEATURE
; LOCATION: (47)..(47)
; OTHER INFORMATION: Where Xaa = unknown
US-09-872-185B-9

Query Match   44.1%;   Score 206; DB 9; Length 50;
Best Local Similarity   82.0%;   Pred. No. 1.9e-15;
Matches   41; Conservative   3; Mismatches   6; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQ 50
         |||||||||||| |||||| |:||| |||| |||:| |||:| |||
Db   1 TKLEDHLEGIINIGHQYSVRVGHFDTLNKYELKQLGTKELPKTLQNXKDQ 50

RESULT 12
US-10-205-219-161
; Sequence 161, Application US/10205219
; Publication No. US20030138803A1
; GENERAL INFORMATION:
; APPLICANT: Warner-Lambert Company
; APPLICANT: Lee, Kevin
; APPLICANT: Dixon, Alistair
; APPLICANT: Brooksbank, Robert
; APPLICANT: Pinnock, Robert
; TITLE OF INVENTION: Identification and Use of Molecules Implicated in Pain
; FILE REFERENCE: WL-A-018200
; CURRENT APPLICATION NUMBER: US/10/205,219
; CURRENT FILING DATE: 2002-07-24
; PRIOR APPLICATION NUMBER: GB 0118354.0
; PRIOR FILING DATE: 2001-07-27
; NUMBER OF SEQ ID NOS: 197
; SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 161

; LENGTH: 112
; TYPE: PRT
; ORGANISM: Rattus norvegicus
; FEATURE:
; OTHER INFORMATION: Intracellular calcium binding protein
US-10-205-219-161

Query Match   43.8%;   Score 204.5; DB 14; Length 112;
Best Local Similarity   41.8%;   Pred. No. 7.3e-15;
Matches   38; Conservative   24; Mismatches   28; Indels   1; Gaps   1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTK-DQGTIDKIFQN 59
         ::||| |||||||:|||| :|| :|:| ||| |:::|| |:::
Db   7 SQLERSISTIINVFHQYSRKYGHPDTLNKABFKEMVNKDLPNFLKREKRNENLLRDIMED 66

Qy 60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
         || ||| |:|:|: ::|: .:|: .:|:
Db 67 LDTNQDNQLSFEECMLMGKLIFACHEKLHE 97

RESULT 13
US-09-492-026-7
; Sequence 7, Application US/09492026A
; Publication No. US20030096337A1
; GENERAL INFORMATION:
; APPLICANT: Hillman, Jennifer L.
;   Bandman, Olga
;   Corley, Neil C.
;   Lal, Preeti
;   Shah, Purvi
; TITLE OF INVENTION: HUMAN S100 PROTEINS
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/492,026A
; FILING DATE: 26-Jan-2000
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: <Unknown>
; FILING DATE: <Unknown>
; ATTORNEY/AGENT INFORMATION:
; NAME: Colette C. Muenzen
; REGISTRATION NUMBER: 39,784
; REFERENCE/DOCKET NUMBER: PF-0373 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-855-0555
; TELEFAX: 650-845-4166
; TELEX: <Unknown>
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 113 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; IMMEDIATE SOURCE:
; LIBRARY: GenBank
; CLONE: 488157
; SEQUENCE DESCRIPTION: SEQ ID NO: 7:
US-09-492-026-7

Query Match   43.8%;   Score 204.5; DB 10; Length 113;
Best Local Similarity   41.8%;   Pred. No. 7.4e-15;

Matches　38; Conservative　24; Mismatches　28; Indels　1; Gaps　1;

```
Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTK-DQGTIDKIFQN 59
          ::||  :  |||:|||||  ||||   ||||  :| ||  :::| ::
Db    7 SQERSISTIINVFHQYSRKYGHPDTLNKAEFKEMVNKDLPNFLKREKRNENLLRDIMED 66

Qy   60 LDANQDEQVSFKFVLVTDVLITAHDNIHK 90
          || ||  ||| ::|: :: |:::| |:::
Db   67 LDTNQDNQLSFEECMLMGKLIFACHEKLHE 97
```

RESULT 14
US-09-864-761-41579
; Sequence 41579, Application US/09864761
; Patent No. US20020048763A1
; GENERAL INFORMATION:
; APPLICANT: Penn, Sharron G.
; APPLICANT: Rank, David R.
; APPLICANT: Hanzel, David K.
; APPLICANT: Chen, Wensheng
; TITLE OF INVENTION: HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES USEFUL FOR
; TITLE OF INVENTION: GENE EXPRESSION ANALYSIS BY MICROARRAY
; FILE REFERENCE: Aeomica-X-1
; CURRENT APPLICATION NUMBER: US/09/864,761
; CURRENT FILING DATE: 2001-05-23
; PRIOR APPLICATION NUMBER: US 60/180,312
; PRIOR FILING DATE: 2000-02-04
; PRIOR APPLICATION NUMBER: US 60/207,456
; PRIOR FILING DATE: 2000-05-26
; PRIOR APPLICATION NUMBER: US 09/632,366
; PRIOR FILING DATE: 2000-08-03
; PRIOR APPLICATION NUMBER: GB 24263.6
; PRIOR FILING DATE: 2000-10-04
; PRIOR APPLICATION NUMBER: US 60/236,359
; PRIOR FILING DATE: 2000-09-27
; PRIOR APPLICATION NUMBER: PCT/US01/00666
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00667
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00664
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00669
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00665
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00668
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00663
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00662
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00661
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00670
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: US 60/234,687
; PRIOR FILING DATE: 2000-09-21
; PRIOR APPLICATION NUMBER: US 09/608,408
; PRIOR FILING DATE: 2000-06-30
; PRIOR APPLICATION NUMBER: US 09/774,203
; PRIOR FILING DATE: 2001-01-29
; NUMBER OF SEQ ID NOS: 49117
; SOFTWARE: Annomax Sequence Listing Engine vers. 1.1
; SEQ ID NO 41579
; LENGTH: 46
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; OTHER INFORMATION: MAP TO AC011666.18
; OTHER INFORMATION: EXPRESSED IN ADULT LIVER, SIGNAL = 1.2
; OTHER INFORMATION: EXPRESSED IN HEART, SIGNAL = 1.3
; OTHER INFORMATION: EXPRESSED IN LUNG, SIGNAL = 1.4
; OTHER INFORMATION: EXPRESSED IN PLACENTA, SIGNAL = 1.1
; OTHER INFORMATION: EXPRESSED IN FETAL LIVER, SIGNAL = 1.7
; OTHER INFORMATION: EXPRESSED IN BRAIN, SIGNAL = 1.2
; OTHER INFORMATION: EXPRESSED IN BONE MARROW, SIGNAL = 7.1
; OTHER INFORMATION: EST HUMAN HIT: AV715719.1, EVALUE 1.00e-19
; OTHER INFORMATION: SWISSPROT HIT: P80511, EVALUE 1.00e-20
US-09-864-761-41579

Query Match　　　　　41.1%;　Score 192; DB 9; Length 46;
Best Local Similarity　80.0%;　Pred. No. 5.7e-14;
Matches　36; Conservative　5; Mismatches　4; Indels　0; Gaps　0;

```
Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLK 45
          ||||:|||||:|||||||:||:|:|||:||||||||:|:||||::|:|
Db    2 TKLEEHLEGIVNIFHQYSVRKGHPDTLSKGELKQLLTKELANTIK 46
```

RESULT 15
US-09-919-172-102
; Sequence 102, Application US/09919172
; Patent No. US20020119463A1
; GENERAL INFORMATION:
; APPLICANT: Faris, Mary
; APPLICANT: Turner, Christopher M.
; TITLE OF INVENTION: PROSTATE CANCER MARKERS
; FILE REFERENCE: PA-0036 US
; CURRENT APPLICATION NUMBER: US/09/919,172
; CURRENT FILING DATE: 2001-07-30
; PRIOR APPLICATION NUMBER: 60/222,469
; PRIOR FILING DATE: 2000-07-28
; NUMBER OF SEQ ID NOS: 102
; SOFTWARE: PERL Program
; SEQ ID NO 102
; LENGTH: 95
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; OTHER INFORMATION: Incyte ID No. US20020119463A1 1422432CD1
US-09-919-172-102

Query Match　　　　　38.8%;　Score 181; DB 9; Length 95;
Best Local Similarity　43.3%;　Pred. No. 2.2e-12;
Matches　39; Conservative　15; Mismatches　36; Indels　0; Gaps　0;

```
Qy    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
          |:||  :  ||:|:|| :|:  |||  | :  |:  ||   |:  ::|  .::|
Db    2 TELETAMGMIIDVFSRYSGSEGSTQTLTKGELKVLMBKELPGFLQSGKDKDAVDKLLKDL 61

Qy   61 DANQDEQVSFKFVVLVTDVLITAHDNIHK 90
          |||:|  |  ||::|  :||||||||||||
Db   62 DANGDAQVDFSEFIVFVAAITSACHKYFEK 91
```

Search completed: March 5, 2004, 09:51:39
Job time : 35 secs

```
                    GenCore version 5.1.6
              Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on:    March 5, 2004, 09:43:38 ; Search time 20 Seconds
                                     (without alignments)
                                     437.671 Million cell updates/sec

Title:        US-09-646-651C-1
Perfect score: 467
Sequence:    1 TKLEDHLEGIINIFHQYSVR........EFVVLVTDVLITAHDNIHKE 91

Scoring table: BLOSUM62
               Gapop 10.0 , Gapext 0.5

Searched:    283366 seqs, 96191526 residues

Total number of hits satisfying chosen parameters:    283366

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   PIR_78:*
             1: pir1:*
             2: pir2:*
             3: pir3:*
             4: pir4:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	467	100.0	91	2	A55406	calgranulin c - pi
2	332	71.1	92	2	JC4712	S-100 calcium-bind
3	261.5	56.0	122	1	A42628	calgranulin B - bo
4	213.5	45.7	114	1	B31848	calgranulin B [val
5	204.5	43.8	113	1	JN0686	calgranulin B - ra
6	181	38.8	95	2	S24146	S-100 protein P -
7	178.5	38.2	113	1	S68242	calgranulin B - mo
8	167	35.8	95	1	S35985	S-100 protein alph
9	164	35.1	92	2	A26557	S-100 protein beta
10	163	34.9	89	1	I56163	calgranulin A - mo
11	163	34.9	91	1	BCBOIB	S-100 protein beta
12	163	34.9	92	2	A48015	S-100 protein beta
13	163	34.9	101	2	S06207	calvasculin - mous
14	162	34.7	92	1	BCHUIB	S-100 protein beta
15	161	34.5	94	1	BCBOIA	S-100 protein alph
16	160	34.3	94	1	BCHUIA	S-100 protein alph
17	160	34.3	101	2	S01759	calvasculin - rat
18	159	34.0	89	1	JN0685	calgranulin A - ra
19	156	33.4	101	2	A48219	calvasculin - huma
20	154	33.0	102	2	JQ1300	calgizzarin - rabb
21	153	32.8	100	2	A53217	placental calcium-
22	151	32.3	93	1	BCHUCF	calgranulin A [val
23	151	32.3	591	2	A45135	profilaggrin - hum
24	150	32.1	105	1	I37080	calgizzarin - huma
25	148	31.7	98	2	A41988	S-100 calcium-bind
26	147	31.5	306	2	A48118	major epidermal ca
27	144.5	30.9	79	1	KLPGI	calcium-binding pr
28	143.5	30.7	110	2	B48219	S-100 calcium-bind
29	140.5	30.1	98	2	JC5064	S-100 calcium-bind
30	139.5	29.9	79	1	JN0246	calcium-binding pr
31	138	29.6	97	2	A30129	S-100 protein, lun
32	136	29.1	90	2	BCHUY	calcyclin - human
33	135.5	29.0	97	2	A28489	calpactin I light
34	135	28.9	79	1	KLBOI	calcium-binding pr
35	135	28.9	90	2	S27011	calpactin I - rabbit
36	134.5	28.8	95	2	A31373	calpactin I light
37	133.5	28.6	97	1	JH0663	calpactin I light
38	133	28.5	99	2	S20342	calcium-binding pr
39	131	28.1	89	2	A54314	calcyclin - mouse
40	129.5	27.7	95	1	LUPG10	calpactin I light
41	129.5	27.7	97	2	JC1139	calpactin I light
42	129.5	27.7	97	2	B28489	calpactin I light
43	128	27.4	90	2	B28363	calcyclin - rat
44	127.5	27.3	217	2	JE0330	26-kDa Ca2+-bindin
45	125.5	26.9	98	2	JC5065	calcium-binding pr

ALIGNMENTS

RESULT 1
A55406
calgranulin c - pig
C;Species: Sus scrofa domestica (domestic pig)
C;Date: 10-Feb-1995 #sequence_revision 10-Feb-1995 #text_change 23-May-1997
C;Accession: A55406
R;Dell'Angelica, E.C.; Schleicher, C.H.; Santome, J.A.
J. Biol. Chem. 269, 28929-28936, 1994
A;Title: Primary structure and binding properties of calgranulin C, a novel S100-like ca
A;Reference number: A55406; MUID:95050708; PMID:7961855
A;Accession: A55406
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-91 <DEL>
C;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: calcium binding; EF hand
F;48-80/Domain: calmodulin repeat homology <EF2>

Query Match   100.0%; Score 467; DB 2; Length 91;
Best Local Similarity 100.0%; Pred No. 1.6e-37;
Matches 91; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
            |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
            ||||||||||||||||||||||||||||||
Db   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91

RESULT 2
JC4712
S-100 calcium-binding protein A12 - human
N;Alternate names: calcium-binding amniotic fluid protein 1 (CAAF1); calgranulin C; calg
utrophil protein
C;Species: Homo sapiens (man)
C;Date: 10-May-1996 #sequence revision 19-Jul-1996 #text_change 13-Aug-1999
C;Accession: JC4712; JC4717; JC4891; S56113; S56114
R;Yamamura, T.; Hitomi, J.; Nagasaki, K.; Suzuki, M.; Takahashi, E.; Saito, S.; Tsukada,
Biochem. Biophys. Res. Commun. 221, 356-360, 1996
A;Title: Human CAAF1 gene - molecular cloning, gene structure, and chromosome mapping.
A;Reference number: JC4712; MUID:9619053; PMID:8619860
A;Accession: JC4712
A;Molecule type: mRNA
A;Residues: 1-92 <YAM>
R;Marti, T.; Erttmann, K.D.; Gallin, M.Y.
Biochem. Biophys. Res. Commun. 221, 454-458, 1996
A;Title: Host-parasite interaction in human onchocerciasis: Identification and sequence
A;Reference number: JC4717; MUID:9619069; PMID:8619876
A;Accession: JC4717
A;Cross-references: DDBJ:D83657; NID:g1502284; PIDN:BAA12030.1; PID:g1502285

A;Molecule type: protein
A;Residues: 2-92 <MAR>
A;Experimental source: Onchocerca volvulus infecting human tissue
R;Ilg, B.C.; Troxler, H.; Buergisser, D.M.; Kuster, T.; Markert, M.; Guignard, F.; Hunzi
Biochem. Biophys. Res. Commun. 225, 146-150, 1996
A;Title: Amino acid sequence determination of human S100 A12 (P6, Calgranulin C, CGRP,
A;Reference number: JC4891; MUID:9633419; PMID:8769108
A;Accession: JC4891
A;Molecule type: protein
A;Residues: 2-92 <ILG>
R;Guignard, F.; Mauel, J.; Markert, M.
Biochem. J. 309, 395-401, 1995
A;Title: Identification and characterization of a novel human neutrophil protein related
A;Reference number: S56113; MUID:95351965; PMID:7626002
A;Accession: S56113
A;Status: preliminary
A;Molecule type: protein
A;Experimental source: isoform 6a
A;Accession: S56114
A;Status: preliminary
A;Molecule type: protein
A;Residues: 'XX','4-14,'X',16-17,'XXXX' <GUI1>
A;Experimental source: isoform 6b
C;Comment: This protein is released by activated neutrophils in the course of inflammato
C;Genetics:
A;Gene: GDB:S100A12; p6; MRP6; CGRP; CAAF1
A;Cross-references: GDB:5218374
C;Map position: 1q21-1q21
C;Complex: monomer
C;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: calcium binding; EF hand; monomer; neutrophil; zinc
F;2-92/Product: S-100 calcium-binding protein A12 #status experimental <MAT>
F;6-39/Domain: calmodulin repeat homology <EF1>
F;49-81/Domain: calmodulin repeat homology <EF2>
F;86-90/Region: zinc binding #status predicted

Query Match   71.1%;   Score 332;   DB 2;   Length 92;
Best Local Similarity 70.3%;   Pred. No. 1e-24;
Matches   64;   Conservative   10;   Mismatches   17;   Indels   0;   Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKREILKQLLTKELPNTLIKNYKDQGTIDKIFQNL 60
            ||||||||| |||:||||||||||||| ||:|| |||||| |||:||:| |||||||||
Db   2 TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLLTKELANTIKNIKDKAVTDEIFQGL 61

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
            |||||||| :||| | ||||||||||
Db   62 DANQDEQVDFQEFISLVAIALKAAHYHTHKE 92

RESULT 3
A42628
calgranulin B - bovine (fragment)
N;Alternate names: calcium-binding protein MRP-14; macrophage migration inhibitory facto
in 2
C;Species: Bos primigenius taurus (cattle)
C;Date: 30-Sep-1993 #sequence_revision 23-May-1997 #text_change 23-May-1997
C;Accession: B22309; A42628
R;Tang, T.K.; Hong, T.M.; Lin, C.Y.; Lai, M.L.; Liu, C.H.L.; Lo, H.J.; Wang, M.E.; Chen,
submitted to the Protein Sequence Database, July 1992
A;Reference number: A22309
A;Accession: B22309
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-122 <TAN>
R;Dianoux, A.C.; Stasia, M.J.; Garin, J.; Gagnon, J.; Vignais, P.V.
Biochemistry 31, 5898-5905, 1992
A;Title: The 23-kilodalton protein, a substrate of protein kinase C, in bovine neutrophi
A;Reference number: A42628; MUID:92304974; PMID:1610833
A;Accession: A42628
A;Molecule type: protein
A;Residues: 4-32,'F',34-56 <DIA>
C;Complex: heterodimer and higher complexes with calgranulin A

C;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: blocked amino end; calcium binding; EF hand; heterodimer; pho
F;6-40/Domain: calmodulin repeat homology <EF1>
F;50-82/Domain: calmodulin repeat homology <EF2>

Query Match   56.0%;   Score 261.5; DB 1;   Length 122;
Best Local Similarity 53.3%;   Pred. No. 6.6e-18;
Matches   48;   Conservative   23;   Mismatches   18;   Indels   1;   Gaps   1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
            :::| ||||||||| |||||| |||| || ::||| |:| :: |:::| ::
Db   2 SQMESSITTIINIFHQYSVRLGHYDTLIQKESKQLVQKELPNFLKKQKNPAAINEIMED 61

Qy   60 LDANQDEQVSFKEFVVLVTDVLITAHDNIH 89
            :::|:| ||::: :::|| ::
Db   62 LDTNVDKQLSFEEFIMLVARLITVASHEEMH 91

RESULT 4
B31848
calgranulin B [validated] - human
N;Alternate names: calcium-binding protein MRP-14; cystic fibrosis-associated antigen (
(MRP-14); MIF-related 14K protein; S-100 calcium-binding protein A9 (S100A9)
C;Species: Homo sapiens (man)
C;Date: 21-May-1990 #sequence_revision 23-May-1997 #text_change 08-Dec-2000
C;Accession: B31848; S00667; A33819; B60911; B61082; D54327
R;Lagasse, E.; Clerc, R.G.
Mol. Cell. Biol. 8, 2402-2410, 1988
A;Title: Cloning and expression of two human genes encoding calcium-binding proteins th
A;Reference number: A93102; MUID:88302148; PMID:3405210
A;Accession: B31848
A;Molecule type: DNA
A;Residues: 1-114 <LAG>
A;Cross-references: GB:M21064; NID:g188689; PIDN:AAA36326.1; PID:g386958
R;Odink, K.; Cerletti, N.; Brueggen, J.; Clerc, R.G.; Tarcsay, L.; Zwadlo, G.; Gerhards
Nature 330, 80-82, 1987
A;Title: Two calcium-binding proteins in infiltrate macrophages of rheumatoid arthritis
A;Reference number: S00667; MUID:88039099; PMID:3313057
A;Accession: S00667
A;Molecule type: mRNA
A;Residues: 1-114 <ODI>
A;Cross-references: EMBL:X06233; NID:g34770; PIDN:CAA29579.1; PID:g34771
A;Note: parts of this sequence were confirmed by protein sequencing
R;Murao, S.; Collart, F.R.; Huberman, E.
J. Biol. Chem. 264, 8356-8360, 1989
A;Title: A protein containing the cystic fibrosis antigen is an inhibitor of protein kin
A;Reference number: A33819; MUID:89255276; PMID:2656677
A;Accession: A33819
A;Molecule type: mRNA
A;Residues: 1-114 <MUR>
A;Cross-references: GB:M26311; NID:g862619; PIDN:AAA68480.1; PID:g516621
A;Note: part of this sequence was confirmed by protein sequencing; the amino end of the
R;Andersson, K.B.; Sletten, K.; Berntzen, H.B.; Dale, I.; Brandtzaeg, P.; Jellum, E.; Fa
Scand. J. Immunol. 28, 24-245, 1988
A;Title: The leucocyte L1 protein: identity with the cystic fibrosis antigen and the ca
A;Reference number: A60911; MUID:88321575; PMID:3413449
A;Accession: B60911
A;Molecule type: protein
A;Residues: 39-42,'X',44-50,64-77,'X','X',79,84,'X','X',86-90,'X',92-94,'X',96-98 <AND>
R;Tobe, T.; Murakami, K.; Tomita, M.; Nozawa, R.
Chem. Pharm. Bull. 37, 1576-1580, 1989
A;Title: Amino acid sequences of 60B8 antigens induced in HL-60 cells by 1,25-dihydroxy
A;Reference number: A61082; MUID:89376638; PMID:2776242
A;Accession: B61082
A;Molecule type: protein
A;Residues: 5-77,80-90,'A',92-114 <TOB>
A;Note: the blocked amino end of the mature protein is identified as 2-Thr; residue 91-1
R;Madsen, P.; Rasmussen, H.H.; Leffers, H.; Honore, B.; Dejgaard, K.; Olsen, E.; Kiil,
E.
J. Invest. Dermatol. 97, 701-712, 1991
A;Title: Molecular cloning, occurrence, and expression of a novel partially secreted pro
A;Reference number: A54327; MUID:92043866; PMID:1940442
A;Accession: D54327

A;Molecule type: protein
A;Residues: 11-19;26-38;94-105,'X',107 <MAD>
A;Note: in several peptide samples no PTH was detected for 95-His but in one peptide PTH
C;Comment: This protein appears to be expressed only in cells of myeloid origin actively
A;Comment: The presence of 3'-methylhistidine at position 105, corresponding to 107-His
C;Genetics:
A;Gene: GDB:S100A9; 60B8AG; CAGB; CPAG; L1AG; MAC387; MIF; MRP14; NIF; P14
A;Cross-references: GDB:120570; OMIM:123886
A;Map position: 1q21-1q21
A;Introns: 50/3
A;Note: the first intron occurs before the initiator codon
C;Complex: heterodimer and higher complexes with calgranulin A (see PIR:BCHUCF)
A;Superfamily: S-100 protein; calmodulin repeat homology
A;Keywords: blocked amino end; calcium binding; EF hand; heterodimer; inflammation; phos
F;2-114/Product: calgranulin B #status experimental <MAT>
F;10-44/Domain: calmodulin repeat homology <EF1>
F;54-86/Domain: calmodulin repeat homology <EF2>
F;2/Modified site: blocked amino end (Thr) (in mature form) (probably acetylated) #statu
F;113/Binding site: phosphate (Thr) (covalent) #status predicted

Query Match   45.7%; Score 213.5; DB 1; Length 114;
Best Local Similarity   45.1%; Pred. No. 2.1e-13;
Matches   41; Conservative   25; Mismatches   24; Indels   1; Gaps   1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
           ||||||||||||||||||||||||||||||||| |: ||: :|
Db   6 SQLERNIETIINTFHQYSVKLGHPDTLNQGEFKELVRKDLQNFLKKENKNVEKVIEHIMED 65

Qy   60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
           |||::||:::|:|:||:::|: :|: :|:|:
Db   66 LDTNADKQLSFEEFIMLMARLTWASHEKMHE 96

RESULT 5
JN0686
algranulin B - rat
A;Alternate names: calcium-binding protein MRP-14; macrophage migration inhibitory facto
C;Species: Rattus norvegicus (Norway rat)
A;Date: 03-May-1994 #sequence_revision 23-May-1997 #text_change 22-Jun-1999
A;Accession: JN0686
R;Imanichi, T.; Uchida, I.; Wahl, S.M.; McCartney-Francis, N.
Biochem. Biophys. Res. Commun. 194, 819-825, 1993
A;Title: Expression and cloning of migration inhibitory factor-related protein (MRP) 8 an
A;Reference number: JN0686; MUID:93343942; PMID:8343166
A;Accession: JN0686
A;Molecule type: mRNA
A;Residues: 1-113 <IMA>
C;Genetics:
A;Gene: MRP14
A;Cross-references: GB:L18948; NID:g488156; PIDN:AAA18214.1; PID:g488157
C;Complex: heterodimer and higher complexes with calgranulin A
A;Superfamily: S-100 protein; calmodulin repeat homology
A;Keywords: acetylated amino end; calcium binding; EF hand; heterodimer; inflammation; F
F;2-113/Product: calgranulin B #status predicted <MAT>
F;5-45/Domain: calmodulin repeat homology <EF1>
F;55-87/Domain: calmodulin repeat homology <EF2>
F;2/Modified site: acetylated amino end (Ala) (in mature form) #status predicted
F;80-91/Disulfide bonds: #status predicted

Query Match   43.8%; Score 204.5; DB 1; Length 113;
Best Local Similarity   41.8%; Pred. No. 1.5e-12;
Matches   38; Conservative   24; Mismatches   28; Indels   1; Gaps   1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTK-DQGTIDKIFQN 59
           ||||||||||||||||||||||||||||||||||:: :: ||:
Db   7 SQLERSISTIINVFHQYSRKYGHPDTLNKAEFKEMVNKDLPNFLKREKRNENLLRDIMED 66

Qy   60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
           |||::||::|:|:||:::|: :|: :|:|:
Db   67 LDTNQDNQLSFEECMLMGKLIFACHEKLHE 97

ESULT 6

S24146
S-100 protein P - human
C;Species: Homo sapiens (man)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 13-Aug-1999
C;Accession: S24146; PS0340
R;Becker, T.; Gerke, V.; Kube, E.; Weber, K.
Eur. J. Biochem. 207, 541-547, 1992
A;Title: S100P, a novel Ca(2+)-binding protein from human placenta. cDNA cloning, recomb
A;Reference number: S24146; MUID:92339442; PMID:1633809
A;Accession: S24146
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-95 <BEC>
A;Cross-references: EMBL:X65614; NID:g36177; PIDN:CAA46566.1; PID:g36178
R;Emoto, Y.; Kobayashi, R.; Akatsuka, H.; Hidaka, H.
Biochem. Biophys. Res. Commun. 182, 1246-1253, 1992
A;Title: Purification and characterization of a new member of the S-100 protein family f
A;Reference number: PS0340; MUID:92171935; PMID:1540168
A;Accession: PS0340
A;Molecule type: protein
A;Residues: 1-31, 'T', 33-84, 'X', 86-91 <EMO>
A;Experimental source: placenta
C;Genetics:
A;Gene: GDB:S100P
A;Cross-references: GDB:134405; OMIM:600614
A;Map position: 4p16-4p16
C;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: calcium binding; EF hand; placenta
F;6-40/Domain: calmodulin repeat homology <EF1>
F;49-81/Domain: calmodulin repeat homology <EF2>

Query Match   38.8%; Score 181; DB 2; Length 95;
Best Local Similarity   43.3%; Pred. No. 2.1e-10;
Matches   39; Conservative   15; Mismatches   36; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
           :|||||||||:|||||||: :||| ||: |:|: |:| || :||
Db   2 TELETAMGMIIDVFSRYSGSGSEGSTQTLTKGELKVLMEKELPGFLQSGKDKAVDKLLKDL 61

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
           :|||::|::|:|:|::|: :|| :|: |:
Db   62 DANGDAQVDFSEFIVFVAAITSACHKYFEK 91

RESULT 7
S68242
calgranulin B - mouse
N;Alternate names: calcium-binding protein MRP-14; macrophage migration inhibitory facto
C;Species: Mus musculus (house mouse)
C;Date: 06-Sep-1996 #sequence_revision 23-May-1997 #text_change 22-Jun-1999
R;Lagasse, E.; Weissman, I.L.
submitted to the EMBL Data Library, February 1992
A;Description: Mouse MRP8 and MRP14, two intracellular calcium-binding proteins associat
A;Reference number: S68242
A;Accession: S68242
A;Molecule type: mRNA
A;Residues: 1-113 <LAG>
A;Cross-references: EMBL:M83219; NID:g199807; PIDN:AAB07228.1; PID:g199808
R;Raftery, M.J.; Harrison, C.A.; Alewood, P.; Jones, A.; Geczy, C.L.
Biochem. J. 316, 285-293, 1996
A;Title: Isolation of the murine S100 protein MRP14 (14 kDa migration-inhibitory-factor-
ding.
A;Reference number: S68272; MUID:96235204; PMID:8645219
A;Accession: S68272
A;Molecule type: protein
A;Residues: 2-10;95-109 <RAF>
A;Note: 107-His is identified as 3'-methylhistidine; the authors' source for the referen
ylhistidine
C;Genetics:
A;Gene: MRP14
C;Complex: heterodimer and higher complexes with calgranulin A
C;Superfamily: S-100 protein; calmodulin repeat homology

C;Keywords: 1-92 <KUW>
A;Cross-references: EMBL:X01090; NID:g57174; PIDN:CAA25567.1; PID:g57175
R;Dunn, R.; Landry, C.; O'Hanlon, D.; Dunn, J.; Allore, R.; Brown, I.; Marks, A.
J. Biol. Chem. 262, 3562-3566, 1987
A;Title: Reduction in S100 protein Beta-subunit mRNA in C6 rat glioma cells following t
A;Reference number: A26557; MUID:8137648; PMID:3818655
A;Accession: A26557
A;Molecule type: mRNA
A;Residues: 6-92 <DUN>
C;Cross-references: GB:M15705
C;Comment: S-100 protein occurs as alpha-beta heterodimers, alpha-alpha heterodimers, a
C;Genetics:
A;Introns: 46/3
C;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: brain; calcium binding; dimer; EF hand; zinc
F;2-92/Product: S-100 protein beta chain #status predicted <MAT>
F;6-40/Domain: calmodulin repeat homology <EF1>

Query Match   35.1%; Score 164; DB 2; Length 92;
Best Local Similarity   37.4%; Pred. No. 8.2e-09;
Matches 34; Conservative 19; Mismatches 38; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
            :||:|||::||||:||| |||||:|||:|||| ::| :: ::
Db   2 SELEKAMVALIDVFHQYSGREGDKHKLKKSELKELINNELSHFLEEIKEQEVVDKVMETL 61

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
            :|:|| ||:|||::||
Db   62 DEDGDGECDFQEFMAFVSMVTTACHFFEHE 92

RESULT 10
I56163
calgranulin A - mouse
N;Alternate names: calcium-binding protein MRP-8; CP-10 chemotactic protein; macrophage
C;Species: Mus musculus (house mouse)
C;Date: 26-Jul-1996 #sequence_revision 23-May-1997 #text_change 22-Jun-1999
C;Accession: I56163; A42488
R;Lackmann, M.; Rajasekariah, P.; Iismaa, S.E.; Jones, G.; Cornish, C.J.; Hu, S.; Simps
J. Immunol. 150, 2981-2991, 1993
A;Title: Identification of a chemotactic domain of the pro-inflammatory S100 protein CP
A;Reference number: I56163; MUID:93203618; PMID:8454868
A;Accession: I56163
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-89 <LAC1>
A;Cross-references: GB:S57123; NID:g298706; PIDN:AAB25840.1; PID:g298707
R;Lackmann, M.; Cornish, C.J.; Simpson, R.J.; Moritz, R.L.; Geczy, C.L.
J. Biol. Chem. 267, 7499-7504, 1992
A;Title: Purification and structural analysis of a murine chemotactic cytokine (CP-10)
A;Reference number: A42488; MUID:92218405; PMID:1559987
A;Accession: A42488
A;Molecule type: protein
A;Residues: 2-77 <LAC2>
A;Note: sequence extracted from NCBI backbone (NCBIP:94068)
C;Genetics:
A;Gene: MRP8
C;Complex: homodimer; heterodimer and higher complexes with calgranulin B
C;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: calcium binding; cytokine; heterodimer; homodimer; inflammation
F;2-89/Product: calgranulin A #status experimental <MAT>
F;7-41/Domain: calmodulin repeat homology <EF1>
F;46-78/Domain: calmodulin repeat homology <EF2>

Query Match   34.9%; Score 163; DB 1; Length 89;
Best Local Similarity   33.0%; Pred. No. 9.8e-09;
Matches 30; Conservative 25; Mismatches 32; Indels   4; Gaps   1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
            :||:|||::||||:|| |:| :||:|:|| : :| ::
Db   3 SELEKALSNLIDVYHNYSNIGNHHALYKNDFKKMVTTBCPQVQNI---NIENLFREL 58

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91

C;Keywords: acetylated amino end; calcium binding; EF hand; heterodimer; inflammation;
F;2-113/Product: calgranulin B #status predicted <MAT>
F;11-45/Domain: calmodulin repeat homology <EF1>
F;55-87/Domain: calmodulin repeat homology <EF2>
F;2/Modified site: acetylated amino end (Ala) (in mature form) #status experimental
F;80-91/Disulfide bonds: #status experimental
F;103,105,107/Binding site: zinc (His) #status predicted
F;107/Modified site: 3'-methylhistidine (His) #status experimental

Query Match   38.2%; Score 178.5; DB 1; Length 113;
Best Local Similarity   36.3%; Pred. No. 4.4e-10;
Matches 33; Conservative 27; Mismatches 30; Indels   1; Gaps   1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTK-DQGTIDKIFQN 59
            :: |:|||::||||:||| :|:| ::| |
Db   7 SQMERSITTIIDTFHQYSRKEGHPDTLSKKEFRQMVEAQLATFMKKEKRNEALINDIMED 66

Qy   60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
            ||||:: ::| :: |::
Db   67 LDTNQDNQLSFEECMMLMAKLIFACHEKLHE 97

RESULT 8
S35985
S-100 protein alpha chain - weatherfish
C;Species: Misgurnus fossilis (weatherfish)
C;Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 10-Sep-1999
C;Accession: S35985
R;Ivanenkov, V.V.; Gerke, V.; Minin, A.A.; Plessmann, U.; Weber, K.
Mech. Dev. 42, 151-158, 1993
A;Title: Transduction of Ca(2+) signals upon fertilization of eggs; identification of an
A;Reference number: S35985; MUID:94031845; PMID:8217841
A;Accession: S35985
A;Molecule type: protein
A;Residues: 1-95 <IVA>
C;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: calcium binding; EF hand
F;49-81/Domain: calmodulin repeat homology <EF2>

Query Match   35.8%; Score 167; DB 1; Length 95;
Best Local Similarity   40.7%; Pred. No. 4.4e-09;
Matches 35; Conservative 18; Mismatches 33; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
            :|| :|| |:|| :||||| : ||:| |:|
Db   2 SQLESAMESLIIKVFHTYSSKEGDKYKLSKAELKSLLQGELNDFLSASKDPMVVEKIMSDL 61

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHD 86
            ||| :|| |:|| :| :
Db   62 DENQDGEVDFQEFVVLVAALTVACNE 87

RESULT 9
A26557
S-100 protein beta chain - rat
C;Species: Rattus norvegicus (Norway rat)
C;Date: 25-Mar-1988 #sequence_revision 04-Nov-1994 #text_change 13-Aug-1999
C;Accession: A60046; S07357; A26557
R;Maeda, T.; Usui, H.; Araki, K.; Kuwano, R.; Takahashi, Y.; Suzuki, Y.
Brain Res. Mol. Brain Res. 10, 193-202, 1991
A;Title: Structure and expression of rat S-100 beta subunit gene.
A;Reference number: A60046; MUID:91359841; PMID:1653388
A;Accession: A60046
A;Status: translation not shown
A;Molecule type: DNA
A;Residues: 1-92 <MAE>
A;Cross-references: GB:S53527
R;Kuwano, R.; Usui, H.; Maeda, T.; Fukui, T.; Yamanari, N.; Ohtsuka, E.; Ikehara, M.; Ta
Nucleic Acids Res. 12, 7455-7465, 1984
A;Title: Molecular cloning and the complete nucleotide sequence of cDNA to mRNA for S-10
A;Reference number: S07357; MUID:85037924; PMID:6093041
A;Accession: S07357
A;Molecule type: mRNA

```
Db        59 DINSDNAINFEBFLAMVIKVGVASHKDSHKE 89
             ||||  :::|||:||| | :.:| :  |||

RESULT 11
BCBO1B
S-100 protein beta chain - bovine
N;Alternate names: neurocalcin delta-binding protein S100-beta
C;Species: Bos primigenius taurus (cattle)
C;Date: 31-May-1979 #sequence_revision 14-Nov-1983 #text_change 24-Nov-1999
R;Isobe, T.; Okuyama, T.
A;Accession: A91254; B91110; A90075; S54348; A03077
Eur. J. Biochem. 89, 379-388, 1978
A;Title: The amino-acid sequence of S-100 protein (PAP-I-b protein) and its relation to
A;Reference number: A91254; MUID:79045265; PMID:710399
A;Accession: A91254
A;Molecule type: protein
A;Residues: 'ESSL',5-91 <ISO>
A;Experimental source: brain
A;Note: this sequence has since been revised in reference A91110
R;Isobe, T.; Okuyama, T.
Eur. J. Biochem. 116, 79-86, 1981
A;Title: The amino-acid sequence of the alpha subunit in bovine brain S-100 a protein.
A;Reference number: A91110; MUID:81236562; PMID:7250124
A;Accession: B91110
A;Molecule type: protein
A;Residues: 1-91 <IS2>
R;Baudier, J.; Gerard, D.
Biochemistry 22, 3360-3369, 1983
A;Title: Ions binding to S100 proteins: structural changes induced by calcium and zinc o
A;Reference number: A90471; MUID:84000339; PMID:6615778
A;Contents: annotation; metal ion-binding properties
R;Marshak, D.R.; Umekawa, H.; Watterson, D.M.; Hidaka, H.
Arch. Biochem. Biophys. 240, 777-780, 1985
A;Title: Structural characterization of the calcium binding protein S100 from adipose ti
A;Reference number: A90075; MUID:85278169; PMID:4026304
A;Accession: A90075
A;Molecule type: protein
A;Residues: 1-91 <MAR>
A;Experimental source: adipose tissue
R;Okazaki, K.; Obata, N.H.; Inoue, S.; Hidaka, H.
Biochem. J. 306, 551-555, 1995
A;Title: S100-beta is a target protein of neurocalcin delta, an abundant isoform in glia
A;Reference number: S54343; MUID:95194933; PMID:7887910
A;Accession: S54348
A;Molecule type: protein
A;Residues: 56-61,'N',63-79,'V' <OKA>
C;Comment: The S-100 protein is composed of two related polypeptide chains, alpha and be
A;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: blocked amino end; brain; calcium binding; EF hand; zinc
F;5-39/Domain: calmodulin repeat homology <EF2>
F;48-80/Domain: calmodulin repeat homology <EF1>
F;1/Modified site: blocked amino end (Ser) (probably acetylated) #status experimental
F;18,21,23,26,31/Binding site: calcium (Ser, Glu, Asp, Lys, Glu) #status predicted
F;61,63,65,67,72/Binding site: calcium (Asp, Asp, Asp, Glu, Glu) #status predicted

Query Match      34.9%;  Score 163;  DB 1;  Length 91;
Best Local Similarity  36.3%;  Pred. No. 1e-08;
Matches    33;  Conservative   20;  Mismatches  38;  Indels   0;  Gaps   0;

Qy       1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
             :|: ::||||  ||||:|::| :| || :|:: |||:|.: | |: : :|

Db       1 SELEKAVVALIDVFHQYSGREGDKHKLKKSELKELINNELSHFLEEIKEQEVVDKVMETL 60

Qy      61 DANQDEQVSKEFVVLVTDVLITAHDNIHKE 91
             ::|: |  |

Db      61 DSDGDGECDFQEFMAFVAMVTTACHEFFEHE 91
```

```
RESULT 12
A48015
S-100 protein beta chain - mouse
C;Species: Mus musculus (house mouse)
C;Date: 02-Jun-1995 #sequence_revision 02-Jun-1995 #text_change 24-Nov-1999
C;Accession: A48015
R;Jiang, H.; Shah, S.; Hilt, D.C.
J. Biol. Chem. 268, 20502-20511, 1993
A;Title: Organization, sequence, and expression of the murine S100beta gene. Transcripti
A;Reference number: A48015; MUID:93388628; PMID:8376406
A;Accession: A48015
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-92 <JIA>
A;Cross-references: GB:L22144; NID:g404768; PIDN:AAA03075.1; PID:g404769
C;Genetics:
A;Introns: 46/3
C;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: acetylated amino end; calcium binding; EF hand
F;2-92/Product: S-100 protein beta chain #status predicted <MAT>
F;6-40/Domain: calmodulin repeat homology <EF1>
F;49-81/Domain: calmodulin repeat homology <EF2>
F;2/Modified site: acetylated amino end (Ser) (in mature form) #status predicted
F;20,22,24,27,32/Binding site: calcium (Gly, Glu, Asp, Lys, Glu) #status predicted
F;62,64,66,68,70,73/Binding site: calcium (Asp, Asp, Asp, Glu, Glu) #status predict

Query Match      34.9%;  Score 163;  DB 2;  Length 92;
Best Local Similarity  37.4%;  Pred. No. 1e-08;
Matches    34;  Conservative   18;  Mismatches  39;  Indels  0;  Gaps    0;

Qy       1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
             ::|: ::|||||||||:|::|   || :|:: |||:|.: | |: : :||

Db       2 SELEKAMVALIDVFHQYSGREGDKHKLKKSELKELINNELSHFLSEIKEQEVVDKVMETL 61

Qy      61 DANQDEQVSKEFVVLVTDVLITAHDNIHKE 91
             |:|: |  |

Db      62 DEDGDGECDFQEFMAFVAMVTTACHEFFEHE 92
```

```
RESULT 13
S06207
calvasculin - mouse
N;Alternate names: calcium-binding protein mts1; calcium-binding protein pEL98; placenta
C;Species: Mus musculus (house mouse)
C;Date: 31-Dec-1990 #sequence_revision 31-Dec-1990 #text_change 20-Jun-2000
C;Accession: S06207; JH0097; S07981; A26803; A41411; I48674
R;Ebralidze, A.; Tulchinsky, E.; Grigorian, M.; Afanasyeva, A.; Senin, V.; Revazova, E.;
Genes Dev. 3, 1086-1093, 1989
A;Title: Isolation and characterization of a gene specifically expressed in different me
A;Reference number: S06207; MUID:89378739; PMID:2550322
A;Accession: S06207
A;Molecule type: mRNA
A;Residues: 1-101 <EBR>
A;Cross-references: EMBL:X16190; NID:g54926; PIDN:CAA34316.1; PID:g54927
R;Tulchinsky, E.M.; Grigorian, M.S.; Ebralidze, A.K.; Milshina, N.I.; Lukanidin, E.M.
Gene 87, 219-223, 1990
A;Title: Structure of gene mts1, transcribed in metastatic mouse tumor cells.
A;Reference number: JH0097; MUID:90236313; PMID:2332170
A;Accession: JH0097
A;Molecule type: DNA
A;Residues: 1-101 <TUL>
A;Cross-references: GB:M35578; GB:M35579
A;Experimental source: liver
R;Tulchinsky, B.
submitted to the EMBL Data Library, August 1989
A;Reference number: S07981
A;Accession: S07981
A;Molecule type: DNA
A;Residues: 1-47,'VSGSXFNG',56-57,'RTDEAA' <TU2>
A;Cross-references: EMBL:X16094; NID:g53249; PIDN:CAA34224.1; PID:g53250
R;Jackson-Grusby, L.L.; Swiergiel, J.J.; Linzer, D.I.H.
Nucleic Acids Res. 15, 6677-6690, 1987
```

A;Title: A growth-related mRNA in cultured mouse cells encodes a placental calcium bindi...
A;Reference number: A26803; MUID:87316927; PMID:3628004
A;Accession: A26803
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-101 <JAC>
A;Cross-references: GB:X05835; NID:g50310; PIDN:CAA29282.1.; PID:g50311
R;Goto, K.; Endo, H.; Fujiyoshi, T.
J. Biochem. 103, 48-53, 1988
A;Title: Cloning of the sequences expressed abundantly in established cell lines: identi...
A;Reference number: A41411; MUID:88198109; PMID:3162911
A;Accession: A41411
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-101 <GOT>
A;Cross-references: GB:D00208; NID:g220569; PIDN:BAA00148.1; PID:g220570
R;Tulchinsky, E.; Kramerov, D.; Ford, H.L.; Reshetnyak, E.; Lukanidin, B.; Zain, S.
Oncogene 8, 79-86, 1993
A;Title: Characterization of a positive regulatory element in the mts1 gene.
A;Reference number: I48674; MUID:93141279; PMID:8423998
A;Accession: I48674
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-47; 'VSGSXFNGQ',48-54 <RES>
A;Cross-references: EMBL:X16094; NID:g53249; PIDN:CAA34224.1; PID:g53250
C;Comment: Gene mts1 is expressed in metastatic cells.
C;Genetics:
A;Gene: mts1
A;Introns: 47/3
C;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: calcium binding; cancer; EF hand
F;7-41/Domain: calmodulin repeat homology <EF1>
F;50-82/Domain: calmodulin repeat homology <EF2>

Query Match   34.9%;   Score 163; DB 2; Length 101;
Best Local Similarity   36.9%;   Pred. No. 1.1e-08;
Matches 31; Conservative 23; Mismatches 30; Indels 0; Gaps 0;

Qy   3 LEDHLEGINIFHQYSVRLGHGYHDTLIKRELKQLITKBLPNTLKNTKDQGTIDKIFQNLDA 62
          |:::|::|||::|||||||||||||||||:|::|::||:||:|:||||:||:|:|||||:
Db   5 LEEALDVIVSTFHKYSGKEGDKPKLNKTELKELLTRELPSFLGKRTDEARAFQKVMSNLDS 64

Qy 63 NQDEQVSFKEFVVLVTDVLITAHD 86
          |:|:|||||||||||||||| ::
Db 65 NRDNEVDFQEYCVFLSCIAMMCNE 88

RESULT 14
BCHUIB
S-100 protein beta chain [validated] - human
N;Alternate names: neural S-100 calcium-binding protein beta
C;Species: Homo sapiens (man)
C;Date: 04-Dec-1986 #sequence_revision 06-Jan-1995 #text_change 08-Dec-2000
C;Accession: A38364; A92972; A03076
R;Allore, R.J.; Friend, W.C.; O'Hanlon, D.; Neilson, K.M.; Baumal, R.; Dunn, R.J.; Marks...
J. Biol. Chem. 265, 15537-15543, 1990
A;Title: Cloning and expression of the human S100beta gene.
A;Reference number: A38364; MUID:90368757; PMID:2394738
A;Accession: A38364
A;Molecule type: DNA
A;Residues: 1-92 <ALL>
A;Cross-references: GB:J05600; GB:M59486; NID:g337726; GB:M59487; NID:g337727; GB:M59488...
R;Jensen, R.; Marshak, D.R.; Anderson, C.; Lukas, T.J.; Watterson, D.M.
J. Neurochem. 45, 700-705, 1985
A;Title: Characterization of human brain S100 protein fraction: amino acid sequence of S...
A;Reference number: A92972; MUID:85291729; PMID:4031854
A;Accession: A92972
A;Molecule type: protein
A;Residues: 2-92 <JEN>
R;Baudier, J.; Glasser, N.; Haglid, K.; Gerard, D.
Biochim. Biophys. Acta 790, 164-173, 1984
A;Title: Purification, characterization and ion binding properties of human brain S100b...
A;Reference number: A90653; MUID:85023393; PMID:6487634

A;Contents: annotation; metal ion-binding properties
C;Comment: This protein binds p53, tubulin and many other proteins at physiological con...
C;Comment: S-100 is an intracellular protein that binds calcium. It binds zinc more tig...
different affinities exist for both ions on each monomer. Physiological concentrations
nding sites.
C;Comment: This protein is expressed predominantly in brain tissue by astroglial cells.
C;Comment: The homodimer contains disulfide bonds, but the bond pattern has not been de...
C;Genetics:
A;Gene: GDB:S100B
A;Cross-references: GDB:120360; OMIM:176990
A;Map position: 21q22.3-21q22.3
A;Introns: 46/3
A;Note: the first intron occurs before the initiator codon
C;Complex: homodimer; heterodimer with S-100 protein alpha chain (see PIR:BCHUIA)
C;Superfamily: S-100 protein; calmodulin repeat homology
C;Keywords: blocked amino end; brain; calcium binding; EF hand; heterodimer; homodimer;
F;2-92/Product: S-100 protein beta chain #status experimental <MAT>
F;6-40/Domain: calmodulin repeat homology <EF1>
F;49-81/Domain: calmodulin repeat homology <EF2>
F;2/Modified site: blocked amino end (Ser) (in mature form) (probably acetylated) #stat...
F;19,22,24,27,32/Binding site: calcium (Ser, Glu, Asp, Ser, Glu, Lys, Glu) #status predicted
F;62,64,66,68,73/Binding site: calcium (Asp, Asp, Glu, Glu, Glu) #status predicted

Query Match   34.7%;   Score 162; DB 1; Length 92;
Best Local Similarity   37.4%;   Pred. No. 1.3e-08;
Matches 34; Conservative 18; Mismatches 39; Indels 0; Gaps 0;

Qy   1 TKLEDHLEGINIFHQYSVRLGHGYHDTLIKRELKQLITKBLPNTLKNTKDQGTIDKIFQNL 60
          :||:|||||||||||||:||||||||:|:|::|::|||:|:|:|::|||:|:|:|||||
Db   2 SELEKAMVALIDVFHQYSGREGDKHKLKKSELKELINNELSHFLEEIKSQEVVDKVMETL 61

Qy 61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
          ||::|:||||||||||||||||| :|:|
Db 62 DNDGDGECDFQEFMAFVAMVTTACHEFFEHE 92

RESULT 15
BCBOIA
S-100 protein alpha chain - bovine
C;Species: Bos primigenius taurus (cattle)
C;Date: 14-Nov-1983 #sequence_revision 06-Feb-1995 #text_change 24-Nov-1999
C;Accession: A24156; A91110; S54346; A03078
R;Kuwano, R.; Maeda, T.; Usui, H.; Araki, K.; Yamakuni, T.; Ohshima, Y.; Kurihara, T.;
FEBS Lett. 202, 97-101, 1986
A;Title: Molecular cloning of cDNA of S100alpha subunit mRNA.
A;Reference number: A24156; MUID:86248083; PMID:3755105
A;Accession: A24156
A;Molecule type: mRNA
A;Residues: 1-94 <KUW>
R;Isobe, T.; Okuyama, T.
Eur. J. Biochem. 116, 79-86, 1981
A;Title: The amino-acid sequence of the alpha subunit in bovine brain S-100 a protein.
A;Reference number: A91110; MUID:81236562; PMID:7250124
A;Accession: A91110
A;Molecule type: protein
A;Residues: 2-64, D', 66-94 <ISO>
R;Baudier, J.; Gerard, D.
Biochemistry 22, 3360-3369, 1983
A;Title: Ions binding to S100 proteins: structural changes induced by calcium and zinc ...
A;Reference number: A90471; MUID:84000339; PMID:6615778
R;Okazaki, K.; Obata, N.H.; Inoue, S.; Hidaka, H.
Biochem. J. 306, 551-555, 1995
A;Title: S100-beta is a target protein of neurocalcin delta, an abundant isoform in gli...
A;Reference number: S54343; MUID:95194333; PMID:7887910
A;Accession: S54346
A;Molecule type: protein
A;Residues: 24-33 <OKA>
C;Comment: The S-100 protein is composed of two related polypeptide chains, alpha and b...
brain proteins, S-100 is also found in a variety of other tissues.
C;Comment: S-100 is an intracellular protein that weakly binds calcium. It binds zinc v...
es, with different affinities exist for both ions on each monomer. Physiological concen...
alcium-binding sites.

```
;Superfamily: S-100 protein; calmodulin repeat homology
;Keywords: blocked amino end; brain; calcium binding; EF hand; zinc
;2-94/Product: S-100 protein alpha chain #status predicted <MAT>
;7-41/Domain: calmodulin repeat homology <EF1>
;50-82/Domain: calmodulin repeat homology <EF2>
;2/Modified site: blocked amino end (Gly) (in mature form) (probably acetylated) #statu
;20,23,25,28,33/Binding site: calcium (Ser, Glu, Asp, Lys, Glu) #status predicted
;63,65,67,69,74/Binding site: calcium (Asp, Asn, Asp, Glu, Glu) #status predicted


Query Match       34.5%;   Score 161;  DB 1;  Length 94;
Best Local Similarity   38.4%;   Pred. No. 1.6e-08;
Matches   33;  Conservative   20;  Mismatches  33;  Indels   0;  Gaps    0;

y    1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
          ::|  :|::||:||::|||  |||:||  ::|||:||:|  | |:|:::  :||:: :|
)b   3 SELETAMETLINVFHAHSGKEGDKYKLSKKELKELLQTELSGFLDAQKDADAVDKVMKEL 62

y   61 DANQDEQVSFKEFVLVTDVLITAHD 86
          | :|:| :|:|||||  :: ::
)b  63 DENGDGEVDFQEYVVLVAALTVACNN 88


earch completed: March  5, 2004, 09:49:26
ob time : 21 secs
```

```
                GenCore version 5.1.6
       Copyright (c) 1993 - 2004 Compugen Ltd.

M protein - protein search, using sw model

Run on:    March 5, 2004, 09:36:18 ; Search time 14 Seconds
                                      (without alignments)
                                      338.456 Million cell updates/sec

Title:        US-09-646-651C-1
Perfect score: 467
Sequence:     1 TKLEDHLEGIINIFHQYSVR.........EFVVLVTDVLITAHDNIHKE 91

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 141681 segs, 52070155 residues

Total number of hits satisfying chosen parameters:    141681

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :    SwissProt_42:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Match	Query Length	DB	ID		Description
1	467	100.0	91	1	S112_PIG	P80310	sus scrofa
2	371	79.4	91	1	S112_BOVIN	P79105	bos taurus
3	332	71.1	91	1	S112_HUMAN	P80511	homo sapien
4	302	64.7	81	1	S112_RABIT	O77791	oryctolagus
5	263.5	56.4	122	1	S109_BOVIN	P28783	bos taurus
6	220	47.1	119	1	M126_CHICK	P28818	gallus gall
7	216.5	46.4	118	1	S109_RABIT	P50117	oryctolagus
8	213.5	45.7	114	1	S109_HUMAN	P06702	homo sapien
9	204.5	43.8	112	1	S109_RAT	P50116	rattus norv
10	181	38.8	95	1	S109_MOUSE	P25815	mus musculu
11	178.5	38.2	112	1	S109_MOUSE	P31725	mus musculu
12	166	35.5	92	1	S10I_ICTPU	Q91061	ictalurus p
13	164	35.1	91	1	S10B_RAT	P04631	rattus norv
14	164	35.1	98	1	S10Z_HUMAN	Q8wxg8	homo sapien
15	163	34.9	88	1	S108_MOUSE	P27005	mus musculu
16	163	34.9	88	1	S108_RAT	P50115	rattus norv
17	163	34.9	91	1	S10B_BOVIN	P02638	bos taurus
18	163	34.9	91	1	S10B_MOUSE	P50114	mus musculu
19	163	34.9	93	1	S10A_RAT	P35467	rattus norv
20	163	34.9	101	1	S104_MOUSE	P07091	mus musculu
21	162	34.7	91	1	S10B_HUMAN	P04271	homo sapien
22	162	34.7	93	1	S10A_MOUSE	P56565	mus musculu
23	161	34.5	93	1	S10A_BOVIN	P02639	bos taurus
24	160	34.3	93	1	S10A_HUMAN	P23297	homo sapien
25	160	34.3	101	1	S104_RAT	P05942	rattus norv
26	156	33.4	101	1	S104_HUMAN	P26447	homo sapien
27	154	33.0	102	1	S111_RABIT	P24480	oryctolagus
28	153	32.8	100	1	S104_BOVIN	P35466	bos taurus
29	151	32.3	93	1	S108_HUMAN	P05109	homo sapien
30	150	32.1	105	1	S111_HUMAN	P31949	homo sapien
31	150	32.1	93	1	S105_MOUSE	O88945	mus musculu
32	147	31.5	101	1	S111_CHICK	P24479	gallus gall
33	146	31.3	98	1	S111_MOUSE	P50543	mus musculu
34	144.5	30.9	78	1	S10D_PIG	P02632	sus scrofa
35	143.5	30.7	92	1	S105_HUMAN	P33763	homo sapien
36	143	30.6	97	1	S102_HUMAN	P29034	homo sapien
37	142.5	30.5	101	1	S107_BOVIN	Q28050	bos taurus
38	140.5	30.1	98	1	S113_HUMAN	Q99584	homo sapien
39	139.5	29.9	78	1	S10D_HUMAN	P29377	homo sapien
40	138	29.6	97	1	S102_BOVIN	P10462	bos taurus
41	136	29.1	90	1	S106_HUMAN	P06703	homo sapien
42	135.5	29.0	96	1	S110_MOUSE	P08207	mus musculu
43	135	28.9	78	1	S10D_BOVIN	P02633	bos taurus
44	135	28.9	90	1	S106_RABIT	P30801	oryctolagus
45	134.5	28.8	94	1	S110_RAT	P05943	rattus norv

ALIGNMENTS

```
RESULT 1
S112_PIG
ID   S112_PIG      STANDARD;      PRT;   91 AA.
AC   P80310;
DT   01-FEB-1994 (Rel. 28, Created)
DT   01-FEB-1994 (Rel. 28, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Calgranulin C (CAGC).
GN   S100A12.
OS   Sus scrofa (Pig).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX   NCBI_TaxID=9823;
RN   [1]
RP   SEQUENCE.
RC   TISSUE=Granulocyte;
RX   MEDLINE=95050708; PubMed=7961855;
RA   Dell'Angelica E.C., Schleicher C.H., Santome J.A.;
RT   "Primary structure and binding properties of calgranulin C, a novel
RT   S100-like calcium-binding protein from pig granulocytes.";
RL   J. Biol. Chem. 269:28929-28936(1994).
CC   -!- TISSUE SPECIFICITY: Found essentially in granulocytes with small
CC       amounts found in lymphocytes.
CC   -!- MISCELLANEOUS: In the absence of zinc binds one calcium ion per
CC       molecule, in the presence of zinc binds two calcium ions per
CC       molecule.
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
DR   PIR; A55406; A55406.
DR   HSSP; P80511; 1E8A.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; FALSE_NEG.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding; Zinc; Metal-binding.
FT   CA_BIND       18     31       EF-HAND 1 (LOW AFFINITY) (BY SIMILARITY).
FT   CA_BIND       61     72       EF-HAND 2 (HIGH AFFINITY) (BY
FT                                 SIMILARITY).
SQ   SEQUENCE   91 AA;  10614 MW;  B42046143ZD7FCE CRC64;

Query Match             100.0%;  Score 467;  DB 1;  Length 91;
Best Local Similarity   100.0%;  Pred. No. 9.5e-37;
Matches   91;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60

Qy         61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
              ||||||||||||||||||||||||||||||
Db         61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
```

RESULT 2
```
ID   S112_BOVIN    STANDARD;      PRT;    91 AA.
AC   P79105;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   28-FEB-2003 (Rel. 41, Last annotation update)
DE   Calgranulin C (CAGC) (Calcium-binding protein in amniotic fluid 1)
DE   (CAAF1) (RAGE binding protein).
GN   S100A12 OR CAAF1.
OS   Bos taurus (Bovine).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC   Bovidae; Bovinae; Bos.
OX   NCBI_TaxID=9913;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Oesophagus;
RX   MEDLINE=96298783; PubMed=8716672;
RA   Hitomi J., Yamaguchi K., Kikuchi Y., Kimura T., Maruyama K.,
RA   Nagasaki K.;
RT   "A novel calcium-binding protein in amniotic fluid, CAAF1: its
RT   molecular cloning and tissue distribution.";
RL   J. Cell Sci. 109:805-815(1996).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Lung;
RX   MEDLINE=99325504; PubMed=10399917;
RA   Hofmann M.A., Drury S., Fu C., Qu W., Taguchi A., Lu Y., Avila C.,
RA   Kambham N., Bierhaus A., Nawroth P., Neurath M.F., Slattery T.,
RA   Beach D., McClary J., Nagashima M., Morser J., Stern D.,
RA   Schmidt A.M.;
RT   "RAGE mediates a novel proinflammatory axis: a central cell surface
RT   receptor for S100/calgranulin polypeptides.";
RL   Cell 97:889-901(1999).
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; D49548; BAA08496.1; -.
DR   EMBL; AF011757; AAB65423.1; -.
DR   HSSP; P80511; 1E8A.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding; Zinc; Metal-binding.
FT   INIT_MET      0      0
FT   CA_BIND      18     31       EF-HAND 1 (LOW AFFINITY) (BY SIMILARITY).
FT   CA_BIND      61     72       EF-HAND 2 (HIGH AFFINITY) (BY
FT                                SIMILARITY).
SQ   SEQUENCE   91 AA;  10554 MW;  66FBC3C1B0354482 CRC64;
```

Query Match   79.4%; Score 371; DB 1; Length 91;
Best Local Similarity   81.3%;   Pred. No. 7.1e-28;
Matches   74; Conservative   9; Mismatches   8; Indels   0; Gaps   0;

```
Qy          1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              |||||||||||||||||||||| ||||:||||||||||||||||||||||:|||||:|||
Db          1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIDKIFQDL 60

Qy         61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
              ||::||||:|||| |||:||||| |:||||||
Db         61 DADKDGAVSFEEFVVLVSRVLKTAHIDIHKE 91
```

RESULT 3
```
ID   S112_HUMAN    STANDARD;      PRT;    91 AA.
AC   P80511; P83219;
DT   01-OCT-1996 (Rel. 34, Created)
DT   01-OCT-1996 (Rel. 34, Last sequence update)
DT   10-OCT-2003 (Rel. 42, Last annotation update)
DE   Calgranulin C (CAGC) (CGRP) (Neutrophil S100 protein) (Calcium-binding
DE   protein in amniotic fluid 1) (CAAF1) (p6) [Contains: Calcitermin].
GN   S100A12.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=97138564; PubMed=8985590;
RA   Wicki R., Marenholz I., Mischke D., Schaefer B.W., Heizmann C.W.;
RT   "Characterization of the human S100A12 (calgranulin C, p6, CAAF1,
RT   CGRP) gene, a new member of the S100 gene cluster on chromosome
RT   1q21.";
RL   Cell Calcium 20:459-464(1996).
RN   [2]
RX   MEDLINE=96192053; PubMed=8619860;
RA   Yamamura T., Hitomi J., Nagasaki K., Suzuki M., Takahashi E.,
RA   Saito S., Tsukada T., Yamaguchi K.;
RT   "Human CAAF1 gene -- molecular cloning, gene structure, and chromosome
RT   mapping.";
RL   Biochem. Biophys. Res. Commun. 221:356-360(1996).
RN   [3]
RP   SEQUENCE.
RX   MEDLINE=96192069; PubMed=8619876;
RA   Marti T., Erttmann K.D., Gallin M.Y.;
RT   "Host-parasite interaction in human onchocerciasis: identification
RT   and sequence analysis of a novel human calgranulin.";
RL   Biochem. Biophys. Res. Commun. 221:454-458(1996).
RN   [4]
RP   SEQUENCE OF 1-20.
RC   TISSUE=Neutrophils;
RX   MEDLINE=96332419; PubMed=8769108;
RA   Ilg E.C., Troxler H., Buergisser D.M., Kuster T., Markert M.,
RA   Guignard F., Hunziker P., Birchler N., Heizmann C.W.;
RT   "Amino acid sequence determination of human S100A12 (P6, calgranulin
RT   C, CGRP, CAAF1) by tandem mass spectrometry.";
RL   Biochem. Biophys. Res. Commun. 225:146-150(1996).
RN   [5]
RP   SEQUENCE OF 1-20.
RX   MEDLINE=95351965; PubMed=7626002;
RA   Guignard F., Mauel J., Markert M.;
RT   "Identification and characterization of a novel human neutrophil
RT   protein related to the S100 family.";
RL   Biochem. J. 309:395-401(1995).
RN   [6]
RP   SEQUENCE OF 77-91, ANTIMICROBIAL ACTIVITY, AND MASS SPECTROMETRY.
RC   TISSUE=Nasal mucus;
RX   MEDLINE=21413725; PubMed=11522286;
RA   Cole A.M., Kim Y.-H., Tahk S., Hong T., Weis P., Waring A.J., Ganz T.;
RT   "Calcitermin, a novel antimicrobial peptide isolated from human airway
RT   secretions.";
RL   FEBS Lett. 504:5-10(2001).
RN   [7]
RP   X-RAY CRYSTALLOGRAPHY (1.95 ANGSTROMS).
RX   MEDLINE=21065388; PubMed=11134923;
RA   Moroz O.V., Antson A.A., Murshudov G.N., Maitland N.J., Dodson G.G.,
RA   Wilson K.S., Skibshoj I., Lukanidin E.M., Bronstein I.B.;
RT   "The three-dimensional structure of human S100A12.";
RL   Acta Crystallogr. D 57:20-29(2001).
```

```
CC    -!- FUNCTION: Calcitermin possesses antifungal activity against
CC        C.albicans and is also active against E.coli and P.aeruginosa but
CC        not L.monocytogenes and S.aureus.
CC    -!- SUBUNIT: Homodimer.
CC    -!- TISSUE SPECIFICITY: Monocytes and lymphocytes.
CC    -!- MASS SPECTROMETRY: MW=10444; METHOD=Electrospray; RANGE=1-91.
CC    -!- MASS SPECTROMETRY: MW=1688.9; METHOD=MALDI; RANGE=77-91.
CC    -!- SIMILARITY: Belongs to the S-100 family.
CC    -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC    ------------------------------------------------------------------------
CC    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC    between the Swiss Institute of Bioinformatics  and the  EMBL outstation -
CC    the European Bioinformatics Institute.  There are no restrictions on its
CC    use  by non-profit institutions as long  as its content  is in  no  way
CC    modified and this statement is not removed. Usage by and for commercial
CC    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC    or send an email to license@isb-sib.ch).
CC    ------------------------------------------------------------------------
DR    EMBL; X97859; CAA66453.1; -.
DR    EMBL; X98288; CAA66934.1; -.
DR    EMBL; X98289; CAA66934.1; JOINED.
DR    EMBL; X98290; CAA66934.1; JOINED.
DR    EMBL; X98289; CAB94792.1; -.
DR    EMBL; X98290; CAB94792.1; JOINED.
DR    EMBL; D49549; BAA08497.1; -.
DR    EMBL; D83664; BAA12036.1; -.
DR    EMBL; D83657; BAA12030.1; -.
DR    PIR; JC4712; JC4712.
DR    PDB; 1E8A; 08-JAN-01.
DR    PDB; 1GQM; 07-MAR-02.
DR    Genew; HGNC:10489; S100A12.
DR    MIM; 603112; -.
DR    GO; GO:0005829; C:cytosol; TAS.
DR    GO; GO:0005626; C:insoluble fraction; TAS.
DR    GO; GO:0005509; F:calcium ion binding; TAS.
DR    GO; GO:0006954; P:inflammatory response; TAS.
DR    InterPro; IPR001751; CaBP_S100.
DR    InterPro; IPR002048; EF-hand.
DR    Pfam; PF00036; efhand; 1.
DR    Pfam; PF01023; S_100; 1.
DR    ProDom; PD003407; CaBP_S100; 1.
DR    ProDom; PD000012; EF-hand; 1.
DR    PROSITE; PS00018; EF_HAND; FALSE_NEG.
DR    PROSITE; PS00303; S100_CABP; 1.
KW    Calcium-binding; Zinc; Metal-binding; Antibiotic; Fungicide;
KW    3D-structure.
FT    INIT_MET       0       0
FT    PEPTIDE        77      91       CALCITERMIN.
FT    CA_BIND        18      31       EF-HAND 1 (LOW AFFINITY) (BY SIMILARITY).
FT    CA_BIND        61      72       EF-HAND 2 (HIGH AFFINITY) (BY
FT                                    SIMILARITY).
FT    HELIX          2       18
FT    TURN           19      19
FT    TURN           24      25
FT    STRAND         26      27
FT    HELIX          29      39
FT    TURN           41      43
FT    TURN           45      48
FT    HELIX          50      60
FT    TURN           62      63
FT    STRAND         68      69
FT    HELIX          70      85
SQ    SEQUENCE   91 AA;  10444 MW;  325685EA8695F6B7 CRC64;
```

Query Match   71.1%; Score 332; DB 1; Length 91;
Best Local Similarity   70.3%; Pred. No. 2.9e-24;
Matches   64; Conservative   10; Mismatches   17; Indels   0; Gaps   0;

```
Qy          1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              |:|||||||:|||||||||:|||||||||||||||||||||||||||||||||:||||||
Db          1 TKLEEHLEGIVNIFHQYSVRKGHFDTLSKGELKQLITKELANTIKNIKDKAVIDEIFQGL 60

Qy         61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
```

```
Db         61 DANQDEQVDFQEFISLVAIALKAAHYTHKE 91
              |||||||||:||:|||||||:||::|:|:||
```

```
RESULT 4
S112_RABIT
ID    S112_RABIT     STANDARD;      PRT;       81 AA.
AC    O77791;
DT    15-JUL-1999 (Rel. 38, Created)
DT    15-JUL-1999 (Rel. 38, Last sequence update)
DT    16-OCT-2001 (Rel. 40, Last annotation update)
GN    Calgranulin C (CAGC) (Fragment).
GN    S100A12.
OS    Oryctolagus cuniculus (Rabbit)
OC    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC    Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX    NCBI_TaxID=9986;
RN    [1]
RP    SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
RC    STRAIN=New Zealand white; TISSUE=Neutrophils;
RX    MEDLINE=96355278; PubMed=8702688;
RA    Yang Z., Deveer M.J., Gardiner E.E., Devenish R.J., Handley C.J.,
RA    Underwood J.R., Robinson H.C.;
RT    "Rabbit polymorphonuclear neutrophils form 35S-labeled S-sulfo-
RT    calgranulin C when incubated with inorganic [35S]sulfate.";
RL    J. Biol. Chem. 271:19802-19809(1996).
CC    -!- SIMILARITY: Belongs to the S-100 family.
CC    -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC    ------------------------------------------------------------------------
CC    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC    between  the Swiss Institute of Bioinformatics  and the  EMBL outstation -
CC    the European Bioinformatics Institute.  There are no restrictions on its
CC    use  by non-profit institutions as long  as its content  is in  no  way
CC    modified and this statement is not removed. Usage  by and for commercial
CC    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC    or send an email to license@isb-sib.ch).
CC    ------------------------------------------------------------------------
DR    EMBL; AF091848; AAC61770.1; -.
DR    HSSP; P80511; 1E8A.
DR    InterPro; IPR001751; CaBP_S100.
DR    InterPro; IPR002048; EF-hand.
DR    Pfam; PF00036; efhand; 1.
DR    Pfam; PF01023; S_100; 1.
DR    ProDom; PD003407; CaBP_S100; 1.
DR    ProDom; PD000012; EF-hand; 1.
DR    PROSITE; PS00018; EF_HAND; 1.
DR    PROSITE; PS00303; S100_CABP; 1.
KW    Calcium-binding.
FT    NON_TER        1       1
FT    CA_BIND        8       21       EF-HAND 1 (LOW AFFINITY) (BY SIMILARITY)
FT    CA_BIND        51      62       EF-HAND 2 (HIGH AFFINITY) (BY
FT                                    SIMILARITY).
SQ    SEQUENCE   81 AA;  9401 MW;  95E67A209180CB66 CRC64;
```

Query Match   64.7%; Score 302; DB 1; Length 81;
Best Local Similarity   70.4%; Pred. No. 1.5e-21;
Matches   57; Conservative   11; Mismatches   13; Indels   0; Gaps   0;

```
Qy         11 INIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDANQDEQVSF 70
              |||||||||||:|||||||||||||||||||:||::||:||||:|||||||:||||||||
Db          1 INIFHQYSVRTGHYDTLSKCELKKLITTELVNTIKNTKDQATVDRIFRDLDEDGDHQVDF 60
```

```
Qy         71 KEFVLVTDVLITAHDNIHKE 91
              ||:|:|:|||||||||||||
Db         61 KEFLSLLASVLVTAHENIHKE 81
```

```
RESULT 5
S109_BOVIN
ID    S109_BOVIN     STANDARD;      PRT;      122 AA.
AC    P28783;
DT    01-DEC-1992 (Rel. 24, Created)
DT    01-JUL-1993 (Rel. 26, Last sequence update)
```

```
DT   15-MAR-2004 (Rel. 43, Last annotation update)
DE   Calgranulin B (Neutrophil cytosolic 23 kDa protein) (P23) (BEE22)
DE   (Fragment).
GN   S100A9.
OS   Bos taurus (Bovine).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC   Bovidae; Bovinae; Bos.
OX   NCBI_TaxID=9913;
RN   [1]
RP   SEQUENCE.
RC   TISSUE=Oesophageal epithelium;
RX   MEDLINE=93280230; PubMed=8505358;
RA   Tang T.K., Hong T.-M., Lin C.-Y., Lai M.-L., Liu C.H.L., Lo H.-J.,
RA   Wang M.-E., Chen L.B., Chen W.-T., Ip W., Lin D.C., Lin J.J.-C.,
RA   Lin S., Sun T.-T., Wang E., Wang J.L., Wu R., Wu C.-W., Chien S.;
RT   "Nuclear proteins of the bovine esophageal epithelium. I. Monoclonal
RT   antibody W2 specifically reacts with condensed nuclei of
RT   differentiated superficial cells.";
RL   J. Cell Sci. 104:237-247(1993).
RN   [2]
RP   SEQUENCE OF 4-56.
RC   TISSUE=Neutrophils;
RX   MEDLINE=92304974; PubMed=1610833;
RA   Dianoux A.-C., Stasia M.-J., Garin J., Gagnon J., Vignais P.V.;
RT   "The 23-kilodalton protein, a substrate of protein kinase C, in
RT   bovine neutrophil cytosol is a member of the S100 family.";
RL   Biochemistry 31:5898-5905(1992).
CC   -!- SUBUNIT: Disulfide linked heterodimer of a 7/11 kDa and a 22/23
CC       kDa subunits.
CC   -!- SUBCELLULAR LOCATION: Cytoplasmic; loosely associated to the
CC       cytoskeleton.
CC   -!- TISSUE SPECIFICITY: Found essentially in phagocytic cells.
CC   -!- PTM: Phosphorylated by protein kinase C.
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
DR   HSSP; P80511; 1E8A.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; PARTIAL.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding; Phosphorylation.
FT   NON_TER       1
FT   CA_BIND      19     32       EF-HAND 1 (LOW AFFINITY) (POTENTIAL).
FT   CA_BIND      63     74       EF-HAND 2 (HIGH AFFINITY) (POTENTIAL).
SQ   SEQUENCE   122 AA;  13673 MW;  F3CA8C48806BECCD CRC64;

Query Match             56.4%;  Score 263.5;  DB 1;  Length 122;
Best Local Similarity   53.3%;  Pred. No. 8.4e-18;
Matches    48;  Conservative    23;  Mismatches    18;  Indels    1;  Gaps    1;

Qy     1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
           ::||: ::|||||||||||||||||||:|:|| ||| |::| |:|       |||
Db     2 SQMESSIETINIFHQYSVRLGHYDTLIQKEFKQLVQKELPNFLKKQKKNEAAINEIMED 61

Qy    60 LDANQDEQVSFKEFVVLVTDVLITAHDNIH 89
           |||||||||||||||:||||||:||:||||
Db    62 LDTNVDKQLSFEEFIMLVARLIVASHEEMH 91

RESULT 6
M126_CHICK
ID   M126_CHICK    STANDARD;    PRT;    119 AA.
AC   P28318;
DT   01-DEC-1992 (Rel. 24, Created)
DT   01-DEC-1992 (Rel. 24, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Protein MRP-126.
OS   Gallus gallus (Chicken).
```

```
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC   Gallus.
OX   NCBI_TaxID=9031;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=White leghorn; TISSUE=Bone marrow;
RX   MEDLINE=92195690; PubMed=1549365;
RA   Nakano T., Graf T.;
RT   "Identification of genes differentially expressed in two types of
RT   v-myb-transformed avian myelomonocytic cells.";
RL   Oncogene 7:527-534(1992).
CC   -!- TISSUE SPECIFICITY: Expressed in v-myb-transformed myelomonocytic
CC       cells.
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC   -----------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   -----------------------------------------------------------------------
DR   EMBL; X61200; -; NOT_ANNOTATED_CDS.
DR   HSSP; P04271; 1UWO.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding.
FT   CA_BIND      29     42       EF-HAND 1 (LOW AFFINITY) (POTENTIAL).
FT   CA_BIND      72     83       EF-HAND 2 (HIGH AFFINITY) (POTENTIAL).
SQ   SEQUENCE   119 AA;  14065 MW;  2D268DAF6309AD7A CRC64;

Query Match             47.1%;  Score 220;  DB 1;  Length 119;
Best Local Similarity   47.2%;  Pred. No. 8.6e-14;
Matches    42;  Conservative    25;  Mismatches    22;  Indels    0;  Gaps    0;

Qy     1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
           | ::| :::||||||||||||||||||||:||||||:|:|||| ||||:|||||||||
Db    12 SELEKAIDVIIDVFHQYSRSREGKDTLTRKELKLLIEKQLANYLKHVXNQVSIDQIFKDL 71

Qy    61 DANQDEQVSFKEFVVLVTDVLITAHDNIH 89
           | |||||||||||| |||||||:||:|
Db    72 DNNKDQQLSFGEVMLLIIRVTVATHEHLH 100

RESULT 7
S109_RABIT
ID   S109_RABIT    STANDARD;    PRT;    118 AA.
AC   P50117;
DT   01-OCT-1996 (Rel. 34, Created)
DT   15-JUL-1999 (Rel. 38, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Calgranulin B (Migration inhibitory factor-related protein 14)
DE   (MRP-14) (Fragment).
GN   S100A9 OR MRP-14.
OS   Oryctolagus cuniculus (Rabbit).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX   NCBI_TaxID=9986;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=New Zealand white; TISSUE=Neutrophils;
RX   MEDLINE=96355278; PubMed=8702688;
RA   Yang Z., de Veer M.J., Gardiner E.E., Devenish R.J., Handley C.J.,
RA   Underwood J.R., Robinson H.C.;
```

RT   "Rabbit polymorphonuclear neutrophils form 35s-labeled S-sulfo-
RT   calgranulin C when incubated with inorganic [35S]sulfate.";
RL   J. Biol. Chem. 271:19802-19809(1996).
RN   [2]
RP   SEQUENCE OF 45-82 FROM N.A.
RC   STRAIN=New Zealand white;
RX   MEDLINE=9198229; PubMed=8148323;
RA   Mori S., Goto K., Goto F., Mutakami K., Ohkawara S., Yoshinaga M.;
RT   "Dynamic changes in mRNA expression of neutrophils during the course
RT   of acute inflammation in rabbits.";
RL   Int. Immunol. 6:149-156(1994).
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC
CC   --
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --
DR   EMBL; AF091849; AAC61771.1; -.
DR   EMBL; D17404; BAA04227.1; -.
DR   PIR; I46861; I46861.
DR   HSSP; P80511; 1E8A.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding; Repeat.
FT   NON_TER   1   1
FT   CA_BIND   9   22   EF-HAND 1 (LOW AFFINITY) (POTENTIAL).
FT   CA_BIND   53   64   EF-HAND 2 (HIGH AFFINITY) (POTENTIAL).
FT   DOMAIN   103   118   2 X 8 AA TANDEM REPEATS OF G-H-G-H-
FT   G-H-S-H.
FT   REPEAT   103   110   1.
FT   REPEAT   111   118   2.
SQ   SEQUENCE 118 AA; 13292 MW; 749611BE21AD5C41 CRC64;

Query Match   46.4%; Score 216.5; DB 1; Length 118;
Best Local Similarity 51.2%; Pred. No.1.8e-13;
Matches 42; Conservative 20; Mismatches 19; Indels   1; Gaps   1;

Qy   10 IINIFHQYSVRLGHYDTLIKRBLKQLITKELPNTL-KNTKDQGTIDKIFQNLDANQDEQV 68
              ||||||||||:|||||:|:||||:|||:||||||:| ||:|:||:|||:|:||:|||:||
Db   1 IINIFHQYSVRVGPRDSLSQKEFKQLVQKELHNFLKKEARDEKAINDIMEDLDTNQDKQL 60

Qy   69 SFKEFVVLVTDVLITAHDNIHK 90
              ||:|||:|:::||:|||:||||||
Db   61 SFEEPVILMARLVHASHEEMHK 82

RESULT 8
S109_HUMAN
ID   S109_HUMAN   STANDARD;   PRT;   114 AA.
AC   P06702; Q9NYM0; Q9UCJ1;
DT   01-JAN-1988 (Rel. 06, Created)
DT   01-JAN-1988 (Rel. 06, Last sequence update)
DT   10-OCT-2003 (Rel. 42, Last annotation update)
DE   Calgranulin B (Migration inhibitory factor-related protein 14)
DE   (MRP-14) (P14) (Leukocyte L1 complex heavy chain) (S100 calcium-
DE   binding protein A9) (Calprotectin L1H subunit).
GN   S100A9 OR MRP14 OR CAGB.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]

RP   SEQUENCE FROM N.A.
RX   MEDLINE=88039099; PubMed=3313057;
RA   Odink K., Cerletti N., Bruggen J., Clerc R.G., Tarcsay L., Zwaldo G.,
RA   Gerhards G., Schlegel R., Sorg C.;
RT   "Two calcium-binding proteins in infiltrate macrophages of rheumatoid
RT   arthritis.";
RL   Nature 330:80-82(1987).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=88302148; PubMed=3405210;
RA   Lagasse E., Clerc R.G.;
RT   "Cloning and expression of two human genes encoding calcium-binding
RT   proteins that are regulated during myeloid differentiation.";
RL   Mol. Cell. Biol. 8:2402-2410(1988).
RN   [3]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=89255276; PubMed=2656677;
RA   Murao S., Collart F.R., Huberman E.;
RT   "A protein containing the cystic fibrosis antigen is an inhibitor of
RT   protein kinases.";
RL   J. Biol. Chem. 264:8356-8360(1989).
RN   [4]
RP   SEQUENCE FROM N.A., AND VARIANT ARG-20.
RA   Wang M., Xu X., Cai Y., Xu H., Han Y., Xu Z., Wu M.;
RT   "Human gene for migration inhibitory factor-related protein 14
RT   (MRP14), variant allele.";
RL   Submitted (FEB-2000) to the EMBL/GenBank/DDBJ databases.
RN   [5]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Lung;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length
RT   human and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [6]
RP   SEQUENCE OF 84-114, AND PHOSPHORYLATION.
RX   MEDLINE=90044075; PubMed=2478889;
RA   Edgeworth J., Freemont P., Hogg N.;
RT   "Ionomycin-regulated phosphorylation of the myeloid calcium-binding
RT   protein p14.";
RL   Nature 342:189-192(1989).
RN   [7]
RP   SEQUENCE OF 11-19; 26-37 AND 94-107.
RC   TISSUE=Keratinocytes;
RX   MEDLINE=93162043; PubMed=1286667;
RA   Rasmussen H.H., van Damme J., Puype M., Gesser B., Celis J.E.,
RA   Vandekerckhove J.;
RT   "Microsequences of 145 proteins recorded in the two-dimensional gel
RT   protein database of normal human epidermal keratinocytes.";
RL   Electrophoresis 13:960-969(1992).
RN   [8]
RP   SEQUENCE OF 5-34.
RX   MEDLINE=93139333; PubMed=8423249;
RA   Miyasaki K.T., Bodeau A.L., Murthy A.R., Lehrer R.I.;
RT   "In vitro antimicrobial activity of the human neutrophil cytosolic S-
RT   100 protein complex, calprotectin, against Capnocytophaga sputigena.";

S109_RAT
```
ID   S109_RAT       STANDARD;      PRT;    112 AA.
AC   P50116;
DT   01-OCT-1996 (Rel. 34, Created)
DT   16-OCT-2001 (Rel. 40, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Calgranulin B (Migration inhibitory factor-related protein 14)
DE   (MRP-14) (p14).
GN   S100A9 OR MRP14.
OS   Rattus norvegicus (Rat).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX   NCBI_TaxID=10116;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=Lewis/N; TISSUE=Peritoneal cavity;
RX   MEDLINE=93343942; PubMed=8343166;
RA   Imamichi T., Uchida I., Wahl S.M., McCartney-Francis N.;
RT   "Expression and cloning of migration inhibitory factor-related
RT   protein (MRP)8 and MRP14 in arthritis-susceptible rats.";
RL   Biochem. Biophys. Res. Commun. 194:819-825(1993).
RN   [2]
RP   SEQUENCE OF 1-56, 61-64 AND 71-112, ACETYLATION, AND METHYLATION.
RC   TISSUE=Spleen;
RX   MEDLINE=98249881; PubMed=9570842;
RA   Raftery M.J., Geczy C.L.;
RT   "Identification of posttranslational modifications and cDNA sequencing
RT   errors in the rat S100 proteins MRP8 and 14 using electrospray
RT   ionization mass spectrometry.";
RL   Anal. Biochem. 258:285-292(1998).
CC   -!- MASS SPECTROMETRY: MW=13069; MW_ERR=2; METHOD=Electrospray.
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC   -----------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   -----------------------------------------------------------------------
DR   EMBL; L18948; AAA18214.1; -.
DR   PIR; JN0686; JN0686.
DR   HSSP; P02638; 1MHO.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   PROSITE; PS00018; EF_HAND; FALSE_NEG.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding; Acetylation; Methylation.
FT   INIT_MET      0      0
FT   MOD_RES       1      1       ACETYLATION.
FT   MOD_RES     106    106       METHYLATION.
FT   CA_BIND      23     36       EF-HAND 1 (LOW AFFINITY) (POTENTIAL).
FT   CA_BIND      67     78       EF-HAND 2 (HIGH AFFINITY) (POTENTIAL).
FT   CONFLICT    105    105       S -> R (IN REF. 1).
SQ   SEQUENCE   112 AA;   13014 MW;   381EEB291175D068 CRC64;

Query Match     43.8%;  Score 204.5;  DB 1;  Length 112;
Best Local Similarity   41.8%;  Pred. No. 2.2e-12;
Matches  38;  Conservative  24;  Mismatches  28;  Indels  0;  Gaps  1;

Qy    1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTK-DQGTIDKIFQN 59
            :||:||||||||||||||||| ||:|| |||||||| |:|:||:
Db    6  SQLERSISTIINVFHQYSRKYGHPDTLNKAEFKEMVNKDLPNFLKREXRNENLLRDIMED 65

Qy   60  LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
            ||||||  ||:|:| :|: ::|:|
Db   66  LDTNQDNQLSFEECMIMGKLIFACHEKLHE 96
```

```
RL   J. Dent. Res. 72:517-523(1993).
CC   -!- FUNCTION: Expressed by macrophages in acutely inflammated tissues
CC       and in chronic inflammations. Seem to be an inhibitor of protein
CC       kinases. Also expressed in epithelial cells constitutively or
CC       induced during dermatoses. May interact with components of the
CC       intermediate filaments in monocytes and epithelial cells.
CC   -!- MISCELLANEOUS: Has been shown to bind calcium.
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC   -----------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   -----------------------------------------------------------------------
DR   EMBL; X06233; CAA29579.1; -.
DR   EMBL; M21064; AAA36326.1; -.
DR   EMBL; M26311; AAA68480.1; -.
DR   EMBL; AF237581; AAF62536.1; -.
DR   EMBL; AF237582; AAF62537.1; -.
DR   EMBL; A12029; CAA01002.1; -.
DR   EMBL; A12032; CAA01004.1; -.
DR   EMBL; BC047681; AAH47681.1; -.
DR   PIR; B31848; B31848.
DR   PDB; 1IRJ; 14-JAN-03.
DR   SWISS-2DPAGE; P06702; HUMAN.
DR   Aarhus/Ghent-2DPAGE; 5007; IEF.
DR   Aarhus/Ghent-2DPAGE; 6010; IEF.
DR   Aarhus/Ghent-2DPAGE; 6017; IEF.
DR   Aarhus/Ghent-2DPAGE; 7013; IEF.
DR   PMMA-2DPAGE; P06702; -.
DR   Genew; HGNC:10499; S100A9.
DR   MIM; 123886; -.
DR   GO; GO:0005509; F:calcium ion binding; TAS.
DR   GO; GO:0004871; F:signal transducer activity; TAS.
DR   GO; GO:0007267; P:cell-cell signaling; TAS.
DR   GO; GO:0006954; P:inflammatory response; TAS.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding; Macrophage; Phosphorylation; Polymorphism;
KW   3D-structure.
FT   CA_BIND      23     36       EF-HAND 1 (LOW AFFINITY) (POTENTIAL).
FT   CA_BIND      67     78       EF-HAND 2 (HIGH AFFINITY) (POTENTIAL).
FT   MOD_RES     113    113       PHOSPHORYLATION.
FT   VARIANT      20     20       H -> R.
FT                                /FTId=VAR_013008.
FT   CONFLICT      6      6       S -> H (IN REF. 8).
FT   CONFLICT     25     25       K -> F (IN REF. 8).
FT   CONFLICT     28     28       H -> L (IN REF. 8).
SQ   SEQUENCE   114 AA;   13242 MW;   C3BE19729E14C078 CRC64;

Query Match     45.7%;  Score 213.5;  DB 1;  Length 114;
Best Local Similarity   45.1%;  Pred. No. 3.3e-13;
Matches  41;  Conservative  25;  Mismatches  24;  Indels  1;  Gaps  1;

Qy    1  TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTL-KNTKDQGTIDKIFQN 59
            :||:|||||||||||||||| ||:|||||| |::|||||:||
Db    6  SQLERNIETIINTFHQYSVKLGHPDTLNQGEFKELVRKDIQNFLKKENKNEKVIEHIMED 65

Qy   60  LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
            ||||||  ||:|:| :|: ::|:|
Db   66  LDTNADKQLSFEEFIMLVARLTWASHEKMHE 96

RESULT 9
```

```
RESULT 10
S10P_HUMAN
ID   S10P_HUMAN    STANDARD;      PRT;      95 AA.
AC   P25815;
DT   01-MAY-1992 (Rel. 22, Created)
DT   01-DEC-1992 (Rel. 24, Last sequence update)
DT   10-OCT-2003 (Rel. 42, Last annotation update)
DE   S-100P protein.
GN   S100P OR S100E.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Placenta;
RX   MEDLINE=93394442; PubMed=1633809;
RA   Becker T., Gerke V., Kube E., Weber K.;
RT   "S100P, a novel Ca(2+)-binding protein from human placenta. cDNA
RT   cloning, recombinant protein expression and Ca2+ binding
RT   properties.";
RL   Eur. J. Biochem. 207:541-547(1992).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Placenta;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length
RT   human and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [3]
RP   SEQUENCE OF 1-91.
RC   TISSUE=Placenta;
RX   MEDLINE=92171935; PubMed=1540168;
RA   Emoto Y., Kobayashi R., Akatsuka H., Hidaka H.;
RT   "Purification and characterization of a new member of the S-100
RT   protein family from human placenta.";
RL   Biochem. Biophys. Res. Commun. 182:1246-1253(1992).
CC   -!- SUBUNIT: Interacts with S100Z.
CC   -!- MISCELLANEOUS: This protein binds two calcium ions.
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC   --------------------------------------------------------------------------
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
CC   --------------------------------------------------------------------------
DR   EMBL; X65614; CAA46566.1; -.
DR   EMBL; BC006819; AAH06819.1; -.
DR   PIR; S24146; S24146.
DR   PDB; 1J55; 07-JAN-03.
DR   Genew; HGNC:10504; S100P.
DR   MIM; 600614; -.
DR   GO; GO:0005509; F:calcium ion binding; TAS.
DR   GO; GO:0005515; F:protein binding; TAS.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   PROSITE; PS00018; EF_HAND; FALSE_NEG.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding; Placenta; 3D-structure.
FT   CA_BIND       19     32       EF-HAND 1 (LOW AFFINITY).
FT   CA_BIND       62     73       EF-HAND 2 (HIGH AFFINITY).
FT   CONFLICT      32     32       E -> T (IN REF. 3).
FT   CONFLICT      44     44       F -> E (IN REF. 3).
SQ   SEQUENCE  95 AA;  10400 MW;  786E6E3F3EACC6C1 CRC64;

Query Match             38.8%;  Score 181; DB 1;  Length 95;
Best Local Similarity   43.3%;  Pred. No. 2.7e-10;
Matches    39;  Conservative   15;  Mismatches  36;  Indels   0;  Gaps   0;

Qy     1 TKLEDHLEGINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
           ||:||  |:|||  :|| :||
Db     2 TELETAMGMIIDVFSRYSGSEGSTQTLTKGELKVLMEKELPGFLQSGKDKAVDKLLKDL 61

Qy    61 DANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
           ||||||:|||| |  :||| :||
Db    62 DANGDAQVDFSEFIVFVAAITSACHKYFEK 91
```

```
RESULT 11
S109_MOUSE
ID   S109_MOUSE    STANDARD;      PRT;     112 AA.
AC   P31725;
DT   01-JUL-1993 (Rel. 26, Created)
DT   01-OCT-1996 (Rel. 34, Last sequence update)
DT   28-FEB-2003 (Rel. 41, Last annotation update)
DE   Calgranulin B (Migration inhibitory factor-related protein 14)
DE   (MRP-14) (P14) (Leukocyte L1 complex heavy chain).
GN   S100A9 OR CAGB OR MRP14.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BALB/c;
RX   MEDLINE=92223366; PubMed=1373330;
RA   Lagasse E., Weissman I.L.;
RT   "Mouse MRP8 and MRP14, two intracellular calcium-binding proteins
RT   associated with the development of the myeloid lineage.";
RL   Blood 79:1907-1915(1992).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=129/SvJ;
RX   MEDLINE=21102096; PubMed=11169745;
RA   Nacken W.K.F., Lekstrom-Himes J.A., Sorg C., Manitz M.;
RT   "Molecular analysis of the mouse S100A9 gene and evidence that the
RT   myeloid specific transcription factor C/EBPepsilon is not required for
RT   the regulation of the S100A9/A8 gene expression in neutrophils.";
RL   J. Cell. Biochem. 80:606-616(2001).
RN   [3]
RP   SEQUENCE OF 1-9; 75-92 AND 94-108.
RX   MEDLINE=96235204; PubMed=8645219;
RA   Raftery M.J., Harrison C.A., Alewood P., Jones A., Geczy C.L.;
RT   "Isolation of the murine S100 protein MRP14 (14 kDa
RT   migration-inhibitory-factor-related protein) from activated spleen
RT   cells: characterization of post-translational modifications and zinc
RT   binding.";
RL   Biochem. J. 316:285-293(1996).
CC   -!- MASS SPECTROMETRY: MW=12972; MW ERR=2; METHOD=Electrospray.
CC   -!- MISCELLANEOUS: Has been shown to bind calcium.
CC   -!- SIMILARITY: Belongs to the S-100 family.
```

CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).

DR   EMBL; M83219; AAB07228.1; -.
DR   EMBL; AJ250496; CAC14292.1; -.
DR   PIR; S68242; S68242.
DR   HSSP; P80511; 1E8A.
DR   MGD; MGI:1338947; S100a9.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; FALSE_NEG.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding; Acetylation; Methylation.
FT   INIT_MET   0   0
FT   CA_BIND   23   36   EF-HAND 1 (LOW AFFINITY) (POTENTIAL).
FT   CA_BIND   67   78   EF-HAND 2 (HIGH AFFINITY) (POTENTIAL).
FT   DISULFID   79   90
FT   MOD_RES   1   1   ACETYLATION.
FT   MOD_RES   106   106   METHYLATION.
SQ   SEQUENCE   112 AA;   12918 MW;   A0F810BC175AEC80 CRC64;

Query Match   38.2%;   Score 178.5;   DB 1;   Length 112;
Best Local Similarity 36.3%;   Pred. No. 5.6e-10;
Matches   33;   Conservative   27;   Mismatches   30;   Indels   1;   Gaps   1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTK-DQGTIDKIFQN 59
             ::: ||||||:||||||::|||||||:::||:: :|: :: :||
Db   6 SQMERSITTIIDTFHQYSRKEGHPDTLSKKEFRQMVEAQLATFMKKEKRNEALINDIMED 65

Qy   60 LDANQDEQVSFKEFVVLVTDVLITAHDNIHK 90
             |:||:::|: :: |:|:
Db   66 LDTNQDNQLSFEECMMLMAKLIFACHEKLHE 96

RESULT 12
ID   S10I_ICTPU   STANDARD;   PRT;   92 AA.
AC   Q91061;
DT   01-NOV-1997 (Rel. 35, Created)
DT   01-NOV-1997 (Rel. 35, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Ictacalcin.
OS   Ictalurus punctatus (Channel catfish).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Siluriformes;
OC   Ictaluridae; Ictalurus.
OX   NCBI_TaxID=7998;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Olfactory epithelium;
RX   MEDLINE=97038343; PubMed=8883937;
RA   Porta A.R., Bettini E., Buiakova O.I., Baker H., Danho W.,
RA   Margolis F.L.;
RT   "Molecular cloning of ictacalcin: a novel calcium-binding protein
RT   from the channel catfish, Ictalurus punctatus.";
RL   Brain Res. Mol. Brain Res. 41:81-89(1996).
CC   -!- FUNCTION: Plays an important role in catfish calcium homeostasis.
CC   -!- TISSUE SPECIFICITY: Abundant in epithelial cells of olfactory
CC   rosette, barbel, skin and gill but not brain or muscle.
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.

CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).

DR   EMBL; U33273; AAB2610.1; -.
DR   HSSP; P30801; 1A03.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding.
FT   CA_BIND   19   32   EF-HAND 1 (LOW AFFINITY) (POTENTIAL).
FT   CA_BIND   62   73   EF-HAND 2 (HIGH AFFINITY) (POTENTIAL).
SQ   SEQUENCE   92 AA;   10021 MW;   DBF786B7F921C58 CRC64;

Query Match   35.5%;   Score 166;   DB 1;   Length 92;
Best Local Similarity 41.5%;   Pred. No. 6.5e-09;
Matches   34;   Conservative   16;   Mismatches   32;   Indels   0;   Gaps   0;

Qy   10 IINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDANQDEQVS 69
             :|:||||:|||:||:|||||||:|| || |:: ||||||||::||||||||||||||||
Db   11 LISTFHKYSGKEGDKCTLTKGELKDLLITKGELKDLLITKELGGAFGNCSDQATLDKIIFKDLTNADGVD 70

Qy   70 FKEFVVLVTDVLITAHDNIHKE 91
             :|:|| : : :::|:|:
Db   71 FQEYATMVACTTMLCNKSLSKK 92

RESULT 13
ID   S10B_RAT   STANDARD;   PRT;   91 AA.
AC   P04631;
DT   13-AUG-1987 (Rel. 05, Created)
DT   13-AUG-1987 (Rel. 05, Last sequence update)
DT   10-OCT-2003 (Rel. 42, Last annotation update)
DE   S-100 protein, beta chain.
GN   S100B.
OS   Rattus norvegicus (Rat).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX   NCBI_TaxID=10116;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=85037924; PubMed=6093041;
RA   Kuwano R., Usui H., Maeda T., Fukui T., Yamanari N., Ohtsuka E.,
RA   Ikehara M., Takahashi Y.;
RT   "Molecular cloning and the complete nucleotide sequence of cDNA to
RT   mRNA for S-100 protein of rat brain.";
RL   Nucleic Acids Res. 12:7455-7465(1984).
RN   [2]
RP   SEQUENCE FROM N.A.
RA   Kuwano R., Usui H., Maeda T., Araki K., Kurihara T., Yamakuri T.,
RA   Ohtsuka E., Ikehara M., Takahashi Y.;
RT   "Molecular cloning and nucleotide sequences of cDNA and genomic DNA
RT   for alpha and beta subunits of S100 protein.";
RL   Tanaguchi Symp. Brain Sci. 19:243-255(1987).
RN   [3]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=91359841; PubMed=1653388;
RA   Maeda T., Usui H., Araki K., Kuwano R., Takahashi Y., Suzuki Y.;
RT   "Structure and expression of rat S-100 beta subunit gene.";
RL   Brain Res. Mol. Brain Res. 10:193-202(1991).
RN   [4]
RP   SEQUENCE OF 5-91 FROM N.A.
RX   MEDLINE=8137648; PubMed=3818655;

```
RA   Dunn R., Landry C., O'Hanlon D., Dunn J., Allore R., Brown I.,
RA   Marks A.;
RT   "Reduction in S100 protein beta subunit mRNA in C6 rat glioma cells
RT   following treatment with anti-microtubular drugs.";
RL   J. Biol. Chem. 262:3562-3566(1987).
RN   [5]
RP   STRUCTURE BY NMR.
RX   MEDLINE=96387197; PubMed=8794737;
RA   Drohat A.C., Amburgey J.C., Abildgaard F., Starich M.R.,
RA   Baldisseri D.M., Weber D.J.;
RT   "Solution structure of rat apo-S100B(beta beta) as determined by NMR
RT   spectroscopy.";
RL   Biochemistry 35:11577-11588(1996).
RN   [6]
RP   STRUCTURE BY NMR.
RX   MEDLINE=98153156; PubMed=9485423;
RA   Drohat A.C., Baldisseri D.M., Rustandi R.R., Weber D.J.;
RT   "Solution structure of calcium-bound rat S100B(betabeta) as
RT   determined by nuclear magnetic resonance spectroscopy.";
RL   Biochemistry 37:2729-2740(1998).
RN   [7]
RP   STRUCTURE BY NMR.
RX   MEDLINE=99226808; PubMed=10211826;
RA   Drohat A.C., Tjandra N., Baldisseri D.M., Weber D.J.;
RT   "The use of dipolar couplings for determining the solution structure
RT   of rat apo-S100B.";
RL   Protein Sci. 8:800-809(1999).
CC   -!- FUNCTION: Weakly binds calcium but binds zinc very tightly-
CC       distinct binding sites with different affinities exist for both
CC       ions on each monomer. Physiological concentrations of potassium
CC       ion antagonize the binding of both divalent cations, especially
CC       affecting high-affinity calcium-binding sites.
CC   -!- SUBUNIT: Dimer of either two alpha chains, or two beta chains, or
CC       one alpha and one beta chain.
CC   -!- SUBCELLULAR LOCATION: Cytoplasmic.
CC   -!- TISSUE SPECIFICITY: Although predominant among the water-soluble
CC       brain proteins, S-100 is also found in a variety of other tissues.
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC   ----------------------------------------------------------------------
```
```
DR   EMBL; X01090; CAA25567.1; -.
DR   EMBL; M54919; AAA42096.1; -.
DR   EMBL; S53527; -; NOT_ANNOTATED_CDS.
DR   EMBL; S53522; -; NOT_ANNOTATED_CDS.
DR   EMBL; M15705; -; NOT_ANNOTATED_CDS.
DR   PIR; A60046; A26557.
DR   PDB; 1SYM; 07-DEC-96.
DR   PDB; 1QLK; 11-NOV-98.
DR   PDB; 1B4C; 30-DEC-98.
DR   PDB; 1DT7; 26-JUL-00.
DR   PDB; 1MWN; 18-DEC-02.
DR   GO; GO:0005737; C:cytoplasm; ISS.
DR   GO; GO:0005576; C:extracellular; ISS.
DR   GO; GO:0005509; F:calcium ion binding; ISS.
DR   GO; GO:0019210; F:kinase inhibitor activity; ISS.
DR   GO; GO:0048156; F:tau protein binding; ISS.
DR   GO; GO:0008270; F:zinc ion binding; ISS.
DR   GO; GO:0048143; P:astrocyte activation; ISS.
DR   GO; GO:0007409; P:axonogenesis; ISS.
DR   GO; GO:0006874; P:calcium ion homeostasis; ISS.
DR   GO; GO:0006112; P:energy reserve metabolism; ISS.
DR   GO; GO:0048151; P:hyperphosphorylation; ISS.
DR   GO; GO:0006917; P:induction of apoptosis; ISS.
DR   GO; GO:0007611; P:learning and/or memory; ISS.
DR   GO; GO:0045917; P:positive regulation of complement activation; ISS.
DR   GO; GO:0042035; P:regulation of cytokine biosynthesis; ISS.
DR   GO; GO:0048169; P:regulation of long-term neuronal synaptic p...; ISS.
DR   GO; GO:0006417; P:regulation of protein biosynthesis; ISS.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding; Zinc; Metal-binding; 3D-structure.
FT   INIT_MET     0      0
FT   CA_BIND     18     31      EF-HAND 1 (LOW AFFINITY).
FT   CA_BIND     61     72      EF-HAND 2 (HIGH AFFINITY).
FT   HELIX        2     17
FT   TURN        18     19
FT   STRAND      27     27
FT   HELIX       29     39
FT   TURN        41     42
FT   HELIX       43     46
FT   HELIX       50     61
FT   TURN        62     62
FT   STRAND      68     68
FT   HELIX       70     83
FT   TURN        87     88
SQ   SEQUENCE    91 AA;   10613 MW;   2378AA8BFF7134D CRC64;

Query Match              35.1%;  Score 164;  DB 1;  Length 91;
Best Local Similarity    37.4%;  Pred. No. 9.8e-09;
Matches   34;  Conservative  19;  Mismatches  38;  Indels  0;  Gaps  0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTDQGTIDKIFQNL  60
          ::||| :|::||||| ||:     |:  | |: | |:: |::|| ::|:: ::| : |
Db   1 SELEKAMVALIDVFHQYSGREGDKGHKLKKSELKELINNELSHFLEEIKEQEVVDKVMETL 60

Qy  61 DANQDEQVSFKEFVVLVTDVLITAHDNIHKE  91
             |  :: | : |:  |:  |: |:
Db  61 DEDGDGECDFQEFMAFVSMVTTACHEFFEHE  91

RESULT 14
S10Z_HUMAN
ID   S10Z_HUMAN    STANDARD;    PRT;    98 AA.
AC   Q8WXG8;
DT   28-FEB-2003 (Rel. 41, Created)
DT   28-FEB-2003 (Rel. 41, Last sequence update)
DT   10-OCT-2003 (Rel. 42, Last annotation update)
DE   S-100Z protein.
GN   S100Z.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A., SEQUENCE OF 1-20, SUBUNIT, CALCIUM-BINDING,
RP   TISSUE SPECIFICITY, AND INTERACTION WITH S100P.
RC   TISSUE=Prostate;
RX   MEDLINE=21614385; PubMed=11747429;
RA   Gribenko A.V., Hopper J.E., Makhatadze G.I.;
RT   "Molecular characterization and tissue distribution of a novel member
RT   of the S100 family of EF-hand proteins.";
RL   Biochemistry 40:15538-15548(2001).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Testis;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
```

RP   SEQUENCE FROM N.A.
RC   STRAIN=BALB/c;
RX   MEDLINE=92223366; PubMed=1373330;
RA   Lagasse E., Weissman I.L.;
RT   "Mouse MRP8 and MRP14, two intracellular calcium-binding proteins
RT   associated with the development of the myeloid lineage.";
RL   Blood 79:1907-1915(1992).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=9203618; PubMed=8454868;
RA   Lackmann M., Rajasekariah P., Iismaa S.E., Jones G., Cornish C.J.,
RA   Hu S., Simpson R.J., Moritz R.L., Geczy C.L.;
RT   "Identification of a chemotactic domain of the pro-inflammatory S100
RT   protein CP-10.";
RL   J. Immunol. 150:2981-2991(1993).
RN   [3]
RP   SEQUENCE FROM N.A.
RC   STRAIN=129/SvJ; TISSUE=Liver;
RX   MEDLINE=96190772; PubMed=8611640;
RA   Nacken W.K.F., Manitz M.P., Sorg C.;
RT   "Molecular characterisation of the genomic locus of the mouse MRP8
RT   gene.";
RL   Biochim. Biophys. Acta 1315:1-5(1996).
RN   [4]
RP   SEQUENCE OF 1-76.
RC   TISSUE=Spleen;
RX   MEDLINE=92218405; PubMed=1559987;
RA   Lackmann M., Cornish C.J., Simpson R.J., Moritz R.L., Geczy C.L.;
RT   "Purification and structural analysis of a murine chemotactic
RT   cytokine (CP-10) with sequence homology to S100 proteins.";
RL   J. Biol. Chem. 267:7499-7504(1992).
CC   -!- FUNCTION: Has maximal chemotactic activity for neutrophils. May
CC   play an important role in cellular immune reactions.
CC   -!- SUBUNIT: Homodimer and/or heterodimer.
CC   -!- MISCELLANEOUS: Binds two calcium ions per molecule with an
CC   affinity similar to that of the S-100 proteins (By similarity).
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
DR   EMBL; M83218; AAB07229.1; -.
DR   EMBL; S57123; AAB25840.1; -.
DR   EMBL; X87966; CAA61204.1; -.
DR   PIR; I56163; I56163.
DR   HSSP; P05109; 1MR8.
DR   MGD; MGI:88244; S100a8.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding; Chemotaxis.
FT   INIT_MET   0   0
FT   CA_BIND   19   32   EF-HAND 1 (LOW AFFINITY) (POTENTIAL).
FT   CA_BIND   58   69   EF-HAND 2 (HIGH AFFINITY) (POTENTIAL).
FT   CONFLICT   56   56   E -> D (IN REF. 3).
SQ   SEQUENCE   88 AA; 10163 MW; 9B32BDBE3CFEF28 CRC64;

Query Match   34.9%; Score 163; DB 1; Length 88;
Best Local Similarity   33.0%; Pred. No. 1.2e-08;
Matches   30; Conservative   25; Mismatches   32; Indels   4; Gaps   1;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              :::|::| |::|::| | || |: ::|: | :: :: | |:: :: :
Qy

RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length
RT   human and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
CC   -!- SUBUNIT: Homodimer. Interacts with S100P.
CC   -!- TISSUE SPECIFICITY: Highest level of expression in spleen and
CC   leukocytes.
CC   -!- MISCELLANEOUS: This protein binds two calcium ions.
CC   -!- SIMILARITY: Belongs to the S-100 family.
CC   -!- SIMILARITY: Contains 2 EF-hand calcium-binding domains.
CC
CC   This SWISS-PROT entry is copyright. It is produced through a collaboration
CC   between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC   the European Bioinformatics Institute. There are no restrictions on its
CC   use by non-profit institutions as long as its content is in no way
CC   modified and this statement is not removed. Usage by and for commercial
CC   entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC   or send an email to license@isb-sib.ch).
DR   EMBL; AF437876; AAL30893.1; -.
DR   EMBL; BC022320; AAH22320.1; -.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Calcium-binding.
FT   INIT_MET   0   0
FT   CA_BIND   19   32   EF-HAND 1 (LOW AFFINITY).
FT   CA_BIND   62   73   EF-HAND 2 (HIGH AFFINITY).
SQ   SEQUENCE   98 AA; 11430 MW; A2053E1809E0F401 CRC64;

Query Match   35.1%; Score 164; DB 1; Length 98;
Best Local Similarity   41.9%; Pred. No. 1.1e-08;
Matches   36; Conservative   17; Mismatches   33; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              :|||| ::|::||||| |:|| |: |:||: :|| :| | :|: |::||||
Db   2 TQLEMAMDTMIRIFHRYSGKARKRFKISKGELKLLQRELTEFLSCQKETQLVDKIVQDL 61

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHD 86
              |||:|:| ::|:||:|: : :|:|:|
Db   62 DANKDNEVDFNEFVMVAALTVACND 87

RESULT 15
S108_MOUSE
ID   S108_MOUSE   STANDARD;   PRT;   88 AA.
AC   P27005; P31724;
DT   01-AUG-1992 (Rel. 23, Created)
DT   01-NOV-1995 (Rel. 32, Last sequence update)
DT   16-OCT-2001 (Rel. 40, Last annotation update)
DE   Calgranulin A (Migration inhibitory factor-related protein 8) (MRP-8)
DE   (P8) (Leukocyte L1 complex light chain) (Chemotactic cytokine CP-10)
DE   (Pro-inflammatory S100 cytokine).
GN   S100A8 OR CAGA OR MRP8.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]

```
Db        2  SELEKALSNLIDVYHNYSNIQGNHHALYKNDFKKMVTTECPQFVQNI----NIENLFREL  57

Qy       61  DANQDEQVSFKEFVVLVTDVLITAHDNIHKE  91
                 :::|:::|  |  :::|  :  |||
Db       58  DINSDNAINFEEFLAMVIKVGVASHKDSHKE  88

Search completed: March  5, 2004, 09:47:10
Job time : 15 secs
```

```
         GenCore version 5.1.6
         Copyright (c) 1993 - 2004 Compugen Ltd.

DM protein - protein search, using sw model

Run on:      March  5, 2004, 09:43:08 ; Search time 39 Seconds
                                         (without alignments)
                                         736.209 Million cell updates/sec

Title:          US-09-646-651C-1
Perfect score:  467
Sequence:       1 TKLEDHLEGIINIFHQYSVR..........EFVVLVTDVLITAHDNIHKE 91

Scoring table:  BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched:       1017041 seqs, 31518202 residues

Total number of hits satisfying chosen parameters:       1017041

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :
         SPTREMBL_25:*
          1: sp_archea:*
          2: sp_bacteria:*
          3: sp_fungi:*
          4: sp_human:*
          5: sp_invertebrate:*
          6: sp_mammal:*
          7: sp_mhc:*
          8: sp_organelle:*
          9: sp_phage:*
         10: sp_plant:*
         11: sp_rodent:*
         12: sp_virus:*
         13: sp_vertebrate:*
         14: sp_unclassified:*
         15: sp_rvirus:*
         16: sp_bacterial:*
         17: sp_archeap:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

```
Result           %     Query
No.    Score  Match  Length  DB   ID       Description
------ -----  -----  ------  --   --       -----------
  1     289   61.9    70      6   Q9TR16   Q9tr16 bos taurus
  2     193   41.3   100     13   Q72VA4   Q7zva4 brachydanio
  3     178   38.1    99     13   Q8AYJ2   Q8ayj2 squalus aca
  4     178   38.1   101     13   O93395   O93395 salvelinus
  5     167   35.8    92     11   Q925T3   Q925t3 cricetulus
  6     164   35.1    92     13   Q9PSF6   Q9psf6 ictalurus p
  7     163   34.9    94     11   Q9D3M4   Q9d3m4 mus musculu
  8     163   34.9    94     11   Q91V77   Q91v77 m 11 days e
  9     162   34.7    79     11   Q9JL08   Q9jl08 mus musculu
 10     154   33.0   148     11   Q8BLX1   Q8blx1 mus musculu
 11     154   33.0  2496     11   Q8VHD8   Q8vhd8 mus musculu
 12     151   32.3   591      4   Q01720   Q01720 homo sapien
 13     151   32.3   687      4   Q9H4U2   Q9h4u2 homo sapien
 14     148   31.7   101      6   Q9TV56   Q9tv56 canis famil
 15     147   31.5  1218      4   Q05331   Q05331 homo sapien
 16     145   31.0   213      4   Q9H4U1   Q9h4u1 homo sapien
```

```
 17  140.5  30.1  83  11  Q9QVR5  Q9qvr5 rattus sp.
 18  139.5  29.9  79   6  Q865V3  Q865v3 equus cabal
 19  139    29.8 103   6  Q862H7  Q862h7 bos taurus
 20  132    28.3 501  11  Q8CIU0  Q8ciu0 rattus norv
 21  129    27.6 357   7  Q8BHC3  Q8bhc3 mus musculu
 22  129    27.6 554  11  Q8K552  Q8k552 mus musculu
 23  128    27.4  89  11  Q9R2B7  Q9r2b7 rattus norv
 24  127.5  27.3 217  13  Q9YH57  Q9yh57 rana catesb
 25  126    27.0  80  11  Q91XG5  Q91xg5 mus musculu
 26  124    26.6 495   4  Q9UBG3  Q9ubg3 homo sapien
 27  124    26.6  73   4  Q8N613  Q8n613 homo sapien
 28  112.5  24.1  77   6  Q28714  Q28714 oryctolagus
 29  112    24.0  55   6  Q862V4  Q862v4 bos taurus
 30  105    22.5 124  11  Q9TSB1  Q9tsb1 bos taurus
 31  101.5  21.7 170  13  Q9D708  Q9d708 mus musculu
 32   90.5  19.4 638  11  Q7T063  Q7t063 xenopus lae
 33   88    18.8 170   5  Q9D3P1  Q9d3p1 mus musculu
 34   87.5  18.7 535   5  Q9NKW7  Q9nkw7 patinopecte
 35   84.5  18.1 110   4  Q38873  Q38873 arabidopsis
 36   82    17.6 169   4  O75544  O75544 homo sapien
 37   82    17.6 536   5  Q9NFN1  Q9nfn1 schistosoma
 38   81.5  17.5 160   5  O65644  O65644 arabidopsis
 39   81    17.3 170   5  Q9BJE9  Q9bje9 plasmodium
 40   81    17.3 248   5  Q95P81  Q95p81 bombyx mori
 41   80.5  17.2 512  10  O65587  O65587 arabidopsis
 42   79.5  17.0 115  10  Q9SE24  Q9se24 oryza sativ
 43   78.5  16.8 171  11  Q991Q9  Q991q9 mus musculu
 44   78.5  16.8 523   5  Q20804  Q20804 caenorhabdi
 45   78.5  16.8      10  Q9FKW4  Q9fkw4 arabidopsis
```

ALIGNMENTS

```
RESULT 1
Q9TR16
ID   Q9TR16        PRELIMINARY;        PRT;        70 AA.
AC   Q9TR16;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   CORNEA-associated antigen, CO-AG-CALGRANULIN C homolog.
OS   Bos taurus (Bovine).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC   Bovidae; Bovinae; Bos.
OX   NCBI_TaxID=9913;
RN   [1]
RP   SEQUENCE.
RX   MEDLINE=98181454; PubMed-8603881;
RA   Liu S.H.; Gottsch J.D.;
RT   "Amino acid sequence of an immunogenic corneal stromal protein.";
RL   Invest. Ophthalmol. Vis. Sci. 37:944-948(1996).
CC   -!- SIMILARITY: BELONGS TO THE S-100 FAMILY.
DR   HSSP; P80511; 1E8A.
DR   GO; GO:0005509; F:calcium ion binding; IEA.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF01023; S_100;1.
DR   ProDom; PD003407; CaBP_S100;1.
SQ   SEQUENCE   70 AA;   8134 MW;   7D52BEA97A4D53A5 CRC64;

Query Match             61.9%;  Score 289; DB 6; Length 70;
Best Local Similarity   81.4%;          Pred. No. 3.3e-20;
Matches    57;  Conservative  6; Mismatches  7; Indels  0; Gaps  0;

Qy      1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
          |||||||||||||||||:|||||||||||||||||||||||||||| ||:| |||||||:|
Db      1 TKLEDHLEGIINIFHQYSVRVGHFDTLNKRELKQLITKELPKTLQNTKDQPTIKQIFQDL 60

Qy     61 DANQDEQVSF 70
          ||:|:  |||
Db     61 DADKKGAVVF 70
```

RESULT 2
Q7ZVA4
```
ID   Q7ZVA4      PRELIMINARY;     PRT;   100 AA.
AC   Q7ZVA4;
DT   01-JUN-2003 (TrEMBLrel. 24, Created)
DT   01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   Hypothetical protein.
OS   Brachydanio rerio (Zebrafish) (Danio rerio).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC   Cyprinidae; Danio.
OX   NCBI_TaxID=7955;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Body;
RA   Strausberg R.;
RL   Submitted (JAN-2003) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; BC045941; AAH45941.1; -.
DR   GO; GO:0005509; F:calcium ion binding; IEA.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   SMART; SM00054; EFh; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Hypothetical protein.
SQ   SEQUENCE 100 AA; 11157 MW; DAB1814B54CB8C8 CRC64;

Query Match             41.3%;  Score 193; DB 13;  Pred. No. 6.3e-11;
Best Local Similarity   46.1%;
Matches  41;  Conservative  17;  Mismatches  31;  Indels  0;  Gaps  0;

Qy      3 LEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDA 62
            |.|||:.:||.:||:.||||||||||||:||||||||||||:: ::||
Db      5 LERAMETLITVFHRYSGAEGNSSTLSRRELKQLMEKELASFLKSQKDPAAVDKIMKDLDA 64

Qy     63 NQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
            |.|:||||:.||||:|||||
Db     65 NGDGEVNFEEFVSLVVGLSIACEQLYQKQ 93
```

RESULT 3
Q8AYJ2
```
ID   Q8AYJ2      PRELIMINARY;     PRT;   99 AA.
AC   Q8AYJ2;
DT   01-MAR-2003 (TrEMBLrel. 23, Created)
DT   01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   S-100 calcium-binding protein A1.
OS   Squalus acanthias (Spiny dogfish).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Chondrichthyes;
OC   Elasmobranchii; Squalea; Squaloidei; Squalidae; Squalus.
OX   NCBI_TaxID=7797;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Wang C., Callard G.v.;
RT   "Molecular cloning and stage dependence of an S-10 cDNA from the shark
RT   testis.";
RL   Submitted (SEP-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AF421551; AAN63527.1; -.
DR   GO; GO:0005509; F:calcium ion binding; IEA.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   SMART; SM00054; EFh; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
SQ   SEQUENCE  99 AA; 11050 MW;  BA62D8190A4A3693 CRC64;

Query Match             38.1%;  Score 178;  DB 13;  Length 99;
Best Local Similarity   40.7%;           Pred. No. 1.7e-09;
Matches  35;  Conservative  20;  Mismatches  31;  Indels  0;  Gaps  0;

Qy      1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
            |:||.|||...|||.:||:::||||||||||:|||||||||:|:.:||:||
Db      2 TELESAMAGIIGVFRKYSGKEGDKYSLSNNEMVDLLKAELPNFLKSQKDKAAVDKIMKDL 61

Qy     61 DANQDEQVSFKEFVVLVTDVLITAHD 86
            |.::.::|||.::||||:.: .:|
Db     62 DRNXDGELDFQEFVVLIAALAAACND 87
```

RESULT 4
O93395
```
ID   O93395      PRELIMINARY;     PRT;   101 AA.
AC   O93395;
DT   01-NOV-1998 (TrEMBLrel. 08, Created)
DT   01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   S100-like calcium binding protein.
GN   S100.
OS   Salvelinus fontinalis (Brook trout) (Brook char).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC   Protacanthopterygii; Salmoniformes; Salmonidae; Salvelinus.
OX   NCBI_TaxID=8038;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Ovulatory ovary;
RX   MEDLINE=20534789; PubMed=11080585;
RA   Bobe J., Goetz F.W.;
RT   "A S100 homologue mRNA isolated by differential display PCR is down-
RT   regulated in the brook trout (Salvelinus fontinalis) post-ovulatory
RT   ovary.";
RL   Gene 257:187-194(2000).
CC   -!- SIMILARITY: BELONGS TO THE S-100 FAMILY.
DR   EMBL; AF077613; AAC28367.1; -.
DR   HSSP; P02633; 4ICB.
DR   GO; GO:0005509; F:calcium ion binding; IEA.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
SQ   SEQUENCE 101 AA; 11285 MW;  BF45582FF9279D0A CRC64;

Query Match             38.1%;  Score 178;  DB 13;  Length 101;
Best Local Similarity   45.1%;           Pred. No. 1.7e-09;
Matches  37;  Conservative  19;  Mismatches  26;  Indels  0;  Gaps  0;

Qy      1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
            ::||.|||.::.||.:||:::||||:|||||:|||||||||:|:.:||:||
Db      3 SQLESSMESLITVFHRYADKDGDCNTLSKKELKELMQTELASFLKSQKDPAAIDTIMKDL 62

Qy     61 DANQDEQVSFKEFVVLVTDVLI 82
            |.::.::|||.::||||:
Db     63 DQNGDGKVSFEFVSLVVGLSI 84
```

RESULT 5
Q925T3
```
ID   Q925T3      PRELIMINARY;     PRT;   92 AA.
AC   Q925T3;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
```

DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   S100B.
OS   Cricetulus griseus (Chinese hamster).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
OC   Cricetulus.
OX   NCBI_TaxID=10029;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Kuge O., Yamakawa Y., Nishijima M.;
RT   "Enhancement of transport-dependent decarboxylation of
RT   phosphatidyl-serine by S100B protein in permeabilized Chinese hamster
RT   ovary cells.";
RL   J. Biol. Chem. 0:0-0(2001).
CC   -!- SIMILARITY: BELONGS TO THE S-100 FAMILY.
DR   EMBL; AB056121; BAB43945.1; -.
DR   GO; GO:0005737; C:cytoplasm; ISS.
DR   GO; GO:0005576; C:extracellular; ISS.
DR   GO; GO:0005509; F:calcium ion binding; ISS.
DR   GO; GO:0019210; F:kinase inhibitor activity; ISS.
DR   GO; GO:0042803; F:protein homodimerization activity; ISS.
DR   GO; GO:0048155; F:S100 alpha binding; ISS.
DR   GO; GO:0048154; F:S100 beta binding; ISS.
DR   GO; GO:0048156; F:tau protein binding; ISS.
DR   GO; GO:0008270; F:zinc ion binding; ISS.
DR   GO; GO:0048143; P:astrocyte activation; ISS.
DR   GO; GO:0007409; P:axonogenesis; ISS.
DR   GO; GO:0006874; P:calcium ion homeostasis; ISS.
DR   GO; GO:0006112; P:energy reserve metabolism; ISS.
DR   GO; GO:0048151; P:hyperphosphorylation; ISS.
DR   GO; GO:0006917; P:induction of apoptosis; ISS.
DR   GO; GO:0007611; P:learning and/or memory; ISS.
DR   GO; GO:0045917; P:positive regulation of complement activation; ISS.
DR   GO; GO:0042035; P:regulation of cytokine biosynthesis; ISS.
DR   GO; GO:0048169; P:regulation of long-term neuronal synaptic p. . .; ISS.
DR   GO; GO:0006417; P:regulation of protein biosynthesis; ISS.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
SQ   SEQUENCE   92 AA;   10749 MW;   AF50107EC2BEDF6B CRC64;

Query Match   35.8%; Score 167; DB 11; Length 92;
Best Local Similarity   38.5%; Pred. No. 1.7e-08;
Matches   35; Conservative   19; Mismatches   37; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
              ::||| ::|:|||||||||||||||||||||||| ||:|| ||:|
Db   2 SELEKAMVALIDIFHQYSGREGDKHKLKKSELKELINNELSHFLEEIKEQEVVDKVMETL 61

Qy   61 DANQEQVSFKEFVVLVTDVLITAHDNIHKE 91
              |::|:: ||::|:|:: |:| :|
Db   62 DEDGDGECDFQEFMAFVSMVTTACHEFFEQE 92

RESULT 6
Q9PSF6
ID   Q9PSF6   PRELIMINARY; PRT;   92 AA.
AC   Q9PSF6;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   Ictacalcin.
GN   Ictalurus punctatus (Channel catfish).
OS   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Siluriformes;
OC   Ictaluridae; Ictalurus.
OX   NCBI_TaxID=7998;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=94376615; PubMed=8090068;
RA   Bettini E., Porta A.R., Dahmen N., Wang H., Margolis F.L.;
RT   "Expressed sequence tags (EST) identify genes preferentially expressed
RT   in catfish chemosensory tissues.";
RL   Brain Res. Mol. Brain Res. 23:285-291(1994).
CC   -!- SIMILARITY: BELONGS TO THE S-100 FAMILY.
DR   HSSP; P30801; 1A03.
DR   GO; GO:0005509; F:calcium ion binding; IEA.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
SQ   SEQUENCE   92 AA;   10022 MW;   E04875D0C9921C50 CRC64;

Query Match   35.1%; Score 164; DB 13; Length 92;
Best Local Similarity   41.5%; Pred. No. 3.2e-08;
Matches   34; Conservative   15; Mismatches   33; Indels   0; Gaps   0;

Qy   10 IINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDANQEQVS 69
              :|:|:||:|::||||||||||||||||||||||:|||||||||:||:||:::|
Db   11 LISTFHKYSGEGDKCTLTKGELKDLLTKELGGAFGNCSDQATLDKIFKDLDTNAJGVVD 70

Qy   70 FKEFVVLVTDVLITAHDNIHKE 91
              ||::::::|:::::|:|:|
Db   71 FQEYATMVACTMLCNKSLSKK 92

RESULT 7
Q9D3M4
ID   Q9D3M4   PRELIMINARY; PRT;   94 AA.
AC   Q9D3M4;
DT   01-JUN-2001 (TrEMBLrel. 17, Created)
DT   01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   S100 calcium binding protein A1.
GN   S100A1.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6J; TISSUE=Head;
RX   MEDLINE=21085660; PubMed=11217851;
RA   Kawai J., Shinagawa A., Shibata K., Yoshino M., Itoh M., Ishii Y.,
RA   Arakawa T., Hara A., Fukunishi Y., Konno H., Adachi J., Fukuda S.,
RA   Aizawa K., Izawa M., Nishi K., Kiyosawa H., Kondo S., Yamanaka T.,
RA   Saito T., Okazaki Y., Gojobori T., Bono H., Kasukawa T., Saito R.,
RA   Kadota K., Matsuda H.A., Ashburner M., Batalov S., Casavant T.,
RA   Fleischmann W., Gaasterland T., Gissi C., King B., Kochiwa H.,
RA   Kuehl P., Lewis S., Matsuo Y., Nikaido I., Pesole G., Quackenbush J.,
RA   Schriml L.M., Staubli F., Suzuki R., Tomita M., Wagner L., Washio T.,
RA   Sakai K., Okido T., Furuno M., Aono H., Baldarelli R., Barsh G.,
RA   Blake J., Boffelli D., Bojunga N., Carninci P., de Bonaldo M.F.,
RA   Brownstein M.J., Bult C., Fletcher C., Fujita M., Gariboldi M.,
RA   Gustincich S., Hill D., Hofmann M., Hume D.A., Kamiya M., Lee N.H.,
RA   Lyons P., Marchionni L., Mashima J., Mazzarelli J., Mombaerts P.,
RA   Nordone P., Ring B., Ringwald M., Rodriguez I., Sakamoto N.,
RA   Sasaki N., Sato K., Schoenbach C., Seya T., Shibata Y., Storch K.-F.,
RA   Suzuki H., Toyo-oka K., Wang K.H., Weitz C., Whittaker C., Wilming L.,
RA   Wynshaw-Boris A., Yoshida K., Hasegawa Y., Kawaji H., Kohtsuki S.,
RA   Hayashizaki Y.;
RT   "Functional annotation of a full-length mouse cDNA collection.";
RL   Nature 409:685-690(2001).
CC   -!- SIMILARITY: BELONGS TO THE S-100 FAMILY.
DR   EMBL; AK017279; BAB30670.1; -.
DR   HSSP; P04631; 1B4C.
DR   MGD; MGI:1338917; S100a1.
DR   GO; GO:0005509; F:calcium ion binding; IEA.

DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
SQ   SEQUENCE   94 AA;   10497 MW;   7C8B817D135C2D15 CRC64;

Query Match   34.9%; Score 163; DB 11; Length 94;
Best Local Similarity   39.5%; Pred. No. 4.1e-08;
Matches   34; Conservative 18; Mismatches 34; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         :::|||||:||:|::|| : : ||:||| |:|:||| || || :|:: :|
Db   3 SELESAMETLINVFHAHSGKEGDKYKLSKKELKDLLQTELSGFLDVQKDADAVDKVIKEL 62

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHD 86
         | ||| ||||:||||:|||||||
Db   63 DENGDGEVDFKEYVVLVAALTVACNN 88

RESULT 8
Q91V77
ID   Q91V77   PRELIMINARY;   PRT;   94 AA.
AC   Q91V77;
DT   01-DEC-2001 (TrEMBLrel. 19, Created)
DT   01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   11 days embryo cDNA, RIKEN full-length enriched library,
DE   clone:2700088D09, full insert sequence (S100 calcium binding protein
DE   A1) (Adult male kidney cDNA, RIKEN full-length enriched library,
DE   clone:0610031F03, full insert sequence).
GN   S100A1.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6J; TISSUE=Kidney;
RX   MEDLINE=99279253; PubMed=10349636;
RA   Adachi J., Aizawa K., Akahira S., Akimura T., Aono H., Arai A.,
RA   Arakawa T., Carninci P., Fukuda S., Fukunishi Y., Furuno M.,
RA   Hanagaki T., Hara A., Hayatsu N., Hiramoto K., Hiraoka T., Hori F.,
RA   Imotani K., Ishii Y., Itoh M., Izawa M., Kato H., Kawai J., Kojima Y.,
RA   Konno H., Kouda M., Koya S., Kurihara C., Matsuyama T., Miyazaki A.,
RA   Nishi K., Nomura K., Numazaki R., Ohno M., Okazaki Y., Okido T.,
RA   Owa C., Saito H., Saito R., Sakai C., Sakai K., Sano H., Sasaki D.,
RA   Shibata K., Shibata Y., Shinagawa A., Shiraki T., Sogabe Y.,
RA   Suzuki H., Tagami M., Tagawa A., Takahashi F., Tanaka T., Tejima Y.,
RA   Toya T., Yamamura T., Yasunishi A., Yoshida K., Yoshino M.,
RA   Muramatsu M., Hayashizaki Y.;
RT   "High-efficiency full-length cDNA cloning.";
RL   Meth. Enzymol. 303:19-44(1999).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6J; TISSUE=Kidney;
RA   RIKEN FANTOM Consortium.;
RT   "Functional annotation of a full-length mouse cDNA collection.";
RL   Nature 409:685-690(2001).
RN   [3]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6J; TISSUE=Kidney;
RX   MEDLINE=21085660; PubMed=11217851;
RA   Shibata K., Shibata Y., Hayatsu N., Sugahara Y., Shibata K., Itoh M.,

RA   Konno H., Okazaki Y., Muramatsu M., Hayashizaki Y.;
RT   "Normalization and subtraction of cap-trapper-selected cDNAs to
RT   prepare full-length cDNA libraries for rapid discovery of new genes.";
RL   Genome Res. 10:1617-1630(2000).
RN   [5]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6J; TISSUE=Kidney;
RX   MEDLINE=20530913; PubMed=1076861;
RA   Shibata K., Itoh M., Aizawa J., Nishi K., Kitsunai T., Tashiro H., Itoh M.,
RA   Konno H., Akiyama J., Nishi K., Kitsunai T., Tashiro H., Itoh M.,
RA   Sumi N., Ishii Y., Nakamura S., Hazama M., Nishine T., Harada A.,
RA   Yamamoto R., Matsumoto S., Sakaguchi S., Ikegami T., Kashiwagi K.,
RA   Fujiwake S., Inoue K., Togawa Y., Izawa M., Ohara E., Watahiki M.,
RA   Yoneda Y., Ishikawa T., Ozawa K., Tanaka T., Matsuura S., Kawai J.,
RA   Okazaki Y., Muramatsu M., Inoue Y., Kira A., Hayashizaki Y.;
RT   "RIKEN integrated sequence analysis (RISA) system-384-format
RT   sequencing Pipeline with 384 multicapillary sequencer.";
RL   Genome Res. 10:1757-1771(2000).
RN   [6]
RP   SEQUENCE FROM N.A.
RA   Strausberg R.;
RL   Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.
RN   [7]
RP   SEQUENCE FROM N.A.
RC   STRAIN=129/Sv;
RA   Du X.-J., Cole T.J., Tenis N., Gao X.-M., Kontgen F., Kemp B.E.,
RA   Heierhorst J.;
RT   "Impaired cardiac contractility without cardiomyopathy in S100A1-
RT   deficient mice.";
RL   Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.
CC   -!- SIMILARITY: BELONGS TO THE S-100 FAMILY.
DR   EMBL; AK012578; BAB28330.1; -.
DR   EMBL; BC005590; AAH05590.1; -.
DR   EMBL; AF368423; AAL14436.1; -.
DR   EMBL; AK002721; BAB22308.1; -.
DR   MGD; MGI:1338917; S100a1.
DR   GO; GO:0005509; F:calcium ion binding; IEA.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
SQ   SEQUENCE   94 AA;   10505 MW;   7C8E817BBF36ED15 CRC64;

Query Match   34.9%; Score 163; DB 11; Length 94;
Best Local Similarity   39.5%; Pred. No. 4.1e-08;
Matches   34; Conservative 18; Mismatches 34; Indels   0; Gaps   0;

Qy   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
         :::|||||:||:|::|| : : ||:||| |:|:||| || || :|:: :|
Db   3 SELESAMETLINVFHAHSGKEGDKYKLSKKELKDLLQTELSGFLDVQKDADAVDKVMKEL 62

Qy   61 DANQDEQVSFKEFVVLVTDVLITAHD 86
         | ||| ||||:||||:|||||||
Db   63 DENGDGEVDFKEYVVLVAALTVACNN 88

RESULT 9
Q9JL08
ID   Q9JL08   PRELIMINARY;   PRT;   79 AA.
AC   Q9JL08;
DT   01-OCT-2000 (TrEMBLrel. 15, Created)
DT   01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   S100 calcium binding protein A1 (Fragment).
GN   S100A1.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;

```
N  [1]
P  SEQUENCE FROM N.A.
A  Kiewitz R., Lyons G.E., Schafer B.W., Heizmann C.W.;
T  "Transcriptional regulation of S100A1 and expression during mouse
T  heart development.";
L  Submitted (DEC-1999) to the EMBL/GenBank/DDBJ databases.
C  -!- SIMILARITY: BELONGS TO THE S-100 FAMILY.
R  EMBL; AF218353, AAF32320.1; -.
R  HSSP; P04631; 1B4C.
R  MGD; MGI:1338917; S100a1.
R  GO; GO:0005509; F:calcium ion binding; IEA.
R  InterPro; IPR001751; CaBP_S100.
R  InterPro; IPR002048; EF-hand.
R  Pfam; PF00036; efhand; 1.
R  Pfam; PF01023; S_100; 1.
R  ProDom; PD003407; CaBP_S100; 1.
R  ProDom; PD000012; EF-hand; 1.
R  PROSITE; PS00018; EF_HAND; 1.
R  PROSITE; PS00303; S100_CABP; 1.
T  NON_TER        79      79
Q  SEQUENCE   79 AA;  8863 MW;  F94EDA3A79815D5 CRC64;

Query Match             34.7%;
Best Local Similarity   44.2%;
Score 162;  DB 11;  Length 79;
Matches   34;  Conservative   14;  Mismatches   29;  Indels    0;  Gaps    0;

Y   1 TKLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNL 60
        :|||||||||||||||||:|:| :|::|:|::::|: :|: || ||| || : |||||
b   3 SELESAMETLINVFHAHSAQEGDKYKLSKKELKDLLQTELSGFLDVQKDADAVDKVMKEL 62

y  61 DANQDEQVSFKEFVVLV 77
       |||:| :|:::|||||
b  63 DENGDGEVDFKEYVVLV 79


ESULT 10
08BLX1
D  Q8BLX1       PRELIMINARY;        PRT;   148 AA.
C  Q8BLX1;
T  01-MAR-2003 (TrEMBLrel. 23, Created)
T  01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
T  01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
E  Weakly similar to DJ14N1.2 (Fragment).
S  Mus musculus (Mouse).
C  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
C  Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
X  NCBI_TaxID=10090;
N  [1]
P  SEQUENCE FROM N.A.
C  STRAIN=C57BL/6J; TISSUE=Aorta, and Vein;
X  MEDLINE=22354683; PubMed=12466851;
A  The FANTOM Consortium,
A  The RIKEN Genome Exploration Research Group Phase I & II Team;
T  "Analysis of the mouse transcriptome based on functional annotation of
T  60,770 full-length cDNAs.";
L  Nature 420:563-573(2002).
R  EMBL; AK041026; BAC30787.1; -.
R  GO; GO:0005509; F:calcium ion binding; IEA.
R  InterPro; IPR001751; CaBP_S100.
R  InterPro; IPR002048; EF-hand.
R  Pfam; PF00036; efhand; 1.
R  Pfam; PF01023; S_100; 1.
R  ProDom; PD003407; CaBP_S100; 1.
R  ProDom; PD000012; EF-hand; 1.
R  PROSITE; PS00018; EF_HAND; 1.
R  PROSITE; PS00303; S100_CABP; 1.
T  NON_TER       148     148
Q  SEQUENCE  148 AA;  16934 MW;  590220BA68351058 CRC64;

Query Match             33.0%;
Best Local Similarity   33.3%;
Score 154;  DB 11;  Pred. No. 4.8e-07;
Matches   30;  Conservative   23;  Mismatches   37;  Indels    0;  Gaps    0;
```

```
Qy   2 KLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLD 61
        || :| :|:|||:| :|::|:|::::|: :|: ||| ||| |||| : ||||
Db   3 KLLESIVTVIDVFYQYATBYGNCDMLSKEEMKELLVTEFHQILKNPDDPDTVDIIMQNLD 62

Qy  62 ANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
        |:|:::|::|:|: |
Db  63 RDHNHKVDFTEYLLMILKLTKACNKIIGKD 92


RESULT 11
Q8VHD8
ID  Q8VHD8       PRELIMINARY;        PRT;   2496 AA.
AC  Q8VHD8;
DT  01-MAR-2002 (TrEMBLrel. 20, Created)
DT  01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
DT  01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE  Hornerin.
GN  HORNERIN OR 1110033K19RIK.
OS  Mus musculus (Mouse).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX  NCBI_TaxID=10090;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  STRAIN=ICR;
RX  MEDLINE=21601613; PubMed=11572870;
RA  Makino T., Takaishi M., Morohashi M., Huh N.-H.;
RT  "Hornerin, a Novel Profilaggrin-like Protein and Differentiation-
RT  specific Marker Isolated from Mouse Skin.";
RL  J. Biol. Chem. 276:47445-47452(2001).
CC  -!- SIMILARITY: BELONGS TO THE S-100 FAMILY.
DR  EMBL; AY027660; AAK15791.1; -.
DR  MGD; MGI:1915973; Hornerin.
DR  GO; GO:0001533; C:cornified envelope; IDA.
DR  InterPro; IPR001751; CaBP_S100.
DR  InterPro; IPR002048; EF-hand.
DR  Pfam; PF00036; efhand; 1.
DR  Pfam; PF01023; S_100; 1.
DR  ProDom; PD003407; CaBP_S100; 1.
DR  PROSITE; PS00018; EF_HAND; 1.
DR  PROSITE; PS00303; S100_CABP; 1.
SQ  SEQUENCE  2496 AA;  247588 MW;  4CE136CA6CB657DE CRC64;

Query Match             33.0%;
Best Local Similarity   33.3%;
Score 154;  DB 11;  Pred. No. 1.1e-05;
Matches   30;  Conservative   23;  Mismatches   37;  Indels    0;  Gaps    0;

Qy   2 KLEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLD 61
        || :| :|:|||:| :|::|:|::::|: :|: ||| ||| |||| : ||||
Db   3 KLLESIVTVIDVFYQYATBYGNCDMLSKEEMKELLVTEFHQILKNPDDPDTVDIIMQNLD 62

Qy  62 ANQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
        |:|:::|::|:|: |
Db  63 RDHNHKVDFTEYLLMILKLTKACNKIIGKD 92


RESULT 12
Q01720
ID  Q01720       PRELIMINARY;        PRT;   591 AA.
AC  Q01720;
DT  01-NOV-1996 (TrEMBLrel. 01, Created)
DT  01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT  01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE  FILAGGRIN precursor (PROFILAGGRIN) (Fragment).
GN  FLG.
OS  Homo sapiens (Human).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX  NCBI_TaxID=9606;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  TISSUE=PLACENTA;
RX  MEDLINE=93054736; PubMed=1429717;
```

RA   Presland R.B., Haydock P.V., Fleckman P., Nirunsuksiri W., Dale B.A.;
RT   "Characterization of the human epidermal profilaggrin gene. Genomic
RT   organization and identification of an S-100-like calcium binding
RT   domain at the amino terminus.";
RL   J. Biol. Chem. 267:23772-23781(1992).
CC   -!- FUNCTION: AGGREGATES KERATIN INTERMEDIATE FILAMENTS AND PROMOTES
CC   DISULFID-BOND FORMATION AMONGST THE INTERMEDIATE FILAMENTS DURING
CC   TERMINAL DIFFERENTIATION OF MAMMALIAN EPIDERMIS.
CC   -!- PTM: FILAGGRIN IS INITIALLY SYNTHESIZED AS A LARGE, INSOLUBLE,
CC   HIGHLY PHOSPHORYLATED PRECURSOR CONTAINING MANY TANDEM COPIES OF
CC   324 AA. THE PRECURSOR IS DEPOSITED AS KERATOHYALIN GRANULES.
CC   DURING TERMINAL DIFFERENTIATION IT IS DEPHOSPHORYLATED &
CC   PROTEOLYTICALLY CLEAVED.
CC   -!- POLYMORPHISM: A NUMBER OF PROFILAGGRIN ISOFORMS HAVE BEEN FOUND
CC   WHICH DIFFER BOTH IN SEQUENCE AND IN THE NUMBER OF FILAGGRIN
CC   REPEATS.
DR   EMBL; L01089; AAA60177.1; -.
DR   EMBL; L01090; AAA60176.1; -.
DR   PIR; A45135; A45135.
DR   PIR; A48118; A48118.
DR   HSSP; P80511; 1E8A.
DR   MIM; 135940; -.
DR   GO; GO:0005509; F:calcium ion binding; IEA.
DR   GO; GO:0005198; F:structural molecule activity; IEA.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   InterPro; IPR003303; Filaggrin.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF03516; Filaggrin; 2.
DR   Pfam; PF01023; S_100; 1.
DR   PRINTS; PR00487; FILAGGRIN.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
KW   Polymorphism.
FT   PROPEP   1   293   POTENTIAL.
FT   CHAIN   294   467   FILAGGRIN.
FT   PROPEP   468   474   POTENTIAL.
FT   CHAIN   475   >591   FILAGGRIN.
FT   CA_BIND   19   32   SITE I (BY SIMILARITY).
FT   CA_BIND   62   73   SITE II (BY SIMILARITY).
FT   NON_TER   591   591
SQ   SEQUENCE   591 AA; 66366 MW; 381491625C75E369 CRC64;

Query Match   32.3%; Score 151; DB 4; Length 591;
Best Local Similarity   34.8%; Pred. No.4.2e-06;
  Matches   31; Conservative   23; Mismatches   35; Indels   0; Gaps   0;

Qy   3 LEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDA 62
              | :::|||:|||:|| |:|| :|||::|:||:|| : |||:|
Db   4 LLENIFAIINLFKQYSKKDKNTDTLSKKELKELLEKEFRQILKNPDDPDMVDVFMDHLDI 63

Qy   63 NQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
              : ::::|||:||::| : ::| ||
Db   64 DHNKKIDFTEFLLMVFKLAQAYYESTRKE 92

RESULT 13
Q9H4U2
ID   Q9H4U2   PRELIMINARY;   PRT;   687 AA.
AC   Q9H4U2;
DT   01-MAR-2001 (TrEMBLrel. 16, Created)
DT   01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   DJ14N1.1.1 (Profilaggrin 5' end) (Fragment).
GN   FLG.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   SEQUENCE FROM N.A.
RA   Laird G.;
RL   Submitted (OCT-2000) to the EMBL/GenBank/DDBJ databases.

CC   -!- SIMILARITY: BELONGS TO THE S-100 FAMILY.
DR   EMBL; AL356504; CAC13172.1; -.
DR   PIR; A48118; A48118.
DR   HSSP; P80511; 1E8A.
DR   GO; GO:0005509; F:calcium ion binding; IEA.
DR   GO; GO:0005198; F:structural molecule activity; IEA.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   InterPro; IPR003303; Filaggrin.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF03516; Filaggrin; 3.
DR   Pfam; PF01023; S_100; 1.
DR   PRINTS; PR00487; FILAGGRIN.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
FT   NON_TER   687   687
SQ   SEQUENCE   687 AA; 76659 MW; 8000363FBEF07B74 CRC64;

Query Match   32.3%; Score 151; DB 4; Length 687;
Best Local Similarity   34.8%; Pred. No. 5e-06;
  Matches   31; Conservative   23; Mismatches   35; Indels   0; Gaps   0;

Qy   3 LEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDA 62
              | :::|||:|||:|| |:|| :|||::|:||:|| : |||:|
Db   4 LLENIFAIINLFKQYSKKDKNTDTLSKKELKELLEKEFRQILKNPDDPDMVDVFMDHLDI 63

Qy   63 NQDEQVSFKEFVVLVTDVLITAHDNIHKE 91
              : ::::|||:||::| : ::| ||
Db   64 DHNKKIDFTEFLLMVFKLAQAYYESTRKE 92

RESULT 14
Q9TV56
ID   Q9TV56   PRELIMINARY;   PRT;   101 AA.
AC   Q9TV56;
DT   01-MAY-2000 (TrEMBLrel. 13, Created)
DT   01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE   Metastasin.
GN   MTS1.
OS   Canis familiaris (Dog).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
OX   NCBI_TaxID=9615;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=Madin-Durby; TISSUE=Kidney;
RA   Miyamori H., Hasegawa K., Kim K., Sato H.;
RT   "Expression of metastasis associated mts1 gene is co-induced with
RT   membrane type-1 matrix metalloproteinase (MT1-MMP) during oncogenic
RT   transformation and tubular formation of madin darby canine kidney
RT   (MDCK) epithelial cells.";
RL   Submitted (AUG-1999) to the EMBL/GenBank/DDBJ databases.
CC   -!- SIMILARITY: BELONGS TO THE S-100 FAMILY.
DR   EMBL; AB031064; BAA83419.1; -.
DR   HSSP; P30801; 1A03.
DR   GO; GO:0005509; F:calcium ion binding; IEA.
DR   InterPro; IPR001751; CaBP_S100.
DR   InterPro; IPR002048; EF-hand.
DR   Pfam; PF00036; efhand; 1.
DR   Pfam; PF01023; S_100; 1.
DR   ProDom; PD003407; CaBP_S100; 1.
DR   ProDom; PD000012; EF-hand; 1.
DR   PROSITE; PS00018; EF_HAND; 1.
DR   PROSITE; PS00303; S100_CABP; 1.
SQ   SEQUENCE   101 AA; 11847 MW; 5535387DB7577DF0 CRC64;

Query Match   31.7%; Score 148; DB 6; Length 101;
Best Local Similarity   34.5%; Pred. No. 1.2e-06;
  Matches   29; Conservative   23; Mismatches   32; Indels   0; Gaps   0;

Qy   3 LEDHLEGIINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDA 62
              | :::|||:|||:|| |:|| :|||::|

Search completed: March 5, 2004, 09:48:53
Job time : 40 secs

```
b        5 LBKALDVMVSTFHKYSGKEGDKFKLNRSELKELLMRELPSFLGKRTDEAAFQKLMSNLDS 64

y       63 NQDEQVSFKEFVVLVTDVLITAHD 86
           |:|:.|:|:.|:.:|:.:.::
b       65 NRDNEVDFQEYCVFLSCVAMMCNE 88


ESULT 15
05331
D   Q05331                 PRELIMINARY;         PRT;  1218 AA.
C   Q05331;
T   01-NOV-1996 (TrEMBLrel. 01, Created)
T   01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
T   01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
E   FILAGGRIN (PROFILAGGRIN) (Fragment).
S   Homo sapiens (Human).
C   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
C   Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
X   NCBI_TaxID=9606;
N   [1]
P   SEQUENCE FROM N.A.
C   TISSUE=FORESKIN;
X   MEDLINE=93109348; PubMed=8417356;
A   Markova N.G., Marekov L.N., Chipev C.C., Gan S.-Q., Idler W.W.,
A   Steinert P.M.;
T   "Profilaggrin is a major epidermal calcium-binding protein.";
L   Mol. Cell. Biol. 13:613-625(1993).
-!- FUNCTION: AGGREGATES KERATIN INTERMEDIATE FILAMENTS AND PROMOTES
C   DISULFID-BOND FORMATION AMONGST THE INTERMEDIATE FILAMENTS DURING
C   TERMINAL DIFFERENTIATION OF MAMMALIAN EPIDERMIS.
-!- PTM: FILAGGRIN IS INITIALLY SYNTHESIZED AS A LARGE, INSOLUBLE,
C   HIGHLY PHOSPHORYLATED PRECURSOR CONTAINING MANY TANDEM COPIES OF
C   324 AA. THE PRECURSOR IS DEPOSITED AS KERATOHYALIN GRANULES.
C   DURING TERMINAL DIFFERENTIATION IT IS DEPHOSPHORYLATED &
C   PROTEOLYTICALLY CLEAVED.
-!- POLYMORPHISM: A NUMBER OF PROFILAGGRIN ISOFORMS HAVE BEEN FOUND
C   WHICH DIFFER BOTH IN SEQUENCE AND IN THE NUMBER OF FILAGGRIN
C   REPEATS.
R   EMBL; M96943; AAA36487.1; -.
R   PIR; A48118; A48118.
R   HSSP; P02593; 1CDM.
R   GO; GO:0005856; C:cytoskeleton; NAS.
R   GO; GO:0005509; F:calcium ion binding; TAS.
R   GO; GO:0030154; P:cell differentiation; NAS.
R   GO; GO:0008151; P:cell growth and/or maintenance; NAS.
R   InterPro; IPR001751; CaBP_S100.
R   InterPro; IPR002048; EF-hand.
R   InterPro; IPR003303; Filaggrin.
R   Pfam; PF00036; efhand; 1.
R   Pfam; PF03516; Filaggrin; 6.
R   Pfam; PF01023; S_100; 1.
R   PRINTS; PR00487; FILAGGRIN.
R   PROSITE; PS00018; EF_HAND; 1.
R   PROSITE; PS00303; S100_CABP; 1.
W   Phosphorylation; Polyprotein; Developmental protein; Calcium-binding;
W   Polymorphism.
T   CA_BIND      19      32       SITE I (BY SIMILARITY).
T   CA_BIND      62      73       SITE II (BY SIMILARITY).
T   NON_TER    1218    1218
Q   SEQUENCE   1218 AA;  133604 MW;  EC195AD5285B19C2 CRC64;

Query Match             31.5%;  Score 147;  DB 4;  Length 1218;
Best Local Similarity   35.4%;  Pred. No. 2.2e-05;
Matches   29;  Conservative   22;  Mismatches   31;  Indels   0;  Gaps   0;

y       10 IINIFHQYSVRLGHYDTLIKRELKQLITKELPNTLKNTKDQGTIDKIFQNLDANQDEQVS 69
           |||:|::|| : ||||:|||||:| ||:|:|.|: |||.|| : :|| ::| : ::::
b       11 IINLFNEYSKKDKNTDTLSKKELKEILEKEFRQILKNPDDPDMVDVFMDHLDIDHNKKID 70

y       70 FKEFVVLVTDVLITAHDNIHKE 91
           | |||:|||.|   ::::  ||
b       71 FTEFLLMVFKLAQAYYESTRKE 92
```

M nucleic - nucleic search, using sw model

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

Run on: March 8, 2004, 03:14:22 ; Search time 2062 Seconds
(without alignments)
2249.129 Million cell updates/sec

Title: US-09-646-651C-2
Perfect score: 107
Sequence: 1 ggaaaaunnnnnunauaugn........nnnnnnnnnnnuuagcag 107

Scoring table: IDENTITY_NUC
Gapop 10.0, Gapext 1.0

Searched: 3470272 seqs, 2167151699S residues

Total number of hits satisfying chosen parameters: 6940544

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : GenEmbl:*
1: gb_ba:*
2: gb_htg:*
3: gb_in:*
4: gb_om:*
5: gb_ov:*
6: gb_pat:*
7: gb_ph:*
8: gb_pl:*
9: gb_pr:*
10: gb_ro:*
11: gb_sts:*
12: gb_sy:*
13: gb_un:*
14: gb_vi:*
15: em_ba:*
16: em_fun:*
17: em_hum:*
18: em_in:*
19: em_mu:*
20: em_om:*
21: em_or:*
22: em_ov:*
23: em_pat:*
24: em_ph:*
25: em_pl:*
26: em_ro:*
27: em_sts:*
28: em_un:*
29: em_vi:*
30: em_htg_hum:*
31: em_htg_inv:*
32: em_htg_other:*
33: em_htg_mus:*
34: em_htg_pln:*
35: em_htg_rod:*
36: em_htg_mam:*
37: em_htg_vrt:*
38: em_sy:*
39: em_htgo_hum:*
40: em_htgo_mus:*
41: em_htgo_other:*

score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

	Result No.	Score	% Query Match	Length	DB	ID	Description
	1	31.4	29.3	298	6	A94582	A94582 Sequence 3
c	2	30	28.0	162986	9	CNS05TBQ	AL163953 Human chr
c	3	30	28.0	167398	9	CNS07EET	AL445886 Human chr
	4	29.8	27.9	1311	3	BT001281	BT001281 Drosophil
c	5	29.8	27.9	133636	9	AC117436	AC117436 Homo sapi
	6	29.6	27.7	86050	9	AL359647	AL359647 Human DNA
	7	29.4	27.5	17492	1	U67539	U67539 Methanococc
c	8	29.4	27.5	110000	6	AR271569_05	Continuation (6 of
	9	29.2	27.3	60471	2	AC015173	AC015173 Drosophil
c	10	29.2	27.3	164038	3	AC009846	AC009846 Drosophil
c	11	29.2	27.3	234378	3	AE003740	AE003740 Drosophil
	12	29	27.1	191942	9	AC079951	AC079951 Homo sapi
c	13	28.6	26.7	25233	3	CEC01B9	Z93373 Caenorhabdi
c	14	28.6	26.7	113880	2	PFMAL3P4	AL008970 Plasmodiu
c	15	28.6	26.7	227182	2	AC099283	AC099283 Rattus no
c	16	28.6	26.7	252129	2	AC133975	AC133975 Rattus no
	17	28.4	26.5	1818	1	AF267206	AF267206 Candidatu
	18	28.4	26.5	112537	9	AC112251	AC112251 Homo sapi
c	19	28.4	26.5	167560	7	AY303349	AY303349 Enterobac
	20	28.4	26.5	177897	2	AC021473	AC021473 Homo sapi
	21	28.4	26.5	178204	9	AC097467	AC097467 Homo sapi
	22	28.2	26.4	49843	3	AF288092	AF288092 Naegleria
	23	28	26.2	146500	9	AC004453	AC004453 Homo sapi
c	24	28	26.2	216941	2	AC146064	AC146064 Pan trogl
c	25	28	26.2	263150	2	AC105564	AC105564 Rattus no
	26	27.8	26.0	150641	3	CEY41I3	Z95559 Caenorhabdi
	27	27.8	26.0	178607	9	AC007068	AC007068 Homo sapi
	28	27.8	26.0	181542	2	AC121076	AC121076 Canis fam
	29	27.6	25.8	102704	5	AL672216	AL672216 Zebrafish
c	30	27.6	25.8	120039	9	AL357124	AL357124 Human DNA
	31	27.6	25.8	132254	3	AC115330	AC116330 Dictyoste
	32	27.6	25.8	147341	8	AC122143	AC122143 Oryza sat
c	33	27.6	25.8	160404	9	AL159152	AL159152 Human DNA
	34	27.6	25.8	166315	9	AC078940	AC078940 Homo sapi
	35	27.4	25.6	524	6	AX541033	AX541033 Sequence
	36	27.4	25.6	769	6	AX541172	AX541172 Sequence
	37	27.4	25.6	789	6	AX541169	AX541169 Sequence
	38	27.4	25.6	835	6	AX541247	AX541247 Sequence
	39	27.4	25.6	110000	2	PFMAL1_11	Continuation (12 o
c	40	27.4	25.6	138027	9	AL590227	AL590227 Human DNA
	41	27.4	25.6	152313	9	AL591594	AL591594 Human DNA
c	42	27.4	25.6	173342	2	AC023796	AC023796 Homo sapi
c	43	27.4	25.6	183602	2	AC024025	AC024025 Homo sapi
c	44	27.4	25.6	195583	9	AC092867	AC092867 Homo sapi
c	45	27.4	25.6	283919	2	AC095169	AC095169 Rattus no

ALIGNMENTS

RESULT 1
A94582
LOCUS   A94582   298 bp   DNA   linear   PAT 26-JAN-2000
DEFINITION Sequence 3 from Patent WO9947561.
ACCESSION   A94582
VERSION   A94582.1 GI:6778899
KEYWORDS   .
SOURCE   unidentified
  ORGANISM unidentified
            unclassified.
REFERENCE   1 (bases 1 to 298)
  AUTHORS   Koch-Pelster,B. and Kuhn,E.
  TITLE   RIBONUCLEOTIDE POLYPEPTIDES CONTAINING METAL
  JOURNAL   Patent: WO 9947561-A 3 23-SEP-1999;
            KOCH PELSTER BRIGITTE (DE); KUHN ECKEHARD (DE)

Pred. No. is the number of results predicted by chance to have a

```
FEATURES             Location/Qualifiers
     source          1..162986
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="14"
                     /clone="R-533L7"
                     /clone_lib="RPCI-11"
     STS             133879..134005
                     /note="matching EMBL:N74379
                     RHdb:RH91341
                     dbSTS:STS64476
                     Identified using the e-PCR software (G. Schuler)"
     STS             151705..151879
                     /note="matching EMBL:G03450
                     RHdb:RH3638
                     dbSTS:STS817
                     Identified using the e-PCR software (G. Schuler)"
ORIGIN

Query Match      28.0%; Score 30; DB 9; Length 162986;
Best Local Similarity 22.1%; Pred. No. 1.3e+02;
Matches 23; Conservative 13; Mismatches 68; Indels 0; Gaps 0;

Qy      3 AAAAUNNNNNNUNAUAUGNNNNNNCUNNNUUNNNNNNAAAAANUANAAACAUNNNNNCUU 62
            |||||   ::  :: ||:  :||:  ::  |||  :::||
Db 159690 AAAAAATCATATTATGTATAACTCTTTTTTTGGTGACAGGCTAGAGAAAGGATGCTT 159631

Qy     63 NAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNUUAGCA 106
            |||||                          :: |||
Db 159630 GGGTGGCAATTGAAATAGAAATCCCACTTTCAAATACTATTACCA 159587

RESULT 3
CNS07EET/c
LOCUS       CNS07EET      167398 bp    DNA    linear    PRI 29-APR-2001
DEFINITION  Human chromosome 14 DNA sequence BAC R-369B6 of library RPCI-11
            from chromosome 14 of Homo sapiens (Human), complete sequence.
ACCESSION   AL445886
VERSION     AL445886.3  GI:13897491
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 167398)
  AUTHORS   Heilig,R., Petit,J.L., Vico,V., Dasilva,C., Robert,C., Wincker,P.,
            Brottier,P., Cattolico,L., Barbe,V., Pelletier,E., Artiguenave,F.,
            Levy,M., Eckenberg,R., Bruls,T., deBerardinis,V., Cruaud,C.,
            Gyapay,G., Saurin,W. and Weissenbach,J.
  TITLE     Sequencing of the human chromosome 14
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 167398)
  AUTHORS   Genoscope.
  TITLE     Direct Submission
  JOURNAL   Submitted (28-APR-2001) Genoscope - Centre National de Sequencage :
            BP 191 91006 EVRY cedex - FRANCE (E-mail : seqref@genoscope.cns.fr)
            - Web : www.genoscope.cns.fr).
COMMENT     On Apr 30, 2001 this sequence version replaced gi:11181947.
            ---------- Genome Center
            Center: Genoscope / Centre National de Sequencage
            Center code: GS
            Web site: http://www.genoscope.cns.fr/
            Contact: SeqRef@genoscope.cns.fr
            ----------
            The following BAC sequence is oriented from the T7 to the SP6 end.
            ---------- Summary Statistics
            Assembly program: Phrap; version 2.0
            Quality coverage: 7.31x in Q20 bases; sum-of-contigs
            ----------
            Overall quality chart :
```

```
FEATURES             Location/Qualifiers
     source          1..298
                     /organism="unidentified"
                     /mol_type="unassigned DNA"
                     /db_xref="taxon:32644"
ORIGIN

Query Match      29.3%; Score 31.4; DB 6; Length 298;
Best Local Similarity 30.3%; Pred. No. 3.7e+02;
Matches 23; Conservative 9; Mismatches 44; Indels 0; Gaps 0;

Qy     32 UUNNNNNNAAAAANUANAAACAUNNNNNCUUNAGNNNNNNNNNNNNNNNAGAAAUNNNNNNN 91
            ::   |||| :|||||| |::||   |||||
Db     89 TTTGTACATAAAATAAAACATGACTTCTTTAGACACTCCTTCATTAGAAATAAAAATAA 148

Qy     92 NNNNNNNNUUAGCAG 107
            ||||||
Db    149 AATAACATTAGCAG 164

RESULT 2
CNS05TBQ/c
LOCUS       CNS05TBQ      162986 bp    DNA    linear    PRI 03-MAY-2001
DEFINITION  Human chromosome 14 DNA sequence BAC R-533L7 of library RPCI-11
            from chromosome 14 of Homo sapiens (Human), complete sequence.
ACCESSION   AL163953
VERSION     AL163953.3  GI:12001746
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 162986)
  AUTHORS   Heilig,R., Petit,J.L., Vico,V., Dasilva,C., Robert,C., Wincker,P.,
            Brottier,P., Cattolico,L., Barbe,V., Pelletier,E., Artiguenave,F.,
            Levy,M., Eckenberg,R., Bruls,T., deBerardinis,V., Cruaud,C.,
            Gyapay,G., Saurin,W. and Weissenbach,J.
  TITLE     Sequencing of the human chromosome 14
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 162986)
  AUTHORS   Genoscope.
  TITLE     Direct Submission
  JOURNAL   Submitted (02-MAY-2001) Genoscope - Centre National de Sequencage :
            BP 191 91006 EVRY cedex - FRANCE (E-mail : seqref@genoscope.cns.fr)
            - Web : www.genoscope.cns.fr).
COMMENT     On Jan 1, 2001 this sequence version replaced gi:7768128.
            ---------- Genome Center
            Center: Genoscope / Centre National de Sequencage
            Center code: GS
            Web site: http://www.genoscope.cns.fr/
            Contact: SeqRef@genoscope.cns.fr
            ----------
            The following BAC sequence is oriented from the T7 to the SP6 end.
            ---------- Summary Statistics
            Assembly program: Phrap; version 2.0
            Quality coverage: 8.81x in Q20 bases; sum-of-contigs
            ----------
            Overall quality chart :
            Range   :  bases
            0       :
            1 - 9   :
            10 - 19 :
            20 - 29 :
            30 - 39 :          2
            40 - 49 :        251
            50 - 59 :       1196
            60 - 69 :       2599
            70 - 79 :       9911
            80 - 89 :      40597
            90 - 99 :     108430

            Percentage of bases with a quality value >= 40 : 99 %.
```

```
Range     :  bases
 0 -   9  :
10 -  19  :      62
20 -  29  :     234
30 -  39  :     702
40 -  49  :    3036
50 -  59  :    5255
60 -  69  :    8791
70 -  79  :   18773
80 -  89  :   41646
90 -  99  :   88899
```

Percentage of bases with a quality value >= 40 : 99 %.

```
FEATURES             Location/Qualifiers
     source          1..167398
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="14"
                     /clone="R-369B6"
                     /clone_lib="RPCI-11"
     STS             90076..90202
                     /note="matching EMBL:N74379
                     RHdb:RH91341
                     dbSTS:STS64476
                     Identified using the e-PCR software (G. Schuler)"
     STS             107900..108074
                     /note="matching EMBL:G03450
                     RHdb:RH53483
                     RHdb:RH3638
                     dbSTS:STS817
                     Identified using the e-PCR software (G. Schuler)"
     STS             123280..123531
                     /note="matching EMBL:G05389
                     RHdb:RH53673
                     RHdb:RH3780
                     dbSTS:STS4997
                     Identified using the e-PCR software (G. Schuler)"
ORIGIN
```

```
Query Match            28.0%;  Score 30;  DB 9;  Length 167398;
Best Local Similarity  22.1%;  Pred. No. 1.3e+02;
Matches   23;  Conservative  13;  Mismatches  68;  Indels   0;  Gaps   0;

Qy      3 AAAAUNNNNNUNAUAUGNNNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
          ||||                                                      ::
Db 115884 AAAAAAAATCATATTATGTATAATCTTTTTTTTTGGTGACAGGCTAGAGAAAGGATGCTT 115825

Qy     63 NAGNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNUUAGCA 106
          ||||||                              ::||
Db 115824 GGGTGGCAATTGAAATAGAAATCCACTTTCAAATACTATTACCA 115781
```

```
RESULT 4
BT001281
LOCUS       BT001281                1311 bp    mRNA    linear   INV 15-NOV-2002
DEFINITION  Drosophila melanogaster AT07872 full insert cDNA.
ACCESSION   BT001281
VERSION     BT001281.1  GI:25009724
KEYWORDS    FLI_CDNA.
SOURCE      Drosophila melanogaster (fruit fly)
  ORGANISM  Drosophila melanogaster
            Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
            Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
            Ephydroidea; Drosophilidae; Drosophila.
REFERENCE   1  (bases 1 to 1311)
  AUTHORS   Stapleton,M., Brokstein,P., Hong,L., Agbayani,A., Carlson,J.,
            Champe,M., Chavez,C., Dorsett,V., Dresnek,D., Farfan,E.,
            George,R., Gonzalez,M., Guarin,H., Kronmiller,B., Li,P., Liao,G.,
            Miranda,A., Mungall,C.J., Nunoo,J., Pacleb,J., Paragas,V., Park,S.,
            Patel,S., Phouanenavong,S., Wan,K., Yu,C., Lewis,S.E., Rubin,G.M.
            and Celniker,S.
```

```
TITLE       Direct Submission
JOURNAL     Submitted (15-NOV-2002) Berkeley Drosophila Genome Project,
            Lawrence Berkeley National Laboratory, One Cyclotron Road,
            Berkeley, CA 94720, USA
COMMENT     Sequence submitted by:
            Berkeley Drosophila Genome Project
            Lawrence Berkeley National Laboratory
            Berkeley, CA 94720
            This clone was sequenced as part of a high-throughput process to
            sequence clones from Drosophila Gene Collection 1 (Rubin et al.,
            Science 2000). The sequence has been subjected to integrity checks
            for sequence accuracy, presence of a polyA tail and contiguity
            within 100 kb in the genome. Thus we believe the sequence to
            reflect accurately this particular cDNA clone. However, there are
            artifacts associated with the generation of cDNA clones that may
            have not been detected in our initial analyses such as internal
            priming, priming from contaminating genomic DNA, retained introns
            due to reverse transcription of unspliced precursor RNAs, and
            reverse transcriptase errors that result in single base changes.
            For further information about this sequence, including its location
            and relationship to other sequences, please visit our Web site
            (http://fruitfly.berkeley.edu) or send email to
            cdna@fruitfly.berkeley.edu.
FEATURES             Location/Qualifiers
     source          1..1311
                     /organism="Drosophila melanogaster"
                     /mol_type="mRNA"
                     /db_xref="taxon:7227"
     gene            1..1311
                     /gene="CG17138"
                     /db_xref="FLYBASE:FBgn0039021"
     CDS             36..1229
                     /gene="CG17138"
                     /note="Longest ORF"
                     /codon_start=1
                     /product="AT07872p"
                     /protein_id="AAN71037.1"
                     /db_xref="GI:25009725"
                     /db_xref="FLYBASE:FBgn0039021"
                     /translation="MTQPRICFIVGALILSCTCVSCSSKDKCAAIEHNPNSNTSYDFVP
                     HILHALAIHRPCVIGDPKCLCHVATIQRDLEPVVDKGITPEMMAQSKRLGTFYQIIRG
                     RIYRQQKCLHPKRCADVEDLLLDMASGVADLEFVLNVRDWPQVHFLSGLSGPVFSYSI
                     TNRHLDIMYPAWSFWTTTGPILQHYPHGVGRWDWMRKHIVARASLPWSAKRAIGFFR
                     GSRSPERDSLVRLSQRRPDLVDAQYTILATDADPVERKMPLVEHCQFKYLFNFRGVAA
                     SFRLRHILCRSLVLHVGDQWQEFFYSQLKPWVHYVPVASDADVDBLAELILYLREHD
                     DLAEBIAERGQQFIWLHLRMEDVQCYWSKMLQEYAKLLTYKVQREPGLLEVSNKKAVQ
                     LYRGK"
ORIGIN
```

```
Query Match            27.9%;  Score 29.8;  DB 3;  Length 1311;
Best Local Similarity  26.5%;  Pred. No. 5.8e+02;
Matches   22;  Conservative  12;  Mismatches  49;  Indels   0;  Gaps   0;

Qy      1 GGAAAAUNNNNNUNAUAUGNNNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNC 60
          ||||||      :: ::       :::      |||||  :: :: |||| :: |||
Db   1221 GGAAAATAAACTTAGTATTTACAATCTTAGTTTTGTACCAAAAAATAAAAATCTGTATAA 1280

Qy     61 UUNAGNNNNNNNNNNNNNAGAAA 83
          :: ::            |||
Db   1281 TTAAAAAAAAAAAAAAAA 1303
```

```
RESULT 5
AC117436/c
LOCUS       AC117436              133636 bp    DNA     linear   PRI 01-OCT-2002
DEFINITION  Homo sapiens 3 BAC RP11-69K16 (Roswell Park Cancer Institute Human
            BAC Library) complete sequence.
ACCESSION   AC117436
VERSION     AC117436.6  GI:23355769
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
```

REFERENCE   1 (bases 1 to 133636)
AUTHORS   Muzny,D.M., Adams,C., Adio-Oduola,B., Ali-osman,F.R., Allen,C.,
            Alsbrooks,S.L., Amaratunge,H.C., Are,J.R., Ayele,M., Banks,T.,
            Barbaria,J., Benton,J., Bimage,K., Blankenburg,K., Bonnin,D.,
            Bouck,J., Bowie,S., Brieva,M., Brown,E., Brown,M., Bryant,N.P.,
            Buhay,C., Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C.,
            Carron,T.F., Carter,M., Cavazos,S.R., Chacko,J., Chavez,D.,
            Chen,G., Chen,R., Chen,Z., Chowdhry,I., Christopoulos,C.,
            Cleveland,C.D., Cox,C., Coyle,M.D., Dathorne,S.R., David,R.,
            Davila,M.L., Davis,C., Davy-Carroll,L., Dederich,D.A.,
            Delaney,K.R., Delgado,O., Denn,A.L., Ding,Y., Dinh,H.H.,
            Douthwaite,K.J., Draper,H., Dugan-Rocha,S., Durbin,K.J.,
            Earnhart,C., Edgar,D., Edwards,C.C., Elhaj,C., Escotto,M.,
            Falls,T., Ferraguto,D., Flagg,N., Ford,J., Foster,P., Frantz,P.,
            Gabisi,A., Gao,J., Garcia,A., Garner,T., Garza,N., Gill,R.,
            Gorrell,J.H., Guevara,W., Gunaratne,P., Hale,S., Hamilton,K.,
            Harris,C., Harris,K., Hart,M., Havlak,P., Hawes,A., He,X.,
            Hernandez,J., Hernandez,O., Hodgson,A., Hogues,M., Holloway,C.,
            Hollins,B., Homsi,F., Howard,S., Huber,J., Hulyk,S., Hume,J.,
            Jackson,L.E., Jacobson,B., Jia,Y., Johnson,K., Jolivet,S.,
            Joudah,S., Karlsson,E., Kelly,S., Khan,U., King,L., Korvah,J.,
            Kovar,C., Kratovic,J., Kureshi,A., Landry,N., Leal,B., Lewis,L.C.,
            Lewis,L., Li,J., Li,Z., Lichtarge,O., Lieu,C., Liu,J., Liu,W.,
            Loulseged,H., Lozado,R.J., Lu,X., Lucier,R., Lucier,R., Luna,R.,
            Ma,J., Maheshwari,M., Mapua,P., Martin,R., Martindale,A.,
            Martinez,E., Massey,E., Mawhiney,E., McLeod,M.P., Meador,M.,
            Mei,G., Metzker,M., Miner,G., Miner,Z., Mitchell,T., Mohabbat,K.,
            Moore,S., Morgan,M., Moorish,T., Morris,S., Moser,M., Neal,D.,
            Nelson,D., Newton,J., Newtson,N., Nguyen,A., Nguyen,N., Nguyen,N.,
            Nickerson,E., Nwokenkwo,S., Oguh,M., Okwuonu,G., Oragunye,N.,
            Oviedo,R., Pace,A., Payton,B., Peery,J., Perez,L., Peters,M.,
            Pickens,R., Primus,E., Pu,L.L., Rolfe,M., Ruiz,S., Savery,G.,
            Rojas,A., Rojubokan,I., Rolfe,M., Ruiz,S., Savery,G., Scherer,S.,
            Scott,G., Shen,H., Shooshtari,N., Sisson,I., Sodergren,E.,
            Sonaike,T., Sparks,A., Stanley,H., Stone,H., Sutton,A., Svatek,A.,
            Tabor,P., Tamerisa,A., Taylor,C., Tang,H., Tansey,J., Taylor,C.,
            Taylor,T., Telfrod,B., Thomas,N., Thomas,S., Usmani,K., Vasquez,L.,
            Vera,V., Villalon,D., Vinson,R., Wang,Q., Wang,S., Ward-Moore,S.,
            Warren,R., Washington,C., Watlington,S., Williams,G.,
            Williamson,A., Wleczyk,R., Wooden,S., Worley,K., Wu,C., Wu,Y.,
            Wu,Y.F., Zhou,J., Zorrilla,S., Naylor,S.L., Weinstock,G. and
            Gibbs,R.
TITLE   Direct Submission
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 133636)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (10-APR-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   3 (bases 1 to 133636)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (29-JUN-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   4 (bases 1 to 133636)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (30-SEP-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   5 (bases 1 to 133636)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (01-OCT-2002) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
COMMENT   On Sep 30, 2002 this sequence version replaced gi:21553164.
            INFORMATION: http://www.hgsc.bcm.tmc.edu/ or email
            gc-help@bcm.tmc.edu

            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

CLONE LENGTH: This sequence does not necessarily represent the
entire insert of this clone. Overlapping regions of clones are only
sequenced and submitted once, so the sequence for the remainder of
the insert may be found in the record for the adjacent clones.
Overlapping clones are noted at the beginning and end of the
Features listing.

ANNOTATION OF FEATURES:
   STSs are identified using ePCR (Genome Res. 7:541-550) searches
of a local database that includes entries from dbSTS, GDB, and
local mapping efforts.
   Repeats are identified using RepeatMasker (A. Smit and P. Green,
unpublished.) for Human and Mouse sequences.
   Genes and Region of sequence similarity are identified by BLAST
(Nuc. Acids Res.25:3389-3402) similarity (expect < 1e-34) to the
EST and cDNA sequences. Genes demonstrate at least two exons
flanked by consensus splice sites that maintained sequence
continuity across the splice junctions. Sequences that are not
identical matches are annotated as similar.

SEQUENCING READ COVERAGE:Sequencing is completed to a minimum
standard of double strand coverage with a minimum of 2 clones and 2
reads with no ambiguities or 2 chemistries with a minimum of 2
clones and 3 reads with no ambiguities. If the sequence quality for
a region does not meet this standard, it will be indicated in the
annotation as Low Coverage.

QUALITY OF INDIVIDUAL BASES:This sequence meets stringent quality
standards - estimated error rate less than 1 per 10,000 bases.
Reports of lowest quality individual bases and measures of base
quality are listed below. Description of the metrics can be found
at URL:
http://www.hgsc.bcm.tmc.edu:8088/quality.info/genbank.annotation.ht
ml.

FEATURES   Location/Qualifiers
     source   1..133636
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="3"
                     /clone="RP11-69K16"
     STS   7..197
                     /standard_name="RH122785"
     repeat_region   complement(513..810)
                     /rpt_family="AluSx"
     repeat_region   833..1131
                     /rpt_family="AluJb"
     repeat_region   1423..1453
                     /rpt_family="AT_rich"
     repeat_region   1599..1747
                     /rpt_family="MER46C"
     repeat_region   1794..2232
                     /rpt_family="MER9"
     repeat_region   2233..2253
                     /rpt_family="MER9"
     repeat_region   complement(2254..2310)
                     /rpt_family="(TG)n"
     repeat_region   2254..2310
                     /rpt_family="MER9"
     repeat_region   8037..8312
                     /rpt_family="HERVK_9"
     repeat_region   8313..8845
                     /rpt_family="MER9"
     repeat_region   complement(8886..9207)
                     /rpt_family="LIM4c"
     repeat_region   9225..9396
                     /rpt_family="(TA)n"
     repeat_region   complement(9405..9825)
                     /rpt_family="LIM4c"
     repeat_region   complement(10094..10457)
                     /rpt_family="LiME"
     repeat_region   complement(10456..10578)
                     /rpt_family="LIMEC"
     repeat_region   complement(10579..10881)
                     /rpt_family="AluJb"

```
TITLE     Direct Submission
JOURNAL   Submitted (05-APR-2001) Sanger Centre, Hinxton, Cambridgeshire,
          CB10 1SA, UK. E-mail enquiries: humquery@sanger.ac.uk Clone
          requests: clonerequest@sanger.ac.uk
COMMENT   On Apr 6, 2001 this sequence version replaced gi:13273767.
          During sequence assembly data is compared from overlapping clones.
          Where differences are found these are annotated as variations
          together with a note of the overlapping clone name. Note that the
          variation annotation may not be found in the sequence submission
          corresponding to the overlapping clone, as we submit sequences with
          only a small overlap as described above.
          This sequence was finished as follows unless otherwise noted: all
          regions were either double-stranded or sequenced with an alternate
          chemistry or covered by high quality data (i.e., phred quality >=
          30); an attempt was made to resolve all sequencing problems, such
          as compressions and repeats; all regions were covered by at least
          one plasmid subclone or more than one M13 subclone; and the
          assembly was confirmed by restriction digest. The following
          abbreviations are used to associate primary accession numbers given
          in the feature table with their source databases: Em:, EMBL; Sw:,
          SWISSPROT; Tr:, TREMBL; Wp:, WORMPEP; information on the WORMPEP
          database can be found at
          http://www.sanger.ac.uk/Projects/C_elegans/wormpep This sequence
          was generated from part of bacterial clone contigs of human
          chromosome 13, constructed by the Sanger Centre Chromosome 13
          Mapping Group. Further information can be found at
          http://www.sanger.ac.uk/HGP/Chr13
          RP11-431P10 is from the library RPCI-11.2 constructed by the group
          of Pieter de Jong. For further details see
          http://www.chori.org/bacpac/home.htm
          VECTOR: pBACe3.6
          IMPORTANT: This sequence is not the entire insert of clone
          RP11-431P10 It may be shorter because we sequence overlapping
          sections only once, except for a 100 base overlap.
          The true right end of clone RP11-431P10 is at 86050 in this
          sequence. The true left end of clone RP11-569O12 is at 48980 in
          this sequence. The true right end of clone RP11-600P1 is at 100 in
          this sequence.

FEATURES             Location/Qualifiers
     source          1..86050
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /chromosome="13"
                     /clone="RP11-431P10"
                     /clone_lib="RPCI-11.2"
     misc_feature    110..591
                     /note="match: GSS: Em:AQ621405"
     repeat_region   1507..1694
                     /note="MER5A repeat: matches 1. .188 of consensus"
     repeat_region   1836..2969
                     /note="L1M4 repeat: matches 2582. .3743 of consensus"
     repeat_region   2996..3141
                     /note="L1MEc repeat: matches 1479. .1635 of consensus"
     repeat_region   3270..4102
                     /note="L1MEc repeat: matches 1695. .2275 of consensus"
     repeat_region   4530..6157
                     /note="L1PA15 repeat: matches 4541. .6157 of consensus"
     repeat_region   7573..7622
                     /note="25 copies 2 mer gt 78% conserved"
     repeat_region   8343..8653
                     /note="AluSx repeat: matches 1. .311 of consensus"
     repeat_region   9055..9356
                     /note="MLT1E repeat: matches 251. .568 of consensus"
     misc_feature    complement(9811. .10118)
                     /note="match: GSS: Em:AQ092782"
     misc_feature    complement(10087. .10508)
                     /note="match: GSS: Em:AQ215557"
     misc_feature    10231. .10707
                     /note="match: GSS: Em:AQ728730"
     misc_feature    10260. .10779
                     /note="match: GSS: Em:AQ804059"
     repeat_region   11538. .11837
```

```
     repeat_region   complement(10882. .11975)
                     /rpt_family="L1MEc"
     STS             11721. .11845
                     /standard_name="SHGC-77614"
     repeat_region   12033. .12114
                     /rpt_family="MER46C"
     repeat_region   12758. .13289
                     /rpt_family="L2"
     repeat_region   13532. .13569
                     /rpt_family="AT_rich"
     repeat_region   15616. .15945
                     /rpt_family="L1PB3"
     repeat_region   15946. .15984
                     /rpt_family="(TAAA)n"
     repeat_region   15985. .17070
                     /rpt_family="L1PB3"
     repeat_region   18445. .19144
                     /rpt_family="L2"
     repeat_region   19145. .19166
                     /rpt_family="AT_rich"
     repeat_region   19292. .19417
                     /rpt_family="L1M4"
     repeat_region   19697. .20414
                     /rpt_family="MER21B"
     repeat_region   20465. .20575
                     /rpt_family="L2"
     repeat_region   20697. .21004
                     /rpt_family="AluY"
     repeat_region   22243. .22552
                     /rpt_family="AluSq"
     repeat_region   22553. .22717
                     /rpt_family="AluSg/x"
     repeat_region   23062. .23121
                     /rpt_family="(TA)n"
     repeat_region   23205. .23829
                     /rpt_family="L2"
     repeat_region   23799. .24083
                     /rpt_family="L2"
     repeat_region   24096. .24150
                     /rpt_family="L2"
     repeat_region   complement(24162. .24377)
                     /rpt_family="MIR"
     repeat_region   24378. .24447
                     /rpt_family="(TA)n"
     repeat_region   24456. .24795
                     /rpt_family="L2"
```

```
RESULT 6
AL359647

Query Match     27.9%;   Score 29.8;  DB 9;   Length 133636;
Best Local Similarity   23.4%;   Pred. No. 1.6e+02;
Matches   25;  Conservative  12;  Mismatches  70;  Indels  0;  Gaps  0;

Qy        1 GGAAAAUNNNNNUNAUAUGNNNNNNNNCUNNNNUUNNNNNNNAAAAANUANAAACAUNNNNNC  60
            |||||                 ::   :  :::     ||||  ||| |||:|:
Db    98804 GGAAACATCTATTAATTGTGACTTTTACATTGCCCAGAAAATTTGTAAGCATGGTCTC  98745

Qy       61 UUNAGNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNUUAGCAG  107
            |||||:                              ::  |||
Db    98744 TGAAATAGGCTAAGAGAAGAAATGGAAAGGAAATGGCCTTTTGTAG  98698

LOCUS       AL359647       86050 bp    DNA      linear   PRI 05-APR-2001
DEFINITION  Human DNA sequence from clone RP11-431P10 on chromosome 13,
            complete sequence.
ACCESSION   AL359647
VERSION     AL359647.9  GI:13560015
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 86050)
AUTHORS     Phillimore,B.
```

```
repeat_region   11838..11873
                /note="AluY repeat: matches 3. .302 of consensus"
misc_feature    14096..14213
                /note="12 copies 3 mer taa 100% conserved"
misc_feature    14097..14420
                /note="match: STS: Em:G19980"
misc_feature    14676..14943
                /note="match: STS: Em:G06796"
repeat_region   14676..14943
                /note="MLT1A2 repeat: matches 4. .296 of consensus"
misc_feature    complement(14720..15135)
                /note="match: GSS: Em:AQ694000"
repeat_region   15052..15118
                /note="MLT1C repeat: matches 400. .466 of consensus"
repeat_region   15370..15894
                /note="L2 repeat: matches 790. .1041 of consensus"
repeat_region   15357..15894
                /note="L2 repeat: matches 2156. .2717 of consensus"
repeat_region   15929..16389
                /note="L2 repeat: matches 1057. .1516 of consensus"
repeat_region   16582..16879
                /note="AluJb repeat: matches 1. .312 of consensus"
repeat_region   17069..17312
                /note="MIR repeat: matches 5. .259 of consensus"
repeat_region   17590..18043
                /note="L1MA9 repeat: matches 5814. .6308 of consensus"
misc_feature    complement(17916..18452)
                /note="match: GSS: Em:AQ591830"
misc_feature    complement(18023..18281)
                /note="match: GSS: Em:AG019010"
misc_feature    complement(18036..18247)
                /note="match: GSS: Em:AQ375527"
repeat_region   18139..18182
misc_feature    18155..18499
                /note="22 copies 2 mer ta 79% conserved"
misc_feature    complement(18155..18499)
                /note="match: GSS: Em:AQ179736"
repeat_region   18296..18710
                /note="L1MA9 repeat: matches 5365. .5794 of consensus"
repeat_region   18711..19930
                /note="Tigger3b repeat: matches 3. .1231 of consensus"
repeat_region   19931..19966
                /note="L1MA9 repeat: matches 5329. .5365 of consensus"
repeat_region   19967..20362
                /note="MLT1A1 repeat: matches 3. .365 of consensus"
repeat_region   20363..22158
                /note="L1MA9 repeat: matches 3600. .5329 of consensus"
repeat_region   22167..22346
                /note="L2 repeat: matches 2021. .2197 of consensus"
misc_feature    complement(22629..23020)
                /note="match: GSS: Em:AQ133578"
repeat_region   23041..23402
                /note="L1PA3 repeat: matches 5044. .6146 of consensus"
repeat_region   23533..23893
                /note="THE1B repeat: matches 1. .364 of consensus"
repeat_region   24445..24663
                /note="L1PA15 repeat: matches 5791. .6157 of consensus"
repeat_region   26108..26517
                /note="AluJo repeat: matches 22. .244 of consensus"
repeat_region   26730..26895
                /note="MER57A repeat: matches 1. .426 of consensus"
repeat_region   27390..28487
                /note="MER53 repeat: matches 1. .188 of consensus"
repeat_region   28499..29224
                /note="L1PA3 repeat: matches 5044. .6146 of consensus"
repeat_region   29374..29553
                /note="L1PA3 repeat: matches 4286. .5014 of consensus"
repeat_region   30291..31294
                /note="MIR repeat: matches 20. .215 of consensus"
repeat_region   31619..31647
                /note="LiM2 repeat: matches 4712. .5713 of consensus"
repeat_region   31648..31944
                /note="MIR repeat: matches 196. .225 of consensus"
repeat_region   31945..32144
                /note="AluY repeat: matches 3. .299 of consensus"
repeat_region
                /note="MIR repeat: matches 6. .196 of consensus"

repeat_region   32300..32365
                /note="33 copies 2 mer cc 68% conserved"
repeat_region   32542..33345
                /note="L1PA5 repeat: matches 5342. .6145 of consensus"
repeat_region   33346..33572
                /note="L1PA5 repeat: matches 5107. .5333 of consensus"
repeat_region   33723..33822
                /note="L1MA9 repeat: matches 6199. .6300 of consensus"
misc_feature    complement(33849..34245)
                /note="match: GSS: Em:B32835"
repeat_region   34035..34165
                /note="L2 repeat: matches 2561. .2690 of consensus"
repeat_region   34745..34809
                /note="MIR repeat: matches 71. .134 of consensus"
repeat_region   34839..37202
                /note="TIGGER1 repeat: matches 1. .2414 of consensus"
misc_feature    40465..40878
                /note="match: GSS: Em:AQ109183"
repeat_region   41540..41641
                /note="L2 repeat: matches 2397. .2489 of consensus"
repeat_region   42086..42218
                /note="MER91A repeat: matches 46. .186 of consensus"
misc_feature    42489..42816
                /note="match: STS: Em:HSPH30H6"
repeat_region   44832..45269
                /note="MLT1C repeat: matches 6. .466 of consensus"
repeat_region   45290..45388
                /note="L2 repeat: matches 1662. .1748 of consensus"
repeat_region   45389..45863
                /note="MLT2FA repeat: matches 1. .448 of consensus"
repeat_region   45864..46154
                /note="L2 repeat: matches 1748. .2097 of consensus"
repeat_region   46192..46414
                /note="MLT1B repeat: matches 154. .390 of consensus"
repeat_region   46415..46717
                /note="AluSq repeat: matches 1. .307 of consensus"
repeat_region   46718..46803
                /note="MLT1B repeat: matches 112. .154 of consensus"
repeat_region   46804..47085
                /note="AluSg repeat: matches 1. .302 of consensus"
repeat_region   47086..47191
                /note="MLT1B repeat: matches 1. .112 of consensus"


Query Match             27.7%;  Score 29.6;  DB 9;  Length 86050;
Best Local Similarity   21.6%;
Matches   22;  Conservative   13;  Mismatches   67;  Indels    0;  Gaps    0;

Qy          1 GGAAAAUNNNNUNAUAUGNNNNNNCUNNNVUUNNNNNAAAAANUNAAAACAUNNNNNC 60
              ||||||  |  :  ::    |:  ||:: |       ||||||||
Db      72475 GCAATATACCCCTACTATGAGCTTCCTTCTTTCTTTTTCCCCTACAATTCCAAACAGTTCCTA 72534

Qy         61 UUNAGNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNU 102
              ||:|  ||||
Db      72535 TGTAGAGTTCTTAGCAATAGAAAATATGATTATCTATTATTT 72576
```

```
            Fuhrmann,J.L., Nguyen,D.T., Utterback,T., Kelley,J.M.,
            Peterson,J.D., Sadow,P.W., Hanna,M.C., Cotton,M.D., Hurst,M.A.,
            Roberts,K.M., Kaine,B.B., Borodovsky,M., Klenk,H.P., Fraser,C.M.,
            Smith,H.O., Woese,C.R. and Venter,J.C.
  TITLE     Complete genome sequence of the methanogenic archaeon,
            Methanococcus jannaschii
  JOURNAL   Science 273 (5278), 1058-1073 (1996)
  MEDLINE   96337999
  PUBMED    8688087
REFERENCE   2  (bases 1 to 17492)
  AUTHORS   Bult,C.J., White,O., Olsen,G.J., Zhou,L., Fleischmann,R.D.,
            Sutton,G.G., Blake,J.A., FitzGerald,L.M., Clayton,R.A.,
            Gocayne,J.D., Kerlavage,A.R., Dougherty,B.A., Tomb,J.-F.,
            Adams,M.D., Reich,C.I., Overbeek,R., Kirkness,E.F., Weinstock,K.G.,
            Merrick,J.M., Glodek,A., Scott,J.D., Geoghagen,N.S., Weidman,J.F.,
            Fuhrmann,J.L., Nguyen,D.T., Utterback,T., Kelley,J.M.,
            Peterson,J.D., Sadow,P.W., Hanna,M.C., Cotton,M.D., Hurst,M.A.,
            Roberts,K.M., Kaine,B.B., Borodovsky,M., Klenk,H.P., Fraser,C.M.,
            Smith,H.O., Woese,C.R. and Venter,J.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (27-AUG-1996) The Institute for Genomic Research, 9712
            Medical Center Dr, Rockville, MD 20850, USA
COMMENT     On Oct  3, 1996 this sequence version replaced gi:1563994.
FEATURES             Location/Qualifiers
     source          1..17492
                     /organism="Methanocaldococcus jannaschii"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:2190"
     gene            complement(87..515)
                     /gene="MJ0952"
     CDS             complement(87..515)
                     /gene="MJ0952"
                     /note="similar to SP:Q04493 PID:575709 percent identity:
                     26.72; identified by sequence similarity; putative"
                     /codon_start=1
                     /transl_table=11
                     /product="conserved hypothetical protein"
                     /protein_id="AAB98957.1"
                     /db_xref="GI:1592316"
                     /translation="MENMAEDLRQKAMALEIYNQQLQMIQSETTSIRALKSEIMNSIK
                     TIENIKADEETLIPVGPGVFLKAIVGVKSDIIVEKSFNEVIEDLKKSVEDL
                     DKAEKEGMKKARELAKAITALRKELQTEIQKAQQAQDKKQ"
     gene            696..998
                     /gene="MJ0953"
     CDS             696..998
                     /gene="MJ0953"
                     /note="similar to GB:AE000666 percent identity: 52.00;
                     identified by sequence similarity; putative"
                     /codon_start=1
                     /transl_table=11
                     /product="conserved hypothetical protein"
                     /protein_id="AAB98958.1"
                     /db_xref="GI:1499790"
                     /translation="MRLLGVIGYIAVLLKAICBSWVDVVKRSINGEIHPQVIEIESII
                     NNPTGLVLLSWSITATPGTLVIDLIPEERKLKVAVISPRSREDIVPFEPYIKKIFD"
     gene            complement(1007..2329)
                     /gene="MJ0954"
     CDS             complement(1007..2329)
                     /gene="MJ0954"
                     /note="similar to GB:M59200 PID:150044 percent identity:
                     30.13; identified by sequence similarity; putative"
                     /codon_start=1
                     /transl_table=11
                     /product="S-layer structural protein"
                     /protein_id="AAB98959.1"
                     /db_xref="GI:1591621"
                     /translation="MLRLQMMEGLIVKRTLLILLLLVISVSYALPIEPIIYVNKSTVD
                     YQNAKILMDNFYSSREININGDNVTIVINDIMYIPSIDELEIKNGDKNLIIKFDRDGN
                     KVKYKDIECIEYLNLKKGEEISLPNKSYIVEDITSNYVILKEKDGKEVLTNESFEYDG
                     YKVVKLVSSDLNTIIVDIYKNEKVLDSPKLITKGKIYMKGGTIGLMYENCTRIGKGY
                     RFTFRVYSTIKIEEGEDYPLDKEFKVKEISTDKIKLEYKNIDSLGNEIYLFNYTIIPE
                     KCYKDYVLFKVIKRKEKTVDKVDVAYIGDGIYAVKVNNTVHVFYKGKELKNHEKIYLG
                     YESIRITDLAYNNGLLLIETNENHKLHYYIVKNNSIEEIKLKNIIKLYKKKHSLWDDI
                     SVDVYSSNPLNVNKDILIIGGPKVNKIVKELEDKGLLKVNISTNYPGNNRGIILKIKN
```

```
                     PYNDNNIYILAGSDRWGTKAAILVFLTKYNDEDTLMVEWDKGEIKIIK"
     gene            2378..3499
                     /gene="MJ0955"
     CDS             2378..3499
                     /gene="MJ0955"
                     /note="similar to SP:P06986 GB:U02071 GB:X03416 PID:41695
                     PID:41710 percent identity: 29.00; identified by sequence
                     similarity; putative"
                     /codon_start=1
                     /transl_table=11
                     /product="histidinol-phosphate aminotransferase (hisC)"
                     /protein_id="AAB98960.1"
                     /db_xref="GI:1591622"
                     /translation="MGDWMIENKVRDVVKKLKPYVPGKSKEEIARAYGIKPEDIIKLG
                     SNENPWGPSPKIKEKILDEIDKIHQYPEPVNPILMKELSKFLNVDEENIIVGDGADE
                     IIDTIFRTFVDDGDEVIIPIPTFTQYRVSATIHNAKIKAYKDKEKDFKLNVESVLNN
                     ITDKTKVIFLCTPNNPTGNIIENRDVERVINETDALVVIDHAYIEYAKKEYDWTQKAP
                     EYDNVIVLRTFSKVFGLAGMRVGYGVANKKIIDYMRVKPIFSLTRLSQVCAITALRD
                     REFFERCVRDGIKSREMLYNGLKKFKDIKVPSEANYLLVELKTMKAKEFCEELLKRG
                     VIVRDCTSFDGLGDNVRVSIGTFEEVERFLKLEEIIS"
     gene            3645..4427
                     /gene="MJ0956"
     CDS             3645..4427
                     /gene="MJ0956"
                     /note="hypothetical protein; identified by GeneMark;
                     putative"
                     /codon_start=1
                     /transl_table=11
                     /product="M. jannaschii predicted coding region MJ0956"
                     /protein_id="AAB98969.1"
                     /db_xref="GI:1499793"
                     /translation="MHEDVWSLIKETNHKTILYSHGMQNRVLLGYLLKRGKYNFDFE
                     AVTFISDRSPKWVRBEIKWIMKANDVKHRFIECGKCKISLENNGHDYHGSCVVWEGIK
                     NFEGGVVASSIGEHIKDKERFLUTWCNDYNLFPFIHLNVSRERIVKEFESLDKNLISS
                     CYHACVFCPILYKLGKSLIKSEIFYKKILTDNERKEHALNEFYDAMKEQDIGRMINS
                     VKIYYNKYIRELDEPYADYIKSRDVEMPDKLVNKCKEYLGVK"
     gene            4427..5479
                     /gene="MJ0957"
     CDS             4427..5479
                     /gene="MJ0957"
                     /note="hypothetical protein; identified by GeneMark;
                     putative"
                     /codon_start=1
                     /transl_table=11
                     /product="M. jannaschii predicted coding region MJ0957"
                     /protein_id="AAB98970.1"
                     /db_xref="GI:1499794"
                     /translation="MGDDIYIPPKPKPKPKPEYKALWYFKYNTYEKRFNGTVGD
                     LLNRGFNYAIALEKDEGSGTPESGNLREDGEKDGKEFGEFINSELSGIKYIAQIPYYK
                     RGMLEKLKNASKDKDKQMEYYINHIYLVKRTLEYWKGWIDGVIESCDSNLVGFYWNFES
                     PGQVSWGFITDWEIAQLSTYIKQKSNELNRKLEFIWIPYINDIENPDNNDIKRLSKYF
                     DYVFVQPHYIAWKIWCLWNVKNVSEDIREYWKYQINRYNGYLTQGITKLIEVLNWI
                     KEIPNGYIEMEVDNKIDEYKYHDLINKACDYIKAREFLTGRDIWQIRAYYFDTNIENV
                     DKVRNGAYGIKGCKNW"
     gene            5484..6764
                     /gene="MJ0958"
     CDS             5484..6764
                     /gene="MJ0958"
                     /note="hypothetical protein; identified by GeneMark;
                     putative"
                     /codon_start=1
                     /transl_table=11
                     /product="M. jannaschii predicted coding region MJ0958"
                     /protein_id="AAB98971.1"
                     /db_xref="GI:1499795"
                     /translation="MKKFILFLILLFSIYFLNVSSAEVCPFKDGFIIIYHDIGYDKL
                     FGYTYNDSEILYFNNKNLMDITPISDYYFPELYHNITYFECGSTNNLTILSFGYYFYP
                     KNGDGIVFLGVLVYTTKNNKINYTEKILWADVFYSVDDFDISPPACSPNEALLVYCYK
                     MKADYPENILVLINNTNITELKFEEDDYYTTFQHYIYQPIFTFTTYDSKAKKFYILD
                     GRLSNTSFPLYSYYGGKIHFEDNITLPKYENISWBCMDFYSINGTLYVMKKLNCSNI
                     NYAGWEYDYLNQKPYLLIWKNTIKIISNCSNPYYFVKIKGGEIPIEKSYLKKIFGNK
                     KKELEPKIYWTIHNWYIIVIIIAGLLWMAILWKK"
```

```
gene            complement(6788..7945)
                /gene="MJ0959"
CDS             complement(6788..7945)
                /gene="MJ0959"
                /note="similar to PID:704449 GB:AE000666 percent identity:
                54.69; identified by sequence similarity; putative"
                /codon_start=1
                /transl_table=11
                /product="aspartate aminotransferase (aspC)"
                /protein_id="AAB98961.1"
                /db_xref="GI:1591623"
                /translation="MKHIDAVKKLLMIPGPTMVPEVLNAMALPVIGHRTKDYSNLLED
                TIEKLKKYFITENDTFLITGSGTAAMDMAISNIIKRGDKVLNIVTGNFGERFANIVKA
                YKGEAIRLDVEWGMAEPEAVKEILDKYDDIKAVTVVHNETSTGARNPIKEIGEVVKD
                YDALYIVDTVSSLGGDYVNVDKFHIDICVTGSQKCLAAPPGLAAITVSEKAWEVIKKN
                DDKVGFYLDLLAYKKYYEKKQTPYTPSVNLTYALNVALDIVLEEGIENRVKRHERLA
                KATRAGLEAMGTELFAKERARSVTVTSAKYPEGIEDSKFRGILSNKYNIVVAGGQKHL
                AGKIFRIGHMGICGEKEVLATLACVELALKELGFEVKESGVEVAKEVLLKE"
gene            complement(7990..8643)
                /gene="MJ0960"
CDS             complement(7990..8643)
                /gene="MJ0960"
                /note="similar to SP:P19669 PID:853766 GB:AL009126 percent
                identity: 59.02; identified by sequence similarity;
                putative"
                /codon_start=1
                /transl_table=11
                /product="transaldolase"
                /protein_id="AAB98962.1"
                /db_xref="GI:1591624"
                /translation="MKFFLDTANVEIKKYAELGLVDGVTTNPTLVAKEGRDFYEVVK
                EICEIVEGPVSAEVISTDAEGMVKAEARELAKLADNIVIKIPMTKDGMKAVKILSAEGI
                KINVTLVFSPLQALVAAKAGATYVSPFVGRLDDIGHVGMKLIEDVVKIYKNYDIKTEV
                IVASVRHPWHVLEAAKIGADIATMPPAVMDKLFNHPLTDIGLERFLKDWDEYLKSRK"
gene            8860..11148
                /gene="MJ0961"
CDS             8860..11148
                /gene="MJ0961"
                /note="similar to SP:P30665 PID:1314093 PID:3482
```

```
Query Match        27.5%;   Score 29.4;  DB 1;  Length 17492;
Best Local Similarity 24.8%;   Pred. No. 3.5e+02;
Matches  26;  Conservative  10;  Mismatches  69;  Indels   0;  Gaps   0;

Qy     3 AAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAANUANAAACAUNNNNNCUU 62
           |||||      : |||     || ||: ::: |||||: ||||| :|||:||
Db 15270 AAAATTAGTATTAGAAGCTATAACCTATTTAATGCCAAAAATATAAACATTTCTGGTG 15329

Qy    63 NAGNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNNNUUAGCAG 107
           |:                                         ||
Db 15330 AAATAATGACAGGCAAAGTTATCTTAGTAGGAGCAGGACCCGGGAG 15374
```

```
RESULT 8
AR271569 05/c
WPCOMMENT
Sequence split into 17 fragments  LOCUS AR271569 Accession AR271569
Fragment Name    Begin    End
AR271569_00          1   110000
AR271569_01     100001   210000
AR271569_02     200001   310000
AR271569_03     300001   410000
AR271569_04     400001   510000
AR271569_05     500001   610000
AR271569_06     600001   710000
AR271569_07     700001   810000
AR271569_08     800001   910000
AR271569_09     900001  1010000
AR271569_10    1000001  1110000
AR271569_11    1100001  1210000
AR271569_12    1200001  1310000
AR271569_13    1300001  1410000
AR271569_14    1400001  1510000
```

```
                    AR271569_15       1500001   1610000
                    AR271569_16       1600001   1664976
Continuation (6 of 17) of AR271569 from base 500001 (AR271569 Sequence 1 from patent US

Query Match        27.5%;   Score 29.4;  DB 6;  Length 110000;
Best Local Similarity 24.8%;   Pred. No. 2.1e+02;
Matches  26;  Conservative  10;  Mismatches  69;  Indels   0;  Gaps   0;

Qy     3 AAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAANUANAAACAUNNNNNCUU 62
           |||||      : |||     || ||: ::: |||||: ||||| :|||:||
Db 73299 AAAATTAGTATTAGAAGCTATAACCTATTTAATGCCAAAAATATAAACATTTCTGGTG 73240

Qy    63 NAGNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNNNUUAGCAG 107
           |:                                         ||
Db 73239 AAATAATGACAGGCAAAGTTATCTTAGTAGGAGCAGGACCCGGGAG 73195
```

```
RESULT 9
AC015173/c
LOCUS       AC015173            60471 bp    DNA     linear   HTG 16-NOV-1999
DEFINITION  Drosophila melanogaster, *** SEQUENCING IN PROGRESS ***.
ACCESSION   AC015173
VERSION     AC015173.1  GI:6436162
KEYWORDS    HTG; HTGS_PHASE2.
SOURCE      Drosophila melanogaster (fruit fly)
ORGANISM    Drosophila melanogaster
            Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
            Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
            Ephydroidea; Drosophilidae; Drosophila.
REFERENCE   1  (bases 1 to 60471)
AUTHORS     Adams,M. and Venter,J.C.
TITLE       Direct Submission
JOURNAL     Submitted (16-NOV-1999) Celera Genomics, 45 West Gude Drive,
            Rockville, MD, USA
COMMENT     This sequence was identified as CDM:10210450 by the submitter.
            For further information on this sequence e-mail to fly@celera.com.
            * NOTE: This is a 'working draft' sequence.
            * This sequence will be replaced
            * by the finished sequence as soon as it is available and
            * the accession number will be preserved.
FEATURES             Location/Qualifiers
     source          1..60471
                     /organism="Drosophila melanogaster"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:7227"
ORIGIN

Query Match        27.3%;   Score 29.2;  DB 2;  Length 60471;
Best Local Similarity 25.0%;   Pred. No. 2.7e+02;
Matches  21;  Conservative  13;  Mismatches  50;  Indels   0;  Gaps   0;

Qy     1 GGAAAAUNNNNNUNAUAUGNNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNC 60
           |||||:                         :::  |||||| :| ||| || |||
Db 15041 GGAAAATAAACTTAGTATTTACAATCTTAGTTTGTACCAAAAATAAAAATCTGTATAA 14982

Qy    61 UUNAGNNNNNNNNNNNNNAGAAAU 84
           ::                |||||
Db 14981 TTAATTTAAATTCAAATTTAAAT 14958
```

```
RESULT 10
AC009846/c
LOCUS       AC009846           164038 bp    DNA     linear   INV 17-FEB-2001
DEFINITION  Drosophila melanogaster, chromosome 3R, region 94C-94D, BAC clone
            BACR23F10, complete sequence.
ACCESSION   AC009846
VERSION     AC009846.9  GI:1295716
KEYWORDS    HTG.
SOURCE      Drosophila melanogaster (fruit fly)
ORGANISM    Drosophila melanogaster
            Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
            Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
            Ephydroidea; Drosophilidae; Drosophila.
```

REFERENCE   1 (bases 1 to 164038)
AUTHORS   Celniker,S.E., Adams,M.D., Kronmiller,B., Tyler,D., Wan,K.H.,
            Holt,R.A., Evans,C.A., Gocayne,J.D., Amanatides,P.G., Brandon,R.C.,
            Rogers,Y., An,H., Baldwin,D., Banzon,J., Beeson,K.Y., Busam,D.A.,
            Carlson,J.W., Center,A., Champe,M., Davenport,L.B., Dietz,S.M.,
            Dodson,K., Dorsett,V., Doup,L.E., Doyle,C., Dresnek,D., Farfan,D.,
            Ferriera,S., Frise,E., Galle,R.F., Garg,N.S., George,R.A.,
            Gonzalez,M., Houck,J., Hoskins,R.A., Hostin,D., Howland,T.J.,
            Ibegwam,C., Jalali,M., Kruse,D., Li,P., Mattei,B., Moshrefi,A.,
            McIntosh,T.C., Moy,M., Murphy,B., Nelson,C., Nelson,K.A., Nunoo,J.,
            Pacleb,J., Paragas,V., Park,S., Patel,S., Pfeiffer,B.,
            Phouanenavong,S., Pittman,G.S., P_Strong,R., Svirskas,R., Tector,C., Williams,S.M.,
            Stapleton,M., Strong,R., Svirskas,R., Tector,C., Williams,S.M.,
            Zaveri,J.S., Smith,H.O., Rubin,G.M. and Venter,J.C.
TITLE   Sequencing of Drosophila chromosome 3R, region 94C-94D
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 164038)
AUTHORS   Celniker,S.E., Agbayani,A., Arcaina,T.T., Baxter,E., Blazej,R.G.,
            Butenhoff,C., Champe,M., Chavez,C., Chew,M., Ciesiolka,L.,
            Doyle,C.M., Farfan,D.E., Galle,R., George,R.A., Harris,N.L.,
            Hoskins,R.A., Houston,K.A., Hummasti,S.R., Karra,K., Kearney,L.,
            Kim,E., Lee,B., Lewis,S., Li,J., Lomotan,M.A., Mazda,P.,
            Moshrefi,A.R., Moshrefi,M., Nixon,K., Pacleb,J.M., Park,S.,
            Pfeiffer,B., Poon,L., Sequeira,A., Sethi,H., Snir,E.,
            Svirskas,R.R., Wan,K.H., Weinburg,T., Zhang,R., Zieran,L.L. and
            Rubin,G.M.
TITLE   Direct Submission
JOURNAL   Submitted (03-SEP-1999) Drosophila Genome Center, Lawrence Berkeley
            Laboratory, MS 64-121, Berkeley, CA 94720, USA
COMMENT   On Feb 17, 2001 this sequence version replaced gi:6957584.
            Sequence submitted by:
            Berkeley Drosophila Genome Project
            Lawrence Berkeley National Laboratory, MS 64-121
            Berkeley, CA 94720
            This sequence was assembled using end sequences from a whole genome
            shotgun and from subclones of this BAC and its neighboring clones.
            For further information about this sequence, including its location
            and relationship to other sequences, please visit our sequence
            archive Web site (http://www.fruitfly.org/sequence/) or send email
            to bdgp@fruitfly.berkeley.edu.
FEATURES   Location/Qualifiers
     source   1..164038
                     /organism="Drosophila melanogaster"
                     /mol_type="genomic DNA"
                     /strain="y; cn bw sp"
                     /db_xref="taxon:7227"
                     /chromosome="3R"
                     /map="94C-94D"
                     /clone="BACR23F10 (D1097)"
                     /clone_lib="RPCI-98 (Roswell Park Cancer Institute
                     Drosophila melanogaster BAC library, partial EcoRI in
                     pBACe3.6)"

ORIGIN

Query Match   27.3%; Score 29.2; DB 3; Length 164038;
Best Local Similarity   25.0%; Pred. No. 2e+02;
Matches 21; Conservative 13; Mismatches 50; Indels 0; Gaps 0;

Qy   1 GGAAAAUNNNNNNUNAUAUGNNNNNCUNNNNUUUNNNNNAAAAANUANAAAACAUNNNNNC   60
             |||||| ::   :::   ::: ||||||:: ||||| |||||
Db   115236 GGAAAATAAACTTAGTATTATTACAATCTTAGTTTTGTACCAAAAAATAAAAATCTGTATAA 115177

Qy   61 UUNAGNNNNNNNNNNNNAGAAAU 84
             :: ::   :|:
Db   115176 TTAATTTTAAATTCAAATTTAAAT 115153

LOCUS   AE003740   234378 bp   DNA   linear   INV 14-FEB-2003
DEFINITION Drosophila melanogaster chromosome 3R, section 78 of 118 of the
            complete sequence.
ACCESSION   AE003740 AE002708 AE014297

AE003740.3 GI:23171988
KEYWORDS   .
SOURCE   Drosophila melanogaster (fruit fly)
ORGANISM   Drosophila melanogaster
            Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
            Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
            Ephydroidea; Drosophilidae; Drosophila.
REFERENCE   1 (bases 1 to 234378)
AUTHORS   Adams,M.D., Celniker,S.E., Holt,R.A., Evans,C.A., Gocayne,J.D.,
            Amanatides,P.G., Scherer,S.E., Li,P.W., Hoskins,R.A., Galle,R.F.,
            George,R.A., Lewis,S.E., Richards,S., Ashburner,M., Henderson,S.N.,
            Sutton,G.G., Wortman,J.R., Yandell,M.D., Zhang,Q., Chen,L.X.,
            Brandon,R.C., Rogers,Y.H., Blazej,R.G., Champe,M., Pfeiffer,B.D.,
            Wan,K.H., Doyle,C., Baxter,E.G., Helt,G., Nelson,C.R., Gabor,G.L.,
            Abril,J.F., Agbayani,A., An,H.J., Andrews-Pfannkoch,C., Baldwin,D.,
            Ballew,R.M., Basu,A., Baxendale,J., Bayraktaroglu,L., Beasley,E.M.,
            Beeson,K.Y., Benos,P.V., Berman,B.P., Bhandari,D., Boishakov,S.,
            Borkova,D., Botchan,M.R., Bouck,J., Brokstein,P., Brottier,P.,
            Burtis,K.C., Busam,D.A., Butler,H., Cadieu,E., Center,A.,
            Chandra,I., Cherry,J.M., Cawley,S., Dahlke,C., Davenport,L.B.,
            Davies,P., de Pablos,B., Delcher,A., Deng,Z., Mays,D., Dew,I.,
            Dietz,S.M., Dodson,K., Doup,L.E., Downes,M., Dugan-Rocha,S.,
            Dunkov,B.C., Dunn,P., Durbin,K.J., Evangelista,C.C., Ferraz,C.,
            Ferriera,S., Fleischmann,W., Fosler,C., Gabrielian,A.E., Garg,N.S.,
            Gelbart,W.M., Glasser,K., Glodek,A., Gong,F., Gorrell,J.H., Gu,Z.,
            Guan,P., Harris,M., Harris,N.L., Harvey,D., Heiman,T.J.,
            Hernandez,J.R., Houck,J., Hostin,D., Houston,K.A., Howland,T.J.,
            Wei,M.H., Ibegwam,C., Jalali,M., Kalush,F., Karpen,G.H., Ke,Z.,
            Kennison,J.A., Ketchum,K.A., Kimmel,B.E., Kodira,C.D., Kraft,C.,
            Kravitz,S., Kulp,D., Lai,Z., Lasko,P., Lei,Y., Levitsky,A.A.,
            Li,J., Li,Z., Liang,Y., Lin,X., Liu,X., Mattei,B., McIntosh,T.C.,
            McLeod,M.P., McPherson,D., Merkulov,G., Milshina,N.V., Mobarry,C.,
            Morris,J., Moshrefi,A., Mount,S.M., Moy,M., Murphy,B., Murphy,L.,
            Muzny,D.M., Nelson,D.L., Nelson,D.R., Nelson,K.A., Nixon,K.,
            Nusskern,D.R., Pacleb,J.M., Palazzolo,M., Pittman,G.S., Pan,S.,
            Pollard,J., Puri,V., Reese,M.G., Reinert,K., Remington,K.,
            Saunders,R.D., Scheeler,F., Shen,H., Shue,B.C., Siden-Kiamos,I.,
            Simpson,M., Skupski,M.P., Smith,T., Spier,E., Spradling,A.C.,
            Stapleton,M., Strong,R., Sun,E., Svirskas,R., Tector,C., Turner,R.,
            Venter,E., Wang,A.H., Wang,X., Wang,Z.Y., Wassarman,D.A.,
            Weinstock,G.M., Weissenbach,J., Williams,S.M., WoodageT,
            Worley,K.C., Wu,D., Yang,S., Yao,Q.A., Ye,J., Yeh,R.F.,
            Zaveri,J.S., Zhan,M., Zhang,G., Zhao,Q., Zheng,L., Zheng,X.H.,
            Zhong,F.N., Zhong,W., Zhou,X., Zhu,S., Zhu,X., Smith,H.O.,
            Gibbs,R.A., Myers,E.W., Rubin,G.M. and Venter,J.C.
TITLE   The genome sequence of Drosophila melanogaster
JOURNAL   Science 287 (5461), 2185-2195 (2000)
MEDLINE   20196006
PUBMED   10731132
REFERENCE   2 (bases 1 to 234378)
AUTHORS   Celniker,S.E., Adams,M.D., Kronmiller,B., Wan,K.H., Holt,R.A.,
            Evans,C.A., Gocayne,J.D., Amanatides,P.G., Brandon,R.C., Rogers,Y.,
            Banzon,J., An,H., Baldwin,D., Banzon,J., Beeson,K.Y., Busam,D.A.,
            Carlson,J.W., Center,A., Champe,M., Davenport,L.B., Dietz,S.M.,
            Dodson,K., Dorsett,V., Doup,L.E., Doyle,C., Dresnek,D., Farfan,D.,
            Ferriera,S., Frise,E., Galle,R.F., Garg,N.S., George,R.A.,
            Gonzalez,M., Houck,J., Hoskins,R.A., Hostin,D., Howland,T.J.,
            Ibegwam,C., Jalali,M., Kruse,D., Li,P., Mattei,B., Moshrefi,A.,
            McIntosh,T.C., Moy,M., Murphy,B., Nelson,C., Nelson,K.A., Nunoo,J.,
            Pacleb,J., Paragas,V., Park,S., Patel,S., Pfeiffer,B., Scheeler,F.,
            Phouanenavong,S., Pittman,G.S., Puri,V., Richards,S., Tyler,C.,
            Stapleton,M., Strong,R., Svirskas,R., Tector,C., Tyler,D.,
            Williams,S.M., Zaveri,J.S., Smith,H.O., Venter,J.C. and Rubin,G.M.
TITLE   Sequencing of Drosophila melanogaster genome
JOURNAL   Unpublished
REFERENCE   3 (bases 1 to 234378)
AUTHORS   Misra,S., Crosby,M.A., Matthews,B.B., Bayraktaroglu,L.,
            Campbell,K., Hradecky,P., Huang,Y., Kaminker,J.S., Prochnik,S.E.,
            Smith,C.D., Tupy,J.L., Bergman,C.M., Berman,B.P., Carlson,J.W., de
            Celniker,S.E., Clamp,M.E., Drysdale,R.A., Emmert,D., Frise,E., de
            Grey,A.D.N.J., Harris,N.L., Kronmiller,B., Marshall,B.,
            Milburn,G.H., Richter,J.T., Russo,S., Searle,S.M.J., Smith,E.,
            Shu,S., Smutniak,F., Whitfield,E.J., Ashburner,M., Gelbart,W.M.,

```
TITLE      Annotation of Drosophila melanogaster genome
JOURNAL    Unpublished
REFERENCE  4  (bases 1 to 234378)
AUTHORS    Adams,M.D., Celniker,S.E., Gibbs,R.A., Rubin,G.M. and Venter,C.J.
TITLE      Direct Submission
JOURNAL    Submitted (21-MAR-2000) Celera Genomics, 45 West Gude Drive,
           Rockville, MD 20850, USA
REFERENCE  5  (bases 1 to 234378)
AUTHORS    FlyBase
CONSRTM    Direct Submission
TITLE      Submitted (06-SEP-2002) University of California Berkeley, 539 Life
JOURNAL    Sciences Addition, Berkeley, CA 94720, USA
REFERENCE  6  (bases 1 to 234378)
AUTHORS    FlyBase
CONSRTM    Direct Submission
TITLE      Submitted (13-FEB-2003) University of California Berkeley, 539 Life
JOURNAL    Sciences Addition, Berkeley, CA 94720, USA
REMARK     Sequence update by submitter
COMMENT    On Sep 18, 2002 this sequence version replaced gi:10726705.
FEATURES             Location/Qualifiers
     source          1..234378
                     /organism="Drosophila melanogaster"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:7227"
                     /chromosome="3R"
                     /note="genotype: y[1]; cn[1] bw[1] sp[1]; Rh6[1]"
     gene            10750..13380
                     /locus_tag="CG17622"
                     /note="last curated on Tue Jan 22 00:31:41 PST 2002"
                     /map="94B10-94B10"
                     /db_xref="FLYBASE:FBgn0038998"
     mRNA            join(10750..10772,11010..11215,12157..12598,12859..13185,
                     13311..13380)
                     /locus_tag="CG17622"
                     /product="CG17622-RA"
                     /db_xref="FLYBASE:FBgn0038998"
     CDS             join(10750..10772,11010..11215,12157..12598,12859..13185,
                     13311..13380)
                     /locus_tag="CG17622"
                     /note="CG17622 gene product"
                     /codon_start=1
                     /product="CG17622-PA"
                     /protein_id="AAF56036.1"
                     /db_xref="GI:7300896"
                     /db_xref="FLYBASE:FBgn0038998"
                     /translation="MVPFFRSVAQQSAAAAASGAGGAGGAGGGGGSGSQSRPGSRKL
                     PPFLLRSRTLPAIIVPGLPVVSLHTDKQTFQLDERLLGSKSRSGSASGHRWSLLTRAT
                     NSSSMCSNNNPASSSSSSNNNNLHMANNNNTLMVKSLNLPKDDSNLVYRRKSSGST
                     PHQHQNAHHHHHHHLQQQQQQHQQQLQQQQQMLQHLGDSSLFQLSDDDFECHAD
                     GSLLLRIPAPHVAARAYRLAARKRAAASSEASTPMTREHTLHEMPLAESACSGSATG
                     SGTTFTRLAKLLHQSTLAGRSNLQPPPMADNAVQSLGRGLGLGLGEEAPRRLSWESW
                     KADLGRVSLAAPPNGRPHEVG"
     gene            18885..19523
                     /locus_tag="CG17623"
                     /note="last curated on Tue Jan 22 00:33:38 PST 2002"
                     /map="94B11-94B11"
                     /db_xref="FLYBASE:FBgn0038999"
     mRNA            join(18885..18931,19007..19523)
                     /locus_tag="CG17623"
                     /product="CG17623-RA"
                     /db_xref="FLYBASE:FBgn0038999"
     CDS             join(18885..18931,19007..19523)
                     /locus_tag="CG17623"
                     /note="CG17623 gene product"
                     /codon_start=1
                     /product="CG17623-PA"
                     /protein_id="AAF56037.2"
                     /db_xref="GI:23171989"
                     /db_xref="FLYBASE:FBgn0038999"
                     /translation="MPSALHLRESPPBSIERKDSSALQRSASIDSFABIVFSSSPRPS
```

```
                     LAVTGPGACASASGGPSPFSKRPSASSLYSTSTSSSFASQMQAQLNVNYGDSALGSGS
                     ATGGPGSGHHHGASGGNGGSASSSSRRESMLSPSSTRRSKLTRLINGECGVNRMRNP
                     KIYCQAMRALCMDSTIQTSYLYLTLTI"
     gene            28305..36625
                     /locus_tag="CG6954"
                     /note="last curated on Tue Jan 22 00:49:10 PST 2002"
                     /map="94C1-94C1"
                     /db_xref="FLYBASE:FBgn0039000"
     mRNA            join(28305..28975,30084..30334,31045..31599,31729..31807,
                     31872..31975,32036..32173,32240..32464,32702..32908,
                     32966..33176,33240..36625)
                     /locus_tag="CG6954"
                     /product="CG6954-RA"
                     /db_xref="FLYBASE:FBgn0039000"
     CDS             join(28305..28975,30084..30334,31045..31599,31729..31807,
                     31872..31975,32036..32173,32240..32464,32702..32908,
                     32966..33176,33240..35715)
                     /locus_tag="CG6954"
                     /note="CG6954 gene product"
                     /codon_start=1
                     /product="CG6954-PA"
                     /protein_id="AAF56038.1"
                     /db_xref="GI:7300898"
                     /db_xref="FLYBASE:FBgn0039000"
                     /translation="MERRKALSSYAKFKDQQEAAAAVTPQKDNESDDSLPALRRSHSV
                     RSSLRLRKNKLHSPALSMQSPFKLRTQLHMRNRSSRGSATLDKSKAAKALRMLGDLDA
                     VAVLTTVKGKNEFVPLKRAMNSDSCDHDELGIERLMSSLPVGAKLPRKACKLLQIPE
                     SYCRQAEVAPKATLDSDLEKTFSGEESSAVLADITRHAQGIYGTTRMRTATIRKPMP
                     YLNSRRCYHSDSTKLPNMPQKLPMSSCLRSPAVPVRQKSFHTLNELTRFCCLKVSPHR
                     STATATSTSSSPSSPSRAAQQQRRHSHYAIDDNILPQDKRDGDISVRLREKVVNPSG
                     GNNNNQDNYPTYPAPLLSTSRWSEQLTQHAAVAKIRTAISCHSQDLREMEFLLPHSR
                     TDSQSNSQSQLCISRHSQPKNAKLRDDHDETGSSELDSPPIGDENASANGQLSVHRQP
                     VQLRSKIPGNTPHPRASKMSKKQLKLAQALDKLTQNNLHLHALFSAVEHGHLEKART
                     ILESTDVDVNSINNDGLSALDLAVLSNRSMTRMLLQHGAVEGSQPSVDTIGTKLNGL
                     LKDAESRIHDLSGPEGLCPPVFASRPSISSIIGNSSASVTGCTGSEVEKQIGIWERR
                     VKGLRRIQLGWDQARPDAPASVVVDVTGDNSISVQILEPFEGAIGTKFKFKVQWSTRAD
                     FNNVVGESELLEWISFHGTMGACCHISGLTQGRYFLRAACGNVKGWGTYRTSVPASV
                     VPSTWRDLDNREDRFVGRHRILDNLFTAVRLARPADVSELTLDPASAQRRNPKKKTTI
                     KQLFSVTTKFQKTLRRGIYFSCIIHCDDKVLVTSEDFPPVIEVDESYPSALHMDYWL
                     MKVACTWEDVKSLRSDMERNLTSAVHFRTKLLSAVCQMQSALGITDLGQLYYKPLRDA
                     QGTVVLTCVQSVKSQKAVSILNSRWVPVSKLQKKIGALHEDYTINELLISSIGDQLHY
                     QQAALQRLEPGLYGLYLKMQCSIDQIQVVVPNVLPHCKVRENSHITAREWQVLH
                     RYSSDPLRLPLDFSAQGDGASGATATTEVQRLFLYDLTNAMHKLFASMNIKIADATT
                     HRLYDVEVIEHSPDISFLVVCPSAESSCAVPGQSLLLQRDDLASLSIQAFEMIHLRI
                     YQPAIIQKYARLSCILELDTALATHSIREAFSSSLQAAKERLATIQELSASLTIVWK
                     SVRWLMDVVAYARNKNAQPSLAMREILDFAQQRQDEAVATSAGGANKQLQLPIRES
                     KFSKTGQGRGSWPGPTSEDQSQNKPEHSKSEQNELSAITPVEPASNQVPTQQQQPQ
                     QQSQQOQLLQVSNISEYAGSICSEVSFRKNSGDSMSSTYTSRSFYSAVDSAGDGNSTN
                     SVFAIPPSRSDDTLADALRHSQAVAAQKRKRTSSNIASHTNPLITVHSSSSAPYLAGSS
                     VSLRSGNGAFATDLEHKPLKPATKAASSANLREGGPYLKSTLAELRAVGGEEPVASTS"
```

```
Query Match         27.3%;  Score 29.2;  DB 3;  Length 234378;
Best Local Similarity   25.0%;  Pred. No. 1.9e+02;
Matches   21;  Conservative  13;  Mismatches  50;  Indels   0;  Gaps   0;

Qy      1 GGAAAAUNNNNNNUNAUAUGNNNNNNCUNNNUUUNNNNNNANAAAAUNUANAACAUNNNNNC 60
          ||||||       :   :   :.::        ||       ||||:   :::  |  |||
Db 101887 GGAAAATAAACTTAGTATTTACAAUCTTAGTTTTTGTACCARAAAATAAAAATCGTATAA 101828

Qy     61 UUNAGNNNNNNNNNNNNAGAAAU 84
          ::.:                |||:
Db 101827 TTAAUTTTAAATTCAAATTTAAAT 101804

RESULT 12
AC079951
LOCUS       AC079951                191942 bp    DNA     linear   PRI 15-MAR-2002
DEFINITION  Homo sapiens 12q BAC RP11-346L11 (Roswell Park Cancer Institute
            Human BAC Library) complete sequence.
ACCESSION   AC079951
VERSION     AC079951.35  GI:15015247
KEYWORDS    HTG.
SOURCE      Homo sapiens (human)
```

ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 191942)
AUTHORS   Muzny,D.M., Adams,C., Adio-Oduola,B., Ali-osman,F.R., Allen,C.,
          Alsbrooks,S.L., Amaratunge,H.C., Are,J.R., Banks,T., Barbaria,J.,
          Benton,J., Binage,K., Blankenburg,K., Bonnin,D., Bouck,J.,
          Bowie,S., Brieva,M., Brown,E., Brown,M., Bryant,N.P., Buhay,C.,
          Burch,P., Burkett,C., Burrell,K.L., Byrd,N.C., Carron,T.P.,
          Carter,M., Cavazos,S.R., Chacko,J., Chavez,D., Chen,G., Chen,R.,
          Chen,Z., Chiu,D., Chowdhry,I., Christopoulos,C., Cleveland,C.D.,
          Cox,C., Coyle,M.D., Dathorne,S.R., David,R., Davila,M.L., Davis,C.,
          Davy-Carroll,L., Dederich,D.A., Delaney,K.R., Delgado,D.,
          Denn,A.L., Ding,Y., Dinh,H.H., Douthwaite,K.J., Draper,H.,
          Dugan-Rocha,S., Durbin,K.J., Earnhart,C., Edgar,D., Edwards,C.C.,
          Elhaj,C., Emerling,S., Escotto,M., Falls,T., Ferraguto,D.,
          Flagg,N., Ford,J., Foster,P., Frantz,P., Gabisi,A., Gao,J.,
          Garcia,A., Garner,T., Garza,N., Gill,R., Gorrell,J.H., Guevara,W.,
          Gunaratne,P., Hale,S., Hamilton,K., Han,J., Harris,C., Harris,K.,
          Hart,M., Havlak,P., Hawes,A., Hernandez,J., Hernandez,O.,
          Hodgson,A., Hogues,M., Holloway,C., Hollins,B., Homsi,F.,
          Howard,S., Huber,J., Hulyk,S., Hume,J., Ioshikhes,I., Jackson,L.E.,
          Jacobson,B., Jia,Y., Johnson,R., Jolivet,S., Joudah,S.,
          Karlsson,E., Kelly,S., Khan,U., King,L., Korvah,J., Kovar,C.,
          Kratovic,J., Kureshi,A., Landry,N., Leal,B., Lee,E., Lewis,L.C.,
          Lewis,L., Li,J., Li,Z., Lichtarge,O., Lieu,C., Liu,J., Liu,W.,
          Ma,J., Maheshwari,M., Mapua,P., Marondel,I., Martin,R.,
          Martindale,A., Martinez,E., Massey,E., Mawhiney,E., McLeod,M.P.,
          Meador,M., Mei,G., Merscher,S., Metzker,M., Miller,A., Miner,G.,
          Miner,Z., Mitchell,T., Mohabbat,K., Montgomery,K.T., Morgan,M.,
          Morris,S., Moser,M., Neal,J., Nelson,D., Newton,J., Newton,N.,
          Nguyen,A., Nguyen,N., Nguyen,N., Nickerson,E., Nwokenkwo,S.,
          Oguh,M., Okwuonu,G., Oragunye,N., Oviedo,R., Pace,A., Payton,B.,
          Peery,J., Perez,L., Peters,L., Pickens,R., Primus,E., Pu,L.L.,
          Quiles,M., Ren,Y., Rives,M., Rojas,A., Rojubokan,I., Rolfe,M.,
          Ruiz,S., Savery,G., Scherer,S., Scott,G., Shen,H., Shin,C.,
          Shooshtari,N., Sisson,I., Sodergren,E., Sonaike,T., Sparks,A.,
          Stanley,H., Stone,H., Sutton,A., Svatek,A., Tabor,P., Tamerisa,A.,
          Tamerisa,K., Tang,H., Tansey,J., Taylor,C., Taylor,T., Telfrod,B.,
          Thomas,N., Thomas,S., Usmani,K., Vasquez,L., Vera,V., Villalon,D.,
          Vinson,R., Wall,R., Wang,S., Ward-Moore,S., Warren,R.,
          Washington,C., Watlington,S., Williams,G., Williamson,A.,
          Wleczyk,R., Wooden,S., Worley,K., Wu,Y., Wu,Y.F., Zhou,J.,
          Zorrilla,S., Kucherlapati,R., Weinstock,G. and Gibbs,R.
TITLE   Direct Submission
JOURNAL   Unpublished
REFERENCE 2 (bases 1 to 191942)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (20-SEP-2000) Human Genome Sequencing Center, Department
          of Molecular and Human Genetics, Baylor College of Medicine, One
          Baylor Plaza, Houston, TX 77030, USA
REFERENCE 3 (bases 1 to 191942)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (01-AUG-2001) Human Genome Sequencing Center, Department
          of Molecular and Human Genetics, Baylor College of Medicine, One
          Baylor Plaza, Houston, TX 77030, USA
REFERENCE 4 (bases 1 to 191942)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (09-AUG-2001) Human Genome Sequencing Center, Department
          of Molecular and Human Genetics, Baylor College of Medicine, One
          Baylor Plaza, Houston, TX 77030, USA
REFERENCE 5 (bases 1 to 191942)
AUTHORS   Worley,K.C.
TITLE   Direct Submission
JOURNAL   Submitted (15-MAR-2002) Human Genome Sequencing Center, Department
          of Molecular and Human Genetics, Baylor College of Medicine, One
          Baylor Plaza, Houston, TX 77030, USA
COMMENT   On Aug 1, 2001 this sequence version replaced gi:14861675.
          INFORMATION: http://www.hgsc.bcm.tmc.edu/ or email
          gc-help@bcm.tmc.edu

          CLONE LENGTH: This sequence does not necessarily represent the
          entire insert of this clone. Overlapping regions of clones are only
          sequenced and submitted once, so the sequence for the remainder of
          the insert may be found in the record for the adjacent clones.
          Overlapping clones are noted at the beginning and end of the
          Features listing.

          ANNOTATION OF FEATURES:
          STSs are identified using ePCR (Genome Res. 7:541-550) searches
          of a local database that includes entries from dbSTS, GDB, and
          local mapping efforts.
          Repeats are identified using RepeatMasker (A. Smit and P. Green,
          unpublished.) for Human and Mouse sequences.
          Genes and Region of sequence similarity are identified by BLAST
          (Nuc. Acids Res. 25:3389-3402) similarity (expect < 1e-34) to the
          EST and cDNA sequences. Genes demonstrate at least two exons
          flanked by consensus splice sites that maintained sequence
          continuity across the splice junctions. Sequences that are not
          identical matches are annotated as similar.

          SEQUENCING READ COVERAGE: Sequencing is completed to a minimum
          standard of double strand coverage with a minimum of 2 clones and 2
          reads with no ambiguities or 2 chemistries with a minimum of 2
          clones and 3 reads with no ambiguities. If the sequence quality for
          a region does not meet this standard, it will be indicated in the
          annotation as Low Coverage.

          QUALITY OF INDIVIDUAL BASES: This sequence meets stringent quality
          standards - estimated error rate less than 1 per 10,000 bases.
          Reports of lowest quality individual bases and measures of base
          quality are listed below. Description of the metrics can be found
          at URL:
          http://gc.bcm.tmc.edu:8088/quality.info/genbank.annotation.html.

          QUALSTAT-REPORT.
FEATURES   Location/Qualifiers
     source   1..191942
                   /organism="Homo sapiens"
                   /mol_type="genomic DNA"
                   /db_xref="taxon:9606"
                   /chromosome="12"
                   /clone="RP11-346L11"
     repeat_region 582..883
                   /rpt_family="AluSg"
     repeat_region 1600..1799
                   /rpt_family="MER46A"
     repeat_region 1906..2212
                   /rpt_family="AluSq"
     repeat_region 3606..3915
                   /rpt_family="AluSc"
     repeat_region 4874..4917
                   /rpt_family="AT_rich"
     repeat_region complement(5619..5883)
                   /rpt_family="AluSg"
     repeat_region 6028..6335
                   /rpt_family="AluSx"
     repeat_region 6341..6774
                   /rpt_family="L1MCb"
     repeat_region 6918..7034
                   /rpt_family="L1M4"
     repeat_region 7038..7264
                   /rpt_family="L1MA2"
                   complement(7337..7633)
                   /rpt_family="HUER5-P3b"
     repeat_region complement(7659..11980)
                   /rpt_family="L1PA5"
     STS   9027..9204
                   /standard_name="61535"
     repeat_region complement(11981..13272)
                   /rpt_family="SVA"
     repeat_region complement(13273..15103)

AUTHORS   none.
TITLE   Genome sequence of the nematode C. elegans: a platform for investigating biology. The C. elegans Sequencing Consortium
JOURNAL   Science 282 (5396), 2012-2018 (1998)
MEDLINE   99069613
PUBMED   9851916
REMARK   The C.elegans Sequencing Consortium.
REFERENCE   2 (bases 1 to 25233)
AUTHORS   Percy,C.M.
TITLE   Direct Submission
JOURNAL   Submitted (27-MAR-1997) Nematode Sequencing Project, Sanger Institute, Hinxton, Cambridge CB10 1SA, England and Department of Genetics, Washington University, St. Louis, MO 63110, USA. E-mail: jes@sanger.ac.uk or rw@nematode.wustl.edu

COMMENT   On Jun 13, 1998 this sequence version replaced gi:1913957.
Coding sequences below are predicted from computer analysis, using predictions from Genefinder (P. Green, U. Washington), and other available information.
Current sequence finishing criteria for the C. elegans genome sequencing consortium are that all bases are either sequenced unambiguously on both strands, or on a single strand with both a dye primer and dye terminator reaction, from distinct subclones. Exceptions are indicated by an explicit note.
For a graphical representation of this sequence and its analysis see:- http://wormbase.sanger.ac.uk/perl/ace/elegans/seq/sequence?name=C01B9
IMPORTANT: This sequence is NOT necessarily the entire insert of the specified clone. It may be shorter because we only sequence overlapping sections once, or longer because we arrange for a small overlap between neighbouring submissions.
This sequence is the entire insert of clone C01B9. The true left end of clone ZKI31 is at 18285 in this sequence. The true right end of clone R06B9 is at 100 in this sequence. The start of this sequence (1..100) overlaps with the end of sequence CER06B9. The end of this sequence (24951..25233) overlaps with the start of sequence CEZKI31.

FEATURES   Location/Qualifiers
source   1..25233
/organism="Caenorhabditis elegans"
/mol_type="genomic DNA"
/strain="Bristol N2"
/db_xref="taxon:6239"
/clone="C01B9"

ORIGIN

Query Match   26.7%; Score 28.6; DB 3; Length 25233;
Best Local Similarity   21.8%; Pred. No. 4.9e+02;
Matches 22; Conservative 12; Mismatches 67; Indels 0; Gaps 0;

```
Qy     3 AAAAUNNNNUNAUAUGNNNNNNCUNNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
Db 23035 ATAAGCTTGCTAATTTTTTCTGGCTTTTTTTTAAATAGAAATATAGAAAATATCGGCTG 22976

Qy    63 NAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUA 103
Db 22975 GAGTTTAAATTTTCTGAGAAAAATTTTTCGCGGGAATTTTA 22935
```

RESULT 14
PFMAL3P4/c
LOCUS   PFMAL3P4   113880 bp   DNA   linear   INV 29-JAN-2003
DEFINITION   Plasmodium falciparum MAL3P4.
ACCESSION   AL008970 AL139179 AL844502
VERSION   AL008970.3   GI:7672212
KEYWORDS
SOURCE   Plasmodium falciparum 3D7
ORGANISM   Plasmodium falciparum 3D7
Eukaryota; Alveolata; Apicomplexa; Haemosporida; Plasmodium.
1 (bases 1 to 113880)
REFERENCE   Bowman,S., Lawson,D., Basham,D., Brown,D., Chillingworth,T., Churcher,C.M., Craig,A., Davies,R.M., Devlin,K., Feltwell,T., Gentles,S., Gwilliam,R., Hamlin,N., Harris,D., Holroyd,S., Hornsby,T., Horrocks,P., Jagels,K., Jassal,B., Kyes,S., McLean,J.,

---

repeat_region   /rpt_family="L1PA5"
complement(16729..17246)
/rpt_family="HUERS-P3b"
complement(17247..17899)
repeat_region   /rpt_family="LTR9B"
19794..20065
repeat_region   /rpt_family="AluJb"
21526..21568
repeat_region   /rpt_family="MIR"
21589..21885
repeat_region   /rpt_family="AluSx"
22537..22570
repeat_region   /rpt_family="(TAAA)n"
22606..22691
repeat_region   /rpt_family="MIR"
24218..24508
repeat_region   /rpt_family="AluSc"
24566..24738
repeat_region   /rpt_family="FAM"
24925..24990
repeat_region   /rpt_family="L2"
25052..25349
repeat_region   /rpt_family="AluSq"
25552..25649
repeat_region   /rpt_family="AluSx"
26062..26197
repeat_region   /rpt_family="L1MA9"
26368..26637
repeat_region   /rpt_family="AluSq"
complement(27254..27352)
repeat_region   /rpt_family="MIR"
complement(27925..28222)
repeat_region   /rpt_family="AluSq"
complement(28240..31468)
misc_feature   /note="Region: HSLACTG Human alpha-lactalbumin gene"
STS   /standard_name="68443"
28464..28721
STS   /standard_name="50357"
28558..28755
repeat_region   /rpt_family="AluSq"
30200..30485
repeat_region   /rpt_family="AluSq"
30486..30515
repeat_region   /rpt_family="(CATA)n"
31469..31773
repeat_region   /rpt_family="AluJb"
complement(32145..32452)
/rpt_family="AluSx"

Query Match   27.1%; Score 29; DB 9; Length 191942;
Best Local Similarity   23.3%; Pred. No. 2.2e+02;
Matches 24; Conservative 11; Mismatches 68; Indels 0; Gaps 0;

```
Qy      1 GGAAAAUNNNNUNAUAUGNNNNNCUNNNNUUUNNNNNNAAAAANUANAAACAUNNNNNNC 60
Db 155959 GGAGAATGAAATTAACTTTTTCTGTCTGGATTTAGGAGAAAACAATGAAAACATTTTAAA 156018

Qy     61 UUNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUA 103
Db 156019 ACAAGTTTTATATCTGACAGAAAAAAAGGAATGATTCCATTA 156061
```

RESULT 13
CEC01B9/c
LOCUS   CEC01B9   25233 bp   DNA   linear   INV 03-DEC-2003
DEFINITION   Caenorhabditis elegans cosmid C01B9, complete sequence.
ACCESSION   Z93373
VERSION   Z93373.1   GI:3217060
KEYWORDS   HTG.
SOURCE   Caenorhabditis elegans
ORGANISM   Caenorhabditis elegans
Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida;
Rhabditoidea; Rhabditidae; Peloderinae; Caenorhabditis.
REFERENCE   1

```
           Moule,S., Mungall,K., Murphy,L., Oliver,K., Quail,M.A.,
           Rajandream,M.-A., Rutter,S., Skelton,J., Squares,R., Squares,S.,
           Sulston,J.E., Whitehead,S., Woodward,J.R., Newbold,C. and
           Barrell,B.G.
  TITLE    The complete nucleotide sequence of chromosome 3 of Plasmodium
           falciparum
  JOURNAL  Nature 400 (6744), 532-538 (1999)
  MEDLINE  99376085
   PUBMED  10448855
REFERENCE  2
  AUTHORS  Hall,N., Pain,A., Berriman,M., Churcher,C., Harris,B., Harris,D.,
           Mungall,K., Bowman,S., Atkin,R., Baker,S., Barron,A., Brooks,K.,
           Buckee,C.O., Burrows,C., Cherevach,I., Chillingworth,C.,
           Chillingworth,T., Christodoulou,Z., Clark,L., Clark,R., Corton,C.,
           Cronin,A., Davies,R., Davis,P., Dear,P., Dearden,F., Doggett,J.,
           Feltwell,T., Goble,A., Goodhead,I., Gwilliam,R., Hamlin,N.,
           Hance,Z., Harper,D., Hauser,H., Hornsby,T., Holroyd,S.,
           Horrocks,P., Humphray,S., Jagels,K., James,K.D., Johnson,D.,
           Kerhornou,A., Knights,A., Konfortov,B., Kyes,S., Larke,N.,
           Lawson,D., Lennard,N., Line,A., Maddison,M., Mclean,J., Mooney,P.,
           Moule,S., Murphy,L., Oliver,K., Ormond,D., Price,C., Quail,M.A.,
           Rabinowitsch,E., Rajandream,M.A., Rutter,S., Rutherford,K.M.,
           Sanders,M., Simmonds,M., Seeger,K., Sharp,S., Smith,R., Squares,R.,
           Squares,S., Stevens,K., Taylor,K., Tivey,A., Unwin,L.,
           Whitehead,S., Woodward,J., Sulston,J.E., Craig,A., Newbold,C. and
           Barrell,B.G.
  TITLE    Sequence of Plasmodium falciparum chromosomes 1, 3-9 and 13
  JOURNAL  Nature 419 (6906), 527-531 (2002)
  MEDLINE  22255708
   PUBMED  12368867
REFERENCE  3  (bases 1 to 113880)
  AUTHORS  Lawson,D., Bowman,S. and Barrell,B.
  TITLE    Direct Submission
  JOURNAL  Submitted (18-NOV-1998) P.falciparum Genome Sequencing Consortium,
           The Sanger Centre, Wellcome Trust Genome Campus, Hinxton, Cambridge
           CB10 1SA, UK
COMMENT    On Apr 30, 2000 this sequence version replaced gi:4493924.
           For more information about this sequence or the Malaria Project,
           see http://www.sanger.ac.uk/Projects/P_falciparum.
FEATURES             Location/Qualifiers
     source          1..113880
                     /organism="Plasmodium falciparum 3D7"
                     /mol_type="genomic DNA"
                     /isolate="3D7"
                     /db_xref="taxon:36329"
                     /chromosome="3"
                     /clone="MAL3P4"
     gene            2..1024
                     /gene="MAL3P4.27"
                     /note="synonym: PFC0430w"
     CDS             <2..1024
                     /gene="MAL3P4.27"
                     /note="Revised: removed 5' exon"
                     /codon_start=1
                     /product="hypothetical protein"
                     /protein_id="CAD49086.1"
                     /db_xref="GI:23476984"
                     /db_xref="SPTREMBL:Q81222"
                     /translation="KNYDSIQDLIKSIDFWITLKENIKNIDIPTFQKYLIEKYNKLIK
                     NEMDVCYVDIVGCIENEEFMKKENHKCNGYLKSLKEKYEKNNDINFEBECKYINENFI
                     EEIFTSDYSSPNLDIKNEKDISSDNKNXNKNDNNMNNNMNNNDDFHNNNSYIQNND
                     FLEENIIRRKFPIYHRDSNNIKQSNIKQTYKDEKQNKSFLQENINILKSFPQSIQN
                     LSVEMFYRDNYFYFHCLNKYIKSKNKIEGLIICKLITYLDLLRSYNTHGLNKTFQRLM
                     HIEEKIDNNTKGIGETLNTYSCDINPVLANNTSYYGEGPKKYKIIYSIPGKKIKKNKI
                     KKNKIK"
     misc_feature    1218..1309
                     /note="Possible exon as peptide fragment matches one of
                     the orphan peptides from proteomics study (source: M.
                     Mann)
                     maps at the 3' downstream region of gene PFC0430w;
                     possibly identifies a small exon II of PFD0430w; could
                     also be a separate very small CDS since it is part of an
                     small open reading frame (ORF)."
     gene            2364..6248
                     /gene="MAL3P4.26"
                     /note="synonym: PFC0435w"
     CDS             2364..6248
                     /gene="MAL3P4.26"
                     /note="Signal peptide predicted by SignalP 2.0 HMM (Signal
                     peptide probability 0.995, signal anchor probability 0.005)
                     with cleavage site probability 0.397 between residues 17
                     and 18"
                     /codon_start=1
                     /product="hypothetical protein"
                     /protein_id="CAA15616.1"
                     /db_xref="GI:3764023"
                     /db_xref="SPTREMBL:O77361"
                     /translation="MKVGIIFPCLFFFVVLGACNVKERIFKNIKKRTKFIILNEPIV
                     DLSFSENLFHTLLFDLDVDKNLYTLDESLLNLENLNYSSIFRLLVDTYKNIKENEDDN
                     KNIRYIFLGTSFSRIHPLNFEYFLRKLNKYIYNGNIYEKNVDIRGILEEYNKEIEBK
                     KLEKQKLNKIKDXNNNNNNNNSKFSKDGDNEDFNNKNLLYNPSDKLYNNNDDIDVHE
                     LLEEIITKEKRPFLNDDDDNDSNDKYLKTDEVNKYKGFIGYGPNDDIPSVIHHYNF
                     DKNFLFPSLNSGILDITLLKNIYEVSNILLSNNEKDQSIHIDYIYEVTKYIKENLRV
                     RLTHSSNVCLNEEQNIHLLDNDPNNFEIYKYYQVLNLFKDYNKNTEEKQYBKIGHENV
                     RHEETSSEGNELNRNTKHNDNNNDNNYSEDAIAELLLSYFNVFYPISTCMCYSIR
                     SKEESLMDYDKYHMINLENDIKLKHYIKETEEIHFNSIEYKMKLNRINYKYDTLLEE
                     HENLVTHKNLLIGIKTSINTEEERIPHIKNTYDNKENTQIIFNTFNYDNKLKEKNTFG
                     FYNNSLLQNALENDLDLDIIYMSDKESQKYDNIYFNSKYTSKEGLCEKLKHMIYYY
                     EEYVMKNSEKKYFFIADDDTFVNVKNLIDVTNLTLNTCHSKKMYDKYIKSYDFVKE
                     NEALFLQNFPKKTLFLYSYLKDTFAKTIQTLKYDYVKYCQGGILSKKHKNNDSDDD
                     HDHHVGNKQNNDSTNHQDIEKQVNVINNNNNNNKAKSIPTYLGRRYSYNTFSTNS
                     NEYFYDYLTGGAGILINDETAKRIYECKECTCPSTNSSWDMIFGKWAKELGILAINF
                     EGYFQNSPLDYNKKYINTLVPITYHRLNKNRTTKESRDMYFNYLVNYNRNDKEQNKDI
                     YVDYLDRNHKNMIDNVFHYFFYVNMYDEKNKVVTKIEHNADMNSKKNKSSKNPQKLNNT
                     QGDKVNDDENVNDDENVKGDENVKGDEYMKGDENVKGDENVKGDDENVKDDENVKDDE
                     NIKGDDNNYNVDNMENIDDINMVESVDDDVMERNKKGTGKEKKDDKNHNNKEKATDV
                     KKSSVPTNNIDKNEDTTKYVIKMNEKIYNRMQBSGKYKQLFDINKFFKKBIEGHPYFQ
                     KIKKNEKAKKEKEKMNQLKKQKDYTNNYFHTSMNQNFNQQKMGNYQNQNENEENDFT
                     DQRPEIEEDAINPMDYEBEYMENLSNFEDDGEPYDEYDDYDDFVNTINADKLKINDQNK
                     HLYEQIKDIAQPPVNFQNDQNSNTFDFDTDEL"
     gene            complement(7161..13970)
                     /gene="MAL3P4.25"
                     /note="synonym: PFC0440c"
     CDS             complement(7161..13970)
                     /gene="MAL3P4.25"
                     /note="Similarity to helicases. C.elegans helicase
                     (WP:F52B5.3) BLAST Score: 290, sum P(4) = 5.9e-31; 34% in
                     199 aa overlap
                     Pfam match to entry PF00271 helicase C, Helicase conserved
                     C-terminal domain, score 48.20, E-value 1.8e-10"
                     /codon_start=1
                     /product="helicase, putative"
                     /protein_id="CAA15615.1"
                     /db_xref="GI:3764022"
                     /db_xref="GOA:O77360"
                     /db_xref="SPTREMBL:O77360"
                     /translation="MNNTFKINKKRRTVYESYNIINIANKKYMCNDNKMDNDNNIIN
                     EKKYFNNSSIKNTGNNYKNDNIDKSYDMCERRSMMDRDENIYNNNYKNKNRNNYSNK
                     NNYSNNINHMDNRRNTYKGDLDGRKQYLSNKHYESKNDNENSYNLKKYNFNIPPIKYN
                     NNNNNNKNNNDRQNIDNIYKFYDKNEKKSNKTHSYGNNFNEFNTFNDPKQNYM
                     SNESHNMTQDGHPIYNHNNNNDGRIKNRKDISLSSYGYNKISNDNLSKENTSYINQY
                     NNSGGANRHVINAQHNNNQHNNFNYHNYKNAKPYQDKYKNGDSFKFSAYNAE
                     QHDNMDKNYQDIHKNMKHSTKGDTAISFNGQKVFGSFKNQMKEKRKFFNKERGS
                     SINRPGMHNNNNMYNNNNNNMYNNYNNNNMHFCDDABRRNNKNENWCEINSNELYEKDGD
                     MPIYNANENCNLKKMIYKNDKKEKEKIKILLTEDNVNNVQSNIEKGLSIYKSRNEIIEM
                     IEKNDVTFINGETGSGKSTVINGEL LEENIRENKKNIIVTEPRRIACIALSKILSEL
                     TNEKLGQKIGYRISGESLYDSEKTVITYIITIGYLFKLFLHHKQMYKKFTHVIIDEIHD
                     RSILLDIVLLFIKLYLHNKQKDEQMFKLIIMSATMQSNLFYSYFEHPNIKMGSIFIGT
                     KIFSIDTFYIEDIINYTRYGSRNIHDEKINDEKINDEKINDEKINDDNKKSCD
                     DKKSCDDKKSCDGNNNFVKESVIDFILRRKNCNKINLSKNSEMLLYKISEYDNIHM
                     FNNNNKYCNDKNKDLDVEIIPANVFSNISNLCLELVYNLCLKGDSVIIFLSGMQDI
                     TDMYHQLSMIINNMDNPSNSNINNIINIATNNNMHNMHMMHMHMINANQLTY
                     HRTDIKIHIHMLHSCLYDNTIHKLKHDTDINIFLSSNIABSSITIPNVRLVIDFCIQ
                     KNIEYNDKKKAHILVKKWINKSSMEQRKGRGCRTCHGICIRMISKNFLNLLRDHKISE
                     IYTHSLHLLYLYILKSMSVLNGLINKRNEVVHCDNTNVYNVKEVKDQKNGICKNEISH
                     SHAENKKJTYDVLSMIIEKPSKEKIKSTRYELEKVKAVIKIKDKLVISIIGQIMIRF
```

```
NLSINLCRLILYGVLLDVTFDTILIGILNTNDIFPNINLYSSKNIYSYAVSLEICSK
QKAYFDGNTYSSPIMLRNVFLEWLCVLLYVQGLKKENKFPHRKELKTYMMNTCSIMNK
RNHVNSKKLLCVINSVDNLCKKMLKMLNKNSNAYKSCVYLLYLLRGGSDINYNMGNNS
NNNDNSGEIINADGITPNNTHMNEINGMNVFNVVTKYCLFDYSNQNIYLIKPLFSLSF
TPLFIHGSPNLPLRDLNEGKKKSKKLMVLNFMIDNKLDVNCIYFSGVYIPDINILK
RAICIMCPYLSFDIYVSKNIYYYFHNNYHNNYHNNILKGDFSYYNKTICDKGDAD
MSVNSYINLTQGGHDTDGITSFGVSPLMNNNMYGNNYIHNNVYPCNGINNYYNNNV
VNSQNNYMMKMIMSNYYSESFLNLTSGKNYPDIIEKIRNKLLYXYNNNVBKSIFHNFY
NNILNLIQPVNAIVPVYSNKYDEINNASICTNIINMFSNGKWIFTMPLFNPNKRKCEV
SEYFNHKYELKKPKHLFLVKWMPLNTDNYKIKKNKQKEHVMDTNNALVNNNSLGKNVS
KNDIHRDNINDYSLNDOEDQQYNKGYYDYDDYDDYDDDNNDNDNNNNNNDDDN
NNNDDDYLSNVKVESDNNNTHQNNPDGYEGNDSSSMCSDNNKKSKQKKMKCNLNFRSV
LGFLSMCPFNFDTKRNIYDNQTADIYAVCSSIDYSYTNDTYTWVNYVTVLPNKYFLTF
FLSSIPYHDNVIIQTRNLYTSDILSIKIFDSKEIILKMKKMKCHKNKTNTTNYYDTN
STINNPNITKHDLLRVNYLRYVMSKLLLSITLSFNRQEIEQNTQPLKLSEKSKRKSVI
INKDGPNNDNRVDANDKNVNGNDKNVNDKNVNSQDNQGNQKDHFDDEDEEYFSDED
IMSDIEENNILKENLYLKQIVINMIEBNNMDYINYNKYSMDNMDIDEHFNLQYLYEDE
HFINLNEKWYNNKGEILMNTYDYLYNSLKNENDYNQYNNNNNNNNNSSYMVKNI
KEKALNSLEAVKSSYLNMNNFSVQVQNTMNAYERTNSEDFLFFQPINISPIKEANYKLR
SMYYNEVAPTLDKFRRTNRQV"
```

```
variation        15740
                 /note="variable sequence, 9 or 10 Ts"
gene             complement(join(16039..16667,16813..16891))
                 /gene="PFC0441c"
CDS              complement(join(16039..16667,16813..16891))
                 /gene="PFC0441c"
                 /note="Revised: new gene prediction; splicing confirmed in
                 P. yoelii"
                 /codon_start=1
                 /product="hypothetical protein"
                 /protein_id="CAB89483.1"
                 /db_xref="GI:7672213"
                 /db_xref="SPTREMBL:Q9NFE6"
                 /translation="MDINNIMEEVQAIKVLPHMMPNASKLKVLSDYVNVAFENNEYYD
                 NDVMLTLLRLPCLYPHCYDKDIIKKILICVLYNINVDMQNMYMSLIINSSLYDDNIKSV
                 IYIYELIKNCQYKKLWNCINNNIGNEYNNCDYSYLKNDKNFICNIRKYILNTISISFE
                 SIYLKNMSEYLNIQDNTQLEQFLNENKWTIKMINHKGKDEQICYNGNIETVQNKKNIN
                 TYFTEDNIGSYITKLNH"
gene             join(18192..18242,18754..19140)
                 /gene="MAL3P4.24"
                 /note="synonym: PFC0445w"
```

```
Query Match               26.7%;  Score  28.6;  DB 3;  Length 113880;
Best Local Similarity     21.8%;  Pred. No. 3.2e+02;
Matches   22;  Conservative  12;  Mismatches  67;  Indels  0;  Gaps  0;

Qy        3 AAAAUNNNNNNNAUAUGNNNNNNNCUNNNUUNNNNNNAAAAAAANUANAAACAUNNNNNCUU 62
              |||:    ||||  |:          ::              ::
Db    51946 AAAATTATAAAATATATTTGTTAACTTATTTATTTTATTATAAAAATTATAAAATATATTTGTT 51887

Qy       63 NAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUA 103
              |||:               ::
Db    51886 AACATTTTTTTTTTTATAAAAAATTATAAAATATATTTGTTAA 51846
```

```
RESULT 15
AC099283/c
LOCUS       AC099283         227182 bp    DNA     linear   HTG 13-MAY-2003
DEFINITION  Rattus norvegicus clone CH230-133B5, WORKING DRAFT SEQUENCE, 3
            unordered pieces.
ACCESSION   AC099283
VERSION     AC099283.6  GI:30579809
KEYWORDS    HTG; HTGS_PHASE1; HTGS_DRAFT; HTGS_FULLTOP.
SOURCE      Rattus norvegicus (Norway rat)
ORGANISM    Rattus norvegicus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
            Rattus.
REFERENCE   1  (bases 1 to 227182)
  AUTHORS   Muzny,D.Marie., Metzker,M.Lee., Abramzon,S., Adams,C., Alder,J.,
            Allen,C., Allen,H., Alsbrooks,S., Anin,A., Anguiano,D.,
            Anyalebechi,V., Aoyagi,A., Ayodeji,M., Baca,E., Baden,H.,
            Baldwin,D., Bandaranaike,D., Barber,M., Barnstead,M., Benahmed,F.,
            Biswalo,K., Blair,J., Blankenburg,K., Blyth,P., Brown,M.,
            Bryant,N., Buhay,C., Burch,P., Burrell,K., Calderon,E.,
            Cardenas,V., Carter,K., Cavazos,I., Ceasar,H., Center,A.,
            Chacko,J., Chavez,D., Chen,G., Chen,R., Chen,Y., Chen,Z., Chu,J.,
            Cleveland,C., Cockrell,R., Cox,C., Coyle,M., Cree,A., D'Souza,L.,
            Davila,M.L., Davis,C., Davy-Carroll,L., De Anda,C., Dederich,D.,
            Delgado,O., Denson,S., Deramo,C., Ding,Y., Dinh,H., Divya,K.,
            Draper,H., Dugan-Rocha,S., Dunn,A., Durbin,K., Duval,B., Eaves,K.,
            Egan,A., Escoto,M., Eugene,C., Evans,C.A., Falls,T., Fan,G.,
            Fernandez,S., Finley,M., Flagg,N., Forbes,L., Foster,M., Foster,P.,
            Fraser,C.M., Gabisi,A., Ganta,R., Garcia,A., Garner,T., Garza,M.,
            Gebregeorgis,E., Geer,K., Gill,R., Grady,M., Guerra,W., Guevara,W.,
            Gunaratne,P., Haaland,W., Hamil,C., Hamilton,C., Hamilton,K.,
            Harvey,Y., Havlak,P., Hawes,A., Henderson,N., Hernandez,J.,
            Hernandez,R., Hines,S., Hladun,S.L., Hodson,A., Hogues,M.,
            Hollins,B., Howells,S., Hulyk,S., Hume,J., Idlebird,D., Jackson,A.,
            Jackson,L., Jacob,L., Jiang,H., Johnson,B., Johnson,R., Jolivet,A.,
            Karpathy,S., Kelly,S., Kelly,S., Khan,Z., King,L., Kovar,C.,
            Kowis,C., Kraft,C.L., Lebow,H., Levan,J., Lewis,L., Li,Z., Liu,J.,
            Liu,J., Liu,W., Liu,Y., London,P., Longacre,S., Lopez,J.,
            Lorensuhewa,L., Louiseged,H., Lozado,R.J., Lu,X., Ma,J.,
            Maheshwari,M., Mahindartne,M., Mahmoud,M., Malloy,K., Mangum,A.,
            Mangum,B., Mapua,P., Martin,K., Martin,R., Martinez,E.,
            Mawhiney,S., McLeod,M.P., McNeill,T.Z., Meenen,E.,
            Milosavljevic,A., Miner,G., Minja,E., Montemayor,J., Moore,S.,
            Morgan,M., Morris,K., Morris,S., Munidasa,M., Murphy,M., Nair,L.,
            Nankervis,C., Neal,D., Newton,N., Nguyen,N., Norris,S.,
            Nwaokelemeh,O., Okwuonu,G., Olarnpunsagoon,A., Pal,S., Parks,K.,
            Pasternak,S., Paul,H., Perez,A., Perez,L., Pfannkoch,C.,
            Plopper,F., Poindexter,A., Popovic,D., Primus,E., Pu,L.-L.,
            Puazo,M., Quiroz,J., Rachlin,D., Reeves,K., Regier,M.A., Reigh,R.,
            Reilly,B., Reilly,M., Ren,Y., Reuter,M., Richards,S., Riggs,F.,
            Rives,C., Rodkey,T., Rojas,A., Rose,M., Rose,R., Ruiz,S.J.,
            Sanders,W., Savery,G., Scherer,S., Scott,G., Shatsman,S., Shen,H.,
            Shetty,J., Shvartsbeyn,A., Sisson,I., Sitter,C.D., Smajs,D.,
            Sneed,A., Sodergren,E., Song,X.-Z., Sorelle,M., Sosa,J.,
            Steimle,M., Strong,R., Sutton,A., Svatek,A., Tabor,P., Taylor,C.,
            Taylor,T., Thomas,N., Thomas,S., Tingey,A., Trejos,Z., Usmani,K.,
            Valas,R., Vera,V., Villasana,D., Waldron,L., Walker,B., Wang,J.,
            Wang,Q., Wang,S., Warren,J., Warren,R., Wei,X., White,F.,
            Williams,G., Wilson,R., Wleczyk,R., Wooden,H., Worley,K.,
            Wright,D., Wright,R., Wu,J., Yakub,S., Yen,J., Yoon,H., Yoon,V.,
            Yu,F., Zhang,J., Zhou,J., Zhou,X., Zhao,S., Zhao,S., Dunn,D., von
            Niederhausern,A., Weiss,R., Smith,D.R., Holt,R.A., Smith,H.O.,
            Weinstock,G. and Gibbs,R.A.
  TITLE     Direct Submission
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 227182)
  AUTHORS   Worley,K.C.
  TITLE     Direct Submission
  JOURNAL   Submitted (09-NOV-2001) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
REFERENCE   3  (bases 1 to 227182)
  AUTHORS   Rat Genome Sequencing Consortium.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-MAY-2003) Human Genome Sequencing Center, Department
            of Molecular and Human Genetics, Baylor College of Medicine, One
            Baylor Plaza, Houston, TX 77030, USA
COMMENT     On May 13, 2003 this sequence version replaced gi:25086297.
            The sequence in this assembly is a combination of BAC based reads
            and whole genome shotgun sequencing reads assembled using Atlas
            (http://www.hgsc.bcm.tmc.edu/projects/rat/). Each contig described
            in the feature table below represents a scaffold (a 'contig-scaffold').
            assembly (a 'contig-scaffold'). Within each contig-scaffold,
            individual sequence contigs are ordered and oriented, and separated
            by sized gaps filled with Ns to the estimated size. The sequence
            may extend beyond the ends of the clone and there may be sequence
            contigs within a contig-scaffold that consist entirely of whole
            genome shotgun sequence reads. Both end sequences and whole genome
            shotgun sequence only contigs will be indicated in the feature
            table.
            ----------- Genome Center
```

Center: Baylor College of Medicine
Center code: BCM
Web site: http://www.hgsc.bcm.tmc.edu/
Contact: hgsc-help@bcm.tmc.edu
------------ Project Information
Center project name: GKCS
Center clone name: CH230-133B5
------------ Summary Statistics
Assembly program: Atlas 3.0;
Consensus quality: 221120 bases at least Q40
Consensus quality: 222542 bases at least Q30
Consensus quality: 223333 bases at least Q20
Estimated insert size: 228594; sum-of-contigs estimation
Quality coverage: 9x in Q20 bases; sum-of-contigs estimation

----

* NOTE: Estimated insert size may differ from sequence length
*   (see http://www.hgsc.bcm.tmc.edu/docs/Genbank_draft_data.html).
* NOTE: This is a 'working draft' sequence. It currently
*   consists of 3 contigs. The true order of the pieces
*   is not known and their order in this sequence record is
*   arbitrary. Gaps between the contigs are represented as
*   runs of N, but the exact sizes of the gaps are unknown.
*   This record will be updated with the finished sequence
*   as soon as it is available and the accession number will
*   be preserved.
* ------------
*   1 224728: contig of 224728 bp in length
*   224729 224828: gap of unknown length
*   224829 225852: contig of 1024 bp in length
*   225853 225952: gap of unknown length
*   225953 227182: contig of 1230 bp in length.

FEATURES   Location/Qualifiers
     source   1..227182
                     /organism="Rattus norvegicus"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:10116"
                     /clone="CH230-133B5"
     misc_feature   1..1303
                     /note="wgs_end_extension
                     clone_end:Sp6"
     misc_feature   2184..3927
                     /note="wgs_end_extension
                     clone_end:Sp6"
     misc_feature   5122..5977
                     /note="clone_boundary
                     clone_end:Sp6
                     site:EcoRI
                     end_sequence:BH323630"
     misc_feature   221329..222127
                     /note="clone_boundary
                     clone_end:T7
                     site:EcoRI
                     end_sequence:BH323591"
ORIGIN

Query Match   26.7%; Score 28.6; DB 2; Length 227182;
Best Local Similarity 21.8%; Pred. No. 2.6e+02;
Matches 22; Conservative 12; Mismatches 67; Indels 0; Gaps 0;

Qy   3 AAAAUNNNNNNUNAUAUGNNNNNCUNNNNUUUNNNNNAAAANUANAAAACAUNNNNNCUU 62
             || :|:| : : ::| ::: |||||:| :|| ||| | :|
Db 109443 AATGTTATTATTATTAAAATTCTGATGTTTTTGAAGAAAAAAATAGAAAAAATCTATCCTA 109384

Qy   63 NAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUA 103
             | || ||| ::|
Db 109383 TAGACAGTCATAGAAATAAAGGACTCAAAAAAACTCTTA 109343

Search completed: March 8, 2004, 05:20:24
Job time : 2071 secs

```
                Copyright  GenCore version 5.1.6
                Copyright (c) 1993 - 2004 Compugen Ltd.

DM nucleic - nucleic search, using sw model

Run on:    March  8, 2004, 03:12:12 ; Search time 307 Seconds
                                      (without alignments)
                                      1480.642 Million cell updates/sec

Title:         US-09-646-651C-2
Perfect score: 107
Sequence:      1 ggaaaaunnnnnunauaugn.........nnnnnnnnnnnuuagcag 107

Scoring table: IDENTITY_NUC
               Gapop 10.0 , Gapext 1.0

Searched:      3373863 seqs, 2124099041 residues

Total number of hits satisfying chosen parameters:    6747726

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database :   N_Geneseq_29Jan04:*
          1:  geneseqn1980s:*
          2:  geneseqn1990s:*
          3:  geneseqn2000s:*
          4:  geneseqn2001as:*
          5:  geneseqn2001bs:*
          6:  geneseqn2002s:*
          7:  geneseqn2003as:*
          8:  geneseqn2003bs:*
          9:  geneseqn2003cs:*
         10:  geneseqn2004s:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.
```

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	31.4	29.3	298	2	AAX23773	Aax23773 Ribonucle
2	29.4	27.5	110000	2	AAV21209_05	Continuation (6 of
3	29.2	27.3	3456	4	ABL18738	Abl18738 Drosophil
4	29.2	27.3	4829	4	ABL18730	Abl18730 Drosophil
5	27.4	25.6	524	6	ABQ89024	Abq89024 Human pro
6	27.4	25.6	524	8	ADB81968	Adb81968 Human cDN
7	27.4	25.6	761	8	ADB82181	Adb82181 Human cDN
8	27.4	25.6	769	6	ABQ89163	Abq89163 Human pro
9	27.4	25.6	769	8	ADB82106	Adb82106 Human cDN
10	27.4	25.6	789	6	ABQ89160	Abq89160 Human pro
11	27.4	25.6	789	8	ADB82103	Adb82103 Human cDN
12	27.4	25.6	835	6	ABQ89238	Abq89238 Human pro
13	27.4	25.6	929	8	ADB83094	Adb83094 Human cDN
14	27	25.2	325791	4	AAS43104	Aas43104 Human Oes
15	26.8	25.0	6419	6	ABL32266	Abl32266 Human imm
16	26.8	25.0	13814	6	ABL33193	Abl33193 Human imm
17	26.6	24.9	10034	6	ABL33885	Abl33885 Human imm
18	26.2	24.5	100543	6	ABS52816	Abs52816 Genomic D
19	26	24.3	318	6	ADA29355	Ada29355 DNA encod
20	26	24.3	5504	6	ABL70350	Abl70350 Chemicall
21	26	24.3	5504	6	AAS61309	Aas61309 Human gen
22	26	24.3	7977	6	ABL34089	Abl34089 Human imm
23	25.8	24.1	250	3	AAC16119	Aac16119 Human sec
24	25.8	24.1	553	7	ABX65321	Abx65321 Human gen
25	25.8	24.1	934	2	AAT92699	Aat92699 Candida C
26	25.8	24.1	934	2	AAT92866	Aat92866 Candida C
27	25.8	24.1	934	2	AAZ11688	Aaz11688 Candida R
28	25.8	24.1	1386	7	ACA27482	Aca27482 Prokaryot
29	25.8	24.1	1905	7	ACA29255	Aca29255 Prokaryot
30	25.8	24.1	3243	2	AAV32555	Aav32555 Candida a
31	25.8	24.1	4544	6	AAD48259	Aad48259 Ehrlichia
32	25.8	24.1	7461	6	AAS30639	Aas30639 DNA encod
33	25.8	24.1	7461	4	AAS28701	Aas28701 Genomic s
34	25.8	24.1	7461	7	ACA03402	Aca03402 DNA encod
35	25.8	24.1	7461	8	ADB96750	Adb96750 Novel lun
36	25.8	24.1	10205	6	ABK31275	Abk31275 Signal tr
37	25.8	24.1	10205	6	ABL70236	Abl70236 Chemicall
38	25.8	24.1	12639	6	ABN80106	Abn80106 Human che
39	25.8	24.1	12781	6	AAS46386	Aas46386 Tumour su
40	25.8	24.1	12781	6	ABL92229	Abl92229 Chemicall
41	25.8	24.1	12781	6	ADB54256	Adb54256 Pretreate
42	25.8	24.1	12781	9	ADB54128	Adb54128 Pretreate
43	25.8	24.1	32174	4	AAS30638	Aas30638 DNA encod
44	25.8	24.1	32174	4	AAI62606	Aai62606 Human bre
45	25.8	24.1	32174	4	AAL36280	Aal36280 Human mus

(c markers appear on rows: 1, 15, 16, 20, 21, 22, 24, 25, 26, 27, 29, 31, 32, 33, 34, 44, 45)

ALIGNMENTS

```
RESULT 1
AAX23773
ID   AAX23773 standard; RNA; 298 BP.
XX
AC   AAX23773;
XX
DT   21-JUN-1999  (first entry)
XX
DE   Ribonucleotide protein ARNA VI Clone P10 RNA.
XX
KW   Angiotropin related protein; ARP; ternary complex; S100 protein;
KW   copper-containing ribonucleoprotein; copper; cell selective;
KW   morphogenic action; blood capillary endothelial cell; confluent;
KW   non-mitogenic induction; cell phenotype; three-dimensional organoid;
KW   spatiotemporal supracellular organisation; chemotropic; blood vessel;
KW   tissue neovascularisation; angiogenesis modulation; ss.
XX
OS   Synthetic.
XX
PN   DE19811047-C1.
XX
PD   15-APR-1999.
XX
PF   13-MAR-1998;   98DE-01011047.
XX
PR   13-MAR-1998;   98DE-01011047.
XX
PA   (FRAU ) FRAUNHOFER GES FOERDERUNG ANGEWANDTEN.
XX
PI   Kieswetter S,  Kuhn E,  Koch-Pelster B,  Brunner H;
XX
DR   WPI; 1999-216114/19.
XX
PT   Copper-containing ribonucleoproteins - useful for modulating
PT   angiogenesis.
XX
PS   Claim 2; Page 12; 16pp; German.
XX
CC   This invention describes novel copper-containing ribonucleoproteins which
CC   are ternary complexes of an S100 protein, copper ions, and RNA comprising
CC   the following consensus sequence or its complement GGAAAAUNNNNNUNAUAUGN1-
CC   6CUNNNNUUNNNNNNNAAAAAN0-1UANAAACAUN0-5CUUNAGN0- 13AGAA-AUN0-16UAGCAG where
CC   N = G, A, U or C. The ribonucleoproteins are stated to have the following
CC   properties (1) cell-selective morphogenic action in vitro on isolated
CC   primary and/or cloned blood capillary endothelial cells in culture for
CC   the non-mitogenic induction of the change in cell phenotype from the
```

```
CC   confluent state, for non-mitogenic alteration of the spatiotemporal
CC   supracellular organisation of cells into three-dimensional organoid,
CC   capillary-like structures in culture, (2) a specific chemotropic action
CC   on blood vessels in vivo, (3) induction of directional growth of blood
CC   vessels in vivo and (4) induction of neovascularisation of tissues
CC   through directed ingrowth of blood vessels. Their use for modulating
CC   angiogenesis is claimed
XX
SQ   Sequence 298 BP; 103 A; 40 C; 38 G; 0 T; 117 U; 0 Other;

Query Match    29.3%;  Score 31.4;  DB 2;  Length 298;
Best Local Similarity   42.1%;  Pred. No. 6.2;
Matches   32;  Conservative   0;  Mismatches   44;  Indels   0;  Gaps   0;

Qy     32 UNNNNNNAAAAANUANAAACAUNNNNNCUNAGNNNNNNNNNNNNNNNNNAGAAAUNNNNNNNN 91
          |||| || ||||| |  |||||      |||| |
Db     89 UUUGUACAUAAAAAUAAAACAUGACUUCUUUAGACACUCCUUCAUUAGAAAUAAAAAUAA 148

Qy     92 NNNNNNNNNUUAGCAG 107
          |||||||
Db    149 AAUAAACUAUUAGCAG 164

RESULT 2
AAV21209_05/c
Continuation (6 of 17) of AAV21209 from base 500001  (Methanococcus jannaschii circular c
WP Sequence split into 17 fragments   LOCUS AAV21209  Accession Aav21209
WP   Fragment Name       Begin        End
WP   AAV21209_00              1    110000
WP   AAV21209_01         100001    210000
WP   AAV21209_02         200001    310000
WP   AAV21209_03         300001    410000
WP   AAV21209_04         400001    510000
WP   AAV21209_05         500001    610000
WP   AAV21209_06         600001    710000
WP   AAV21209_07         700001    810000
WP   AAV21209_08         800001    910000
WP   AAV21209_09         900001   1010000
WP   AAV21209_10        1000001   1110000
WP   AAV21209_11        1100001   1210000
WP   AAV21209_12        1200001   1310000
WP   AAV21209_13        1300001   1410000
WP   AAV21209_14        1400001   1510000
WP   AAV21209_15        1500001   1610000
WP   AAV21209_16        1600001   1664976

Query Match    27.5%;  Score 29.4;  DB 2;  Length 110000;
Best Local Similarity   24.8%;  Pred. No. 47;
Matches   26;  Conservative   10;  Mismatches   69;  Indels   0;  Gaps   0;

Qy      3 AAAAUNNNNNNUNAUAUGNNNNNNNCUNNNUUUNNNNNAAAAANUANAAAACAUNNNNNCUU 62
          |||||:          |:        :::       ||||| :|||:
Db  73299 AAAATTAGTATTAGAAGCTATAACTTATTTTAATGCCAAAAATATAAACATTTCTGGTG 73240

Qy     63 NAGNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNNUUAGCAG 107
          ||:                                     ||
Db  73239 AAATAATGACAGGCAAAGTTATCTTAGTAGGAGCAGGACCGGGAG 73195

RESULT 3
ABL18738
ID   ABL18738 standard; DNA; 3456 BP.
XX
AC   ABL18738;
XX
DT   26-MAR-2002 (first entry)
XX
DE   Drosophila melanogaster genomic polynucleotide SEQ ID NO 7687.
XX
KW   Drosophila; developmental biology; cell signalling; insecticide;
KW   pharmaceutical; gene; ds.
XX
OS   Drosophila melanogaster.
```

```
XX
PN   WO200171042-A2.
XX
PD   27-SEP-2001.
XX
PF   23-MAR-2001; 2001WO-US009231.
XX
PR   23-MAR-2000; 2000US-0191637P.
PR   11-JUL-2000; 2000US-0614150.
XX
PA   (PEKE ) PE CORP NY.
XX
PI   Venter JC, Adams M, Li PWD, Myers EW;
XX
DR   WPI; 2001-656860/75.
XX
PT   New isolated nucleic acid detection reagent for detecting 1000 or more
PT   genes from Drosophila and for elucidating cell signaling and cell-cell
PT   interactions.
XX
PS   Claim 1; SEQ ID NO 7687; 21pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated nucleic acid detection reagent
CC   capable of detecting 1000 or more genes from Drosophila. The invention is
CC   useful in developmental biology and in elucidating cell signalling and
CC   cell-cell interactions in higher eukaryotes for the development of
CC   insecticides, therapeutics and pharmaceutical drugs. The invention
CC   discloses genomic DNA sequences (ABL16176-ABL30511), expressed DNA
CC   sequences (ABL01840-ABL16175) and the encoded proteins (ABB57737-
CC   ABB72072). The sequence data for this patent did not form part of the
CC   printed specification, but was obtained in electronic format directly
CC   from WIPO at ftp.wipo.int/pub/published_pct_sequences
XX
SQ   Sequence 3456 BP; 827 A; 939 C; 888 G; 802 T; 0 U; 0 Other;

Query Match    27.3%;  Score 29.2;  DB 4;  Length 3456;
Best Local Similarity   25.0%;  Pred. No. 34;
Matches   21;  Conservative   13;  Mismatches   50;  Indels   0;  Gaps   0;

Qy      1 GGAAAAUNNNNNNUNAUAUGNNNNNNNCUNNNUUUNNNNNAAAAANUANAAAACAUNNNNNC 60
          |||||||                   :::       ||||| :|| ||||
Db    769 GGAAAATAAACTTAGTATTTACATCTTAGTTTTGTACCAAAAATAAAAATCTGTATAA 828

Qy     61 UUNAGNNNNNNNNNNNNAGAAAU 84
          ::|
Db    829 TTATTTTAAATTCAAATTTAAAT 852

RESULT 4
ABL18730
ID   ABL18730 standard; DNA; 4829 BP.
XX
AC   ABL18730;
XX
DT   26-MAR-2002 (first entry)
XX
DE   Drosophila melanogaster genomic polynucleotide SEQ ID NO 7663.
XX
KW   Drosophila; developmental biology; cell signalling; insecticide;
KW   pharmaceutical; gene; ds.
XX
OS   Drosophila melanogaster.
XX
PN   WO200171042-A2.
XX
PD   27-SEP-2001.
XX
PF   23-MAR-2001; 2001WO-US009231.
XX
PR   23-MAR-2000; 2000US-0191637P.
PR   11-JUL-2000; 2000US-0614150.
XX
PA   (PEKE ) PE CORP NY.
```

XX
PI Venter JC, Adams M, Li PWD, Myers EW;
XX
DR WPI; 2001-656860/75.
XX
PT New isolated nucleic acid detection reagent for detecting 1000 or more genes from Drosophila and for elucidating cell signaling and cell-cell interactions.
XX
PS Claim 1; SEQ ID NO 7663; 21pp + Sequence Listing; English.
XX
CC The invention relates to an isolated nucleic acid detection reagent capable of detecting 1000 or more genes from Drosophila. The invention is useful in developmental biology and in elucidating cell signalling and cell-cell interactions in higher eukaryotes for the development of insecticides, therapeutics and pharmaceutical drugs. The invention discloses genomic DNA sequences (ABL01840-ABL16175) and the encoded proteins (ABB57737-ABB72072). The sequence data for this patent did not form part of the printed specification, but was obtained in electronic format directly from WIPO at ftp.wipo.int/pub/published_pct_sequences
XX
SQ Sequence 4829 BP; 1251 A; 1183 C; 1154 G; 1241 T; 0 U; 0 Other;

Query Match 27.3%; Score 29.2; DB 4; Length 4829;
Best Local Similarity 25.0%; Pred. No. 36;
Matches 21; Conservative 13; Mismatches 50; Indels 0; Gaps 0;

Qy 1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNNUUUNNNNAAAAANUANAAACAUNNNNNC 60

Db 3811 GGAAAATAAACTTAGTATTTACAACTCTTAGTTTTGTACCAAAAAATAAAAATCTGTATAA 3870

Qy 61 UUNAGNNNNNNNNNAGAAAU 84

Db 3871 TTAATTTAAATTCAAATTTAAAT 3894

RESULT 5
ABQ89024
ID ABQ89024 standard; cDNA; 524 BP.
XX
AC ABQ89024;
XX
DT 27-SEP-2002 (first entry)
XX
DE Human prostate expressed polynucleotide SEQ ID NO 280.
XX
KW Human; prostate; cytostatic; tumour; cancer; vaccine; gene therapy; gene; ss.
XX
OS Homo sapiens.
XX
XN WO200255700-A2.
XX
XD 18-JUL-2002.
XX
XF 07-DEC-2001; 2001WO-US047349.
XX
XR 07-DEC-2000; 2000US-0254648P.
XR 13-MAR-2001; 2001US-0275688P.
XX
PA (CHIR) CHIRON CORP.
PA (HYSE-) HYSEQ INC.
XX
PI Escobedo J, Garcia PD, Kassam A, Lamson G, Drmanac R;
PI Crkvenjakov R, Dickson M, Drmanac S, Labat I, Leshkowitz D, Kita D;
PI Garcia V, Jones WL, Stache-Crain B, Scott EM;
XX
DR WPI; 2002-557824/59.
XX
PT New genes and gene products isolated from human prostate, useful for treating or diagnosing tumor or cancer (e.g. prostate cancer or breast cancer), or as vaccines for treating or preventing these diseases.

XX
PS Claim 1; SEQ ID NO 280; 186pp + Sequence Listing; English.
XX
CC The invention relates to an isolated polynucleotide comprising any of 1477 sequences or its fragment, degenerate variant, antisense or complement. The polynucleotides and gene products are useful for treating or diagnosing tumour or cancer (e.g. prostate cancer, breast cancer, lung cancer or medullary carcinoma) in a subject (e.g. cattle, dogs, cats, rabbits, horse or human). The polynucleotides and polypeptides are also useful as vaccines for treating or preventing these diseases. The polynucleotides are useful for gene therapy. The present sequence is that of one of a group of polynucleotides (ABQ8745-ABQ9015) disclosed electronically as sequences of the invention. However only 1271 polynucleotide sequences are given, whereas 1477 polynucleotides and 91 proteins are claimed. Note: The sequence data for this patent did not form part of the printed specification, but was obtained in electronic format directly from WIPO at ftp.wipo.int/pub/published_pct_sequence
XX
SQ Sequence 524 BP; 132 A; 107 C; 110 G; 159 T; 0 U; 16 Other;

Query Match 25.6%; Score 27.4; DB 6; Length 524;
Best Local Similarity 24.3%; Pred. No. 87;
Matches 25; Conservative 9; Mismatches 69; Indels 0; Gaps 0;

Qy 2 GAAAAUNNNNNNNAUAUGNNNNNCUNNNNUUUNNNNNAAAAANUANAAAACAUNNNNNCU 61

Db 232 GAAAACTCTTGGTTAGACATGATGTTTCCTATACAGAAGAAAAGATACAAACTTGATTGCT 291

Qy 62 UNAGNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUUAG 104

Db 292 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTGTGAG 334

RESULT 6
ADB81968
ID ADB81968 standard; cDNA; 524 BP.
XX
AC ADB81968;
XX
DT 04-DEC-2003 (first entry)
XX
DE Human cDNA sequence useful for the treatment of cancer (SeqID 280).
XX
KW human; prostate; cancer; cytostatic; gene therapy; vaccine; immune response; gene; ss.
XX
OS Homo sapiens.
XX
PN WO2003050236-A2.
XX
PD 19-JUN-2003.
XX
PF 04-SEP-2002; 2002WO-US028214.
XX
PR 07-DEC-2001; 2001US-00012697.
XX
PA (CHIR) CHIRON CORP.
PA (HYSE-) HYSEQ INC.
XX
PI Escobedo J, Garcia PD, Kassam A, Lamson G, Drmanac R;
PI Crkvenjakov R, Dickson M, Drmanac S, Labat I, Leshkowitz D, Kita D;
PI Garcia V, Jones LW, Stache-Crain B, Scott EM;
XX
DR WPI; 2003-513972/48.
XX
PT New polynucleotides derived from human prostate, useful for modulating immune response to prevent or treat cancer.
XX
PS Claim 1; SEQ ID NO 280; 188pp; English.
XX
CC This invention relates to novel isolated polynucleotides of human origin, particularly isolated from the human prostate. Specifically, it refers to the diagnostics and therapeutics comprising these novel human

CC   cancer, and hence they are important in the drug discovery process. The
CC   present invention describes these polynucleotides and encoded
CC   polypeptides as exhibiting cytostatic activity, and through gene therapy
CC   and/ or vaccines they can be used to modulate the immune response for the
CC   prevention or treatment of cancers, particularly of the prostate, but
CC   also for breast, lung and colon cancer. This polynucleotide sequence is a
CC   human cDNA sequence useful for the treatment of cancer, used in an
CC   exemplification of the invention. NOTE: These sequences are not given in
CC   the specification but are provided on the WIPO website.
XX
SQ   Sequence 761 BP; 197 A; 167 C; 168 G; 214 T; 0 U; 15 Other;

Query Match   25.6%;   Score 27.4;   DB 8;   Length 761;
Best Local Similarity   24.3%;   Pred. No. 91;
Matches   25;   Conservative   9;   Mismatches   69;   Indels   0;   Gaps   0;

Qy   2 GAAAAUNNNNNNUNAUAUGNNNNNNCUNNNUUUNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 61
      |||||| : : || || : : || : |||| : |||| : |
Db   237 GAAAACTCTTGTTAGACATGATGTTTCCTATACAGAAGAAAGATACAAACTTGATTGCT 296

Qy   62 UNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNNNNUUAG 104
      ||||| : : ||
Db   297 TCAGTAAAAACACTTTTAGAGATTGTGTTTCCTTTTTGTGAG 339

RESULT 8
ABQ89163
ID   ABQ89163 standard; cDNA; 769 BP.
XX
AC   ABQ89163;
XX
DT   27-SEP-2002   (first entry)
XX
DE   Human prostate expressed polynucleotide SEQ ID NO 419.
XX
KW   Human; prostate; cytostatic; tumour; cancer; vaccine; gene therapy; gene;
KW   ss.
XX
OS   Homo sapiens.
XX
PN   WO200255700-A2.
XX
PD   18-JUL-2002.
XX
PF   07-DEC-2001; 2001WO-US047349.
XX
PR   07-DEC-2000; 2000US-0254648P.
PR   13-MAR-2001; 2001US-0275688P.
XX
PA   (CHIR) CHIRON CORP.
PA   (HYSE-) HYSEQ INC.
XX
PI   Escobedo J,   Garcia PD,   Kassam A,   Lamson G,   Drmanac R;
PI   Crkvenjakov R,   Dickson M,   Drmanac S,   Labat I,   Leshkowitz D,   Kita D;
PI   Garcia V,   Jones WL,   Stache-Crain B,   Scott EM;
XX
DR   WPI; 2002-557824/59.
XX
PT   New genes and gene products isolated from human prostate, useful for
PT   treating or diagnosing tumor or cancer (e.g. prostate cancer or breast
PT   cancer)., or as vaccines for treating or preventing these diseases.
XX
PS   Claim 1; SEQ ID NO 419; 186pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated polynucleotide comprising any of
CC   1477 sequences or its fragment, degenerate variant, antisense or
CC   complement. The polynucleotides and gene products are useful for treating
CC   or diagnosing tumour or cancer (e.g. prostate cancer, breast cancer, lung
CC   cancer or medullary carcinoma) in a subject (e.g. cattle, dogs, cats,
CC   rabbits, horse or human). The polynucleotides and polypeptides are also
CC   useful as vaccines for treating or preventing these diseases. The
CC   polynucleotides are useful for gene therapy. The present sequence is that
CC   of one of a group of polynucleotides (ABQ88745-ABQ90015) disclosed

---

CC   polynucleotides, and includes the derived probes, antisense
CC   oligonucleotides and antibodies thereof. The identification of these
CC   human prostate genes that can inhibit tumour growth is useful for
CC   understanding the progression and nature of complex diseases such as
CC   cancer, and hence they are important in the drug discovery process. The
CC   present invention describes these polynucleotides and encoded
CC   polypeptides as exhibiting cytostatic activity, and through gene therapy
CC   and/ or vaccines they can be used to modulate the immune response for the
CC   prevention or treatment of cancers, particularly of the prostate, but
CC   also for breast, lung and colon cancer. This polynucleotide sequence is a
CC   human cDNA sequence useful for the treatment of cancer, used in an
CC   exemplification of the invention. NOTE: These sequences are not given in
CC   the specification but are provided on the WIPO website.
XX
SQ   Sequence 524 BP; 132 A; 107 C; 110 G; 159 T; 0 U; 16 Other;

Query Match   25.6%;   Score 27.4;   DB 8;   Length 524;
Best Local Similarity   24.3%;   Pred. No. 87;
Matches   25;   Conservative   9;   Mismatches   69;   Indels   0;   Gaps   0;

Qy   2 GAAAAUNNNNNNUNAUAUGNNNNNNNCUNNNUUUNNNNAAAAANUANAAACAUNNNNNCU 61
      |||||| : : || || : |||| : |
Db   232 GAAAACTCTTGTTAGACATGATGTTTCCTATACAGAGAAGATACAAACTTGATTGCT 291

Qy   62 UNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNUAG 104
      ||| : : ||
Db   292 TCAGTAAAAACACTTTAGAGATTGTGTTTCCTTTTTGTGAG 334

RESULT 7
ADB82181
ID   ADB82181 standard; cDNA; 761 BP.
XX
AC   ADB82181;
XX
DT   04-DEC-2003   (first entry)
XX
DE   Human cDNA sequence useful for the treatment of cancer (SeqID 493).
XX
KW   human; prostate; cancer; cytostatic; gene therapy; vaccine;
KW   immune response; gene; ss.
XX
OS   Homo sapiens.
XX
PN   WO2003050236-A2.
XX
PD   19-JUN-2003.
XX
PF   04-SEP-2002; 2002WO-US028214.
PR   07-DEC-2001; 2001US-00012697.
XX
PA   (CHIR) CHIRON CORP.
PA   (HYSE-) HYSEQ INC.
XX
PI   Escobedo J,   Garcia PD,   Kassam A,   Lamson G,   Drmanac R;
PI   Crkvenjakov R,   Dickson M,   Drmanac S,   Labat I,   Leshkowitz D,   Kita D;
PI   Garcia V,   Jones LW,   Stache-Crain B,   Scott EM;
XX
DR   WPI; 2003-513972/48.
XX
PT   New polynucleotides derived from human prostate, useful for modulating
PT   immune response to prevent or treat cancer.
XX
PS   Claim 1; SEQ ID NO 493; 188pp; English.
XX
CC   This invention relates to novel isolated polynucleotides of human origin,
CC   particularly isolated from the human prostate. Specifically, it refers to
CC   the diagnostics and therapeutics comprising these novel human
CC   polynucleotides, and includes the derived probes, antisense
CC   oligonucleotides and antibodies thereof. The identification of these
CC   human prostate genes that can inhibit tumour growth is useful for
CC   understanding the progression and nature of complex diseases such as

CC electronically as sequences of the invention. However only 1271
CC polynucleotide sequences are given, whereas 1477 polynucleotides and 91
CC proteins are claimed. Note: The sequence data for this patent did not
CC form part of the printed specification, but was obtained in electronic
CC format directly from WIPO at ftp.wipo.int/pub/published_pct_sequence
XX
SQ Sequence 769 BP; 179 A; 185 C; 196 G; 169 T; 0 U; 40 Other;

Query Match   25.6%; Score 27.4; DB 6; Length 769;
Best Local Similarity   24.3%; Pred. No. 91;
Matches 25; Conservative 9; Mismatches 69; Indels 0; Gaps 0;

Qy   2 GAAAAUNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 61
         ||||| : | | :   : |||| |||| :
Db   88 GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAAGATACAAACTTGATTGCT 147

Qy   62 UNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNUUAG 104
          : ||| : | ||| :
Db 148 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTGTGAG 190

RESULT 9
ADB82106
ID ADB82106 standard; cDNA; 769 BP.
XX
AC ADB82106;
XX
DT 04-DEC-2003 (first entry)
XX
DE Human cDNA sequence useful for the treatment of cancer (SeqID 418).
XX
KW human; prostate; cancer; cytostatic; gene therapy; vaccine;
KW immune response; gene; ss.
XX
OS Homo sapiens.
XX
PN WO200305236-A2.
XX
PD 19-JUN-2003.
XX
PF 04-SEP-2002; 2002WO-US028214.
XX
PR 07-DEC-2001; 2001US-00012697.
XX
PA (CHIR) CHIRON CORP.
PA (HYSE-) HYSEQ INC.
XX
PI Escobedo J, Garcia PD, Kassam A, Lamson G, Drmanac R;
PI Crkvenjakov R, Dickson M, Drmanac S, Labat I, Leshkowitz D, Kita D;
PI Garcia V, Jones LW, Stache-Crain B, Scott EM;
XX
DR WPI; 2003-513972/48.
XX
PT New polynucleotides derived from human prostate, useful for modulating
PT immune response to prevent or treat cancer.
XX
PS Claim 1; SEQ ID NO 418; 188pp; English.
XX
CC This invention relates to novel isolated polynucleotides of human origin,
CC particularly isolated from the human prostate. Specifically, it refers to
CC the diagnostics and therapeutics comprising these novel human
CC polynucleotides, and includes the derived probes, antisense
CC oligonucleotides and antibodies thereof. The identification of these
CC human prostate genes that can inhibit tumour growth is useful for
CC understanding the progression and nature of complex diseases such as
CC cancer, and hence they are important in the drug discovery process. The
CC present invention describes these polynucleotides and encoded
CC polypeptides as exhibiting cytostatic activity, and through gene therapy
CC and/or vaccines they can be used to modulate the immune response for the
CC prevention or treatment of cancers, particularly of the prostate, but
CC also for breast, lung and colon cancer. This polynucleotide sequence is a
CC human cDNA sequence useful for the treatment of cancer, used in an
CC exemplification of the invention. NOTE: These sequences are not given in

CC the specification but are provided on the WIPO website.
XX
SQ Sequence 769 BP; 179 A; 185 C; 196 G; 169 T; 0 U; 40 Other;

Query Match   25.6%; Score 27.4; DB 8; Length 769;
Best Local Similarity   24.3%; Pred. No. 91;
Matches 25; Conservative 9; Mismatches 69; Indels 0; Gaps 0;

Qy   2 GAAAAUNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 61
         ||||| : | | :   : |||| |||| :
Db   88 GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAAGATACAAACTTGATTGCT 147

Qy   62 UNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNUUAG 104
          : ||| : | ||| :
Db 148 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTGTGAG 190

RESULT 10
ABQ89160
ID ABQ89160 standard; cDNA; 789 BP.
XX
AC ABQ89160;
XX
DT 27-SEP-2002 (first entry)
XX
DE Human prostate expressed polynucleotide SEQ ID NO 416.
XX
KW Human; prostate; tumour; cancer; vaccine; gene therapy; gene;
KW ss.
XX
OS Homo sapiens.
XX
PN WO200255700-A2.
XX
PD 18-JUL-2002.
XX
PF 07-DEC-2001; 2001WO-US047349.
XX
PR 07-DEC-2000; 2000US-0254648P.
PR 13-MAR-2001; 2001US-0275688P.
XX
PA (CHIR) CHIRON CORP.
PA (HYSE-) HYSEQ INC.
XX
PI Escobedo J, Garcia PD, Kassam A, Lamson G, Drmanac R;
PI Crkvenjakov R, Dickson M, Drmanac S, Labat I, Leshkowitz D, Kita D;
PI Garcia V, Jones WL, Stache-Crain B, Scott EM;
XX
DR WPI; 2002-557824/59.
XX
PT New genes and gene products isolated from human prostate, useful for
PT treating or diagnosing tumor or cancer (e.g. prostate cancer or breast
PT cancer), or as vaccines for treating or preventing these diseases.
XX
PS Claim 1; SEQ ID NO 416; 186pp + Sequence Listing; English.
XX
CC The invention relates to an isolated polynucleotide comprising any of
CC 1477 sequences or its fragment, degenerate variant, antisense or
CC complement. The polynucleotides and gene products are useful for treating
CC or diagnosing tumour or cancer (e.g. prostate cancer, breast cancer, lung
CC cancer or medullary carcinoma) in a subject (e.g. cattle, dogs, cats,
CC rabbits, horse or human). The polynucleotides and polypeptides are also
CC useful as vaccines for treating or preventing these diseases. The
CC polynucleotides are useful for gene therapy. The present sequence is that
CC of one of a group of polynucleotides (ABQ8745-ABQ90015) disclosed
CC electronically as sequences of the invention. However only 1271
CC polynucleotide sequences are given, whereas 1477 polynucleotides and 91
CC proteins are claimed. Note: The sequence data for this patent did not
CC form part of the printed specification, but was obtained in electronic
CC format directly from WIPO at ftp.wipo.int/pub/published_pct_sequence
XX
SQ Sequence 789 BP; 199 A; 185 C; 186 G; 181 T; 0 U; 38 Other;

Query Match   25.6%; Score 27.4; DB 6; Length 789;
Best Local Similarity   24.3%; Pred. No. 91;
Matches   25; Conservative   9; Mismatches   69; Indels   0; Gaps   0;

```
Qy   2  GAAAAUNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU  61
            ||||                    :|          :| |||| |
Db  97  GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAGATACAAACTTGATTGCT 156

Qy  62  UNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNUUAG 104
            ||||                  :||
Db 157  TCAGTAAAACACTTTTAGAGATTGTGTTCCTTTTTGTGAG 199
```

RESULT 11
ADB82103
ID   ADB82103 standard; cDNA; 789 BP.
XX
AC   ADB82103;
XX
DT   04-DEC-2003   (first entry)
XX
DE   Human cDNA sequence useful for the treatment of cancer (SeqID 415).
XX
KW   human; prostate; cancer; cytostatic; gene therapy; vaccine;
KW   immune response; gene; ss.
XX
OS   Homo sapiens.
XX
PN   WO200305036-A2.
XX
PD   19-JUN-2003.
XX
PF   04-SEP-2002; 2002WO-US028214.
XX
PR   07-DEC-2001; 2001US-00012697.
XX
PA   (CHIR) CHIRON CORP.
PA   (HYSE-) HYSEQ INC.
XX
PI   Escobedo J, Garcia PD, Kassam A, Lamson G, Drmanac R;
PI   Crkvenjakov R, Dickson M, Drmanac S, Labat I, Leshkowitz D, Kita D;
PI   Garcia V, Jones LW, Stache-Crain B, Scott EM;
XX
DR   WPI; 2003-513972/48.
XX
PT   New polynucleotides derived from human prostate, useful for modulating
PT   immune response to prevent or treat cancer.
XX
PS   Claim 1; SEQ ID NO 415; 188pp; English.
XX
CC   This invention relates to novel isolated polynucleotides of human origin,
CC   particularly isolated from the human prostate. Specifically, it refers to
CC   the diagnostics and therapeutics comprising these novel human
CC   polynucleotides, and includes the derived probes, antisense
CC   oligonucleotides and antibodies thereof. The identification of these
CC   human prostate genes that can inhibit tumour growth is useful for
CC   understanding the progression and nature of complex diseases such as
CC   cancer, and hence they are important in the drug discovery process. The
CC   present invention describes these polynucleotides and encoded
CC   polypeptides as exhibiting cytostatic activity, and through gene therapy
CC   and/or vaccines they can be used to modulate the immune response for the
CC   prevention or treatment of cancers, particularly of the prostate, but
CC   also for breast, lung and colon cancer. This polynucleotide sequence is a
CC   human cDNA sequence useful for the treatment of cancer, used in an
CC   exemplification of the invention. NOTE: These sequences are not given in
CC   the specification but are provided on the WIPO website.
XX
SQ   Sequence 789 BP; 199 A; 185 C; 186 G; 181 T; 0 U; 38 Other;

Query Match   25.6%; Score 27.4; DB 8; Length 789;
Best Local Similarity   24.3%; Pred. No. 91;
Matches   25; Conservative   9; Mismatches   69; Indels   0; Gaps   0;

```
Qy   2  GAAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU  61
            ||||                    :|          :| |||| |
Db  97  GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAGATACAAACTTGATTGCT 156

Qy  62  UNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNUUAG 104
            ||||                  :||
Db 157  TCAGTAAAACACTTTTAGAGATTGTGTTCCTTTTTGTGAG 199
```

RESULT 12
ABQ89238
ID   ABQ89238 standard; cDNA; 835 BP.
XX
AC   ABQ89238;
XX
DT   27-SEP-2002   (first entry)
XX
DE   Human prostate expressed polynucleotide SEQ ID NO 494.
XX
KW   Human; prostate; cytostatic; tumour; cancer; vaccine; gene therapy; gene;
KW   ss.
XX
OS   Homo sapiens.
XX
PN   WO200255700-A2.
XX
PD   18-JUL-2002.
XX
PF   07-DEC-2001; 2001WO-US047349.
XX
PR   07-DEC-2000; 2000US-0254648P.
PR   13-MAR-2001; 2001US-0275688P.
XX
PA   (CHIR) CHIRON CORP.
PA   (HYSE-) HYSEQ INC.
XX
PI   Escobedo J, Garcia PD, Kassam A, Lamson G, Drmanac R;
PI   Crkvenjakov R, Dickson M, Drmanac S, Labat I, Leshkowitz D, Kita D;
PI   Garcia V, Jones WL, Stache-Crain B, Scott EM;
XX
DR   WPI; 2002-557824/59.
XX
PT   New genes and gene products isolated from human prostate, useful for
PT   treating or diagnosing tumor or cancer (e.g. prostate cancer or breast
PT   cancer), or as vaccines for treating or preventing these diseases.
XX
PS   Claim 1; SEQ ID NO 494; 186pp + Sequence Listing; English.
XX
CC   The invention relates to an isolated polynucleotide comprising any of
CC   1477 sequences or its fragment, degenerate variant, antisense or
CC   complement. The polynucleotides and gene products are useful for treating
CC   or diagnosing tumour or cancer (e.g. prostate cancer, breast cancer, lung
CC   cancer or medullary carcinoma) in a subject (e.g. cattle, dogs, cats,
CC   rabbits, horse or human). The polynucleotides and polypeptides are also
CC   useful as vaccines for treating or preventing these diseases. The
CC   polynucleotides are useful for gene therapy. The present sequence is that
CC   of one of a group of polynucleotides (ABQ88745-ABQ90015) disclosed
CC   electronically as sequences of the invention. However only 1271
CC   polynucleotide sequences are given, whereas 1477 polynucleotides and 91
CC   proteins are claimed. Note: The sequence data for this patent did not
CC   format part of the printed specification, but was obtained in electronic
CC   format directly from WIPO at ftp.wipo.int/pub/published_pct_sequence
XX
SQ   Sequence 835 BP; 209 A; 183 C; 185 G; 232 T; 0 U; 26 Other;

Query Match   25.6%; Score 27.4; DB 6; Length 835;
Best Local Similarity   24.3%; Pred. No. 92;
Matches   25; Conservative   9; Mismatches   69; Indels   0; Gaps   0;

```
Qy   2  GAAAAUNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU  61
            ||||                    :|          :| |||| |
Db 311  GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAGATACAAACTTGATTGCT 370
```

Qy   62 UNAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAG 104
          ||:|| ::||
b   371 TCAGTAAAACACTTTTAGAGATTGTGTTCCTTTTTTGTGAG 413

RESULT 13
ADB83094
D   ADB83094 standard; cDNA; 929 BP.
XX
AC ADB83094;
XX
DT 04-DEC-2003 (first entry)
XX
DE Human cDNA sequence useful for the treatment of cancer (SeqID 1307).
XX
KW human; prostate; cancer; cytostatic; gene therapy; vaccine;
KW immune response; gene; ss.
XX
OS Homo sapiens.
XX
PN WO200305036-A2.
XX
PD 19-JUN-2003.
XX
PF 04-SEP-2002; 2002WO-US028214.
XX
PR 07-DEC-2001; 2001US-00012697.
XX
PA (CHIR) CHIRON CORP.
PA (HYSE-) HYSEQ INC.
XX
PI Escobedo J, Garcia PD, Kassam A, Lamson G, Drmanac R;
PI Crkvenjakov R, Dickson M, Drmanac S, Labat I, Leshkowitz D, Kita D;
PI Garcia V, Jones LW, Stache-Crain B, Scott EM;
XX
DR WPI; 2003-513972/48.
XX
PT New polynucleotides derived from human prostate, useful for modulating
PT immune response to prevent or treat cancer.
XX
PS Claim 1; SEQ ID NO 1307; 188pp; English.
XX
CC This invention relates to novel isolated polynucleotides of human origin,
CC particularly isolated from the human prostate. Specifically, it refers to
CC the diagnostics and therapeutics comprising these novel human
CC polynucleotides, and the derived probes, antisense
CC oligonucleotides and antibodies thereof. The identification of these
CC human prostate genes that can inhibit tumour growth is useful for
CC understanding the progression and nature of complex diseases such as
CC cancer, and hence they are important in the drug discovery process. The
CC present invention describes these polynucleotides and encoded
CC polypeptides as exhibiting cytostatic activity, and through gene therapy
CC and/or vaccines they can be used to modulate the immune response for the
CC prevention or treatment of cancers, particularly of the prostate, but
CC also for breast, lung and colon cancer. This polynucleotide sequence is a
CC human cDNA sequence useful for the treatment of cancer, used in an
CC exemplification of the invention. NOTE: These sequences are not given in
CC the specification but are provided on the WIPO website.
XX
SQ Sequence 929 BP; 243 A; 207 C; 211 G; 244 T; 0 U; 24 Other;

Query Match   25.6%; Score 27.4; DB 8; Length 929;
Best Local Similarity 24.3%; Pred. No.93;
Matches   25; Conservative   9; Mismatches   69; Indels   0; Gaps   0;

Qy   2 GAAAAUNNNNNNNNNUNAUAUGNNNNNNNCUNNNUUUNNNNNNNNAAAAANUANAAAACAUNNNNNNCU 61
          |||||| :|:|| | |||| :| |||| |||| : :|:|| |
b   237 GAAAACTCTTGTTAGACATGATGTTCCTATACAGAGAAGAAAGATACAAACTTGATTGCT 296

Qy   62 UNAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAG 104
          ||:|| ::||
b   297 TCAGTAAAACACTTTTAGAGATTGTGTTCCTTTTTTGTGAG 339

RESULT 14
AAS43104
ID AAS43104 standard; DNA; 325791 BP.
XX
AC AAS43104;
XX
DT 18-DEC-2001 (first entry)
XX
DE Human Oestrogen receptor beta gene.
XX
KW Human; Oestrogen receptor beta; ERbeta; ds; SNP; chromosome 6q.25.1;
KW single nucleotide polymorphism; cardiovascular disease;
KW autoimmune disease; systemic lupus erythematosus; arthritis; rheumatism;
KW osteoarthritis; osteoporosis; breast cancer; endometrial cancer.
XX
OS Homo sapiens.
XX
PN WO200162793-A2.
XX
PD 30-AUG-2001.
XX
PF 20-FEB-2001; 2001WO-US005360.
XX
PR 22-FEB-2000; 2000US-0183755P.
PR 24-JAN-2001; 2001US-00768185.
XX
PA (PEKE) PE CORP NY.
XX
PI Kalush F, Cassel MJ, Hwang SS, Winn-Deen ES;
XX
DR WPI; 2001-582041/65.
DR P-PSDB; AAU27322.
XX
PT Estrogen receptor gene and protein polymorphisms useful for diagnosis of
PT individuals at risk of developing bone disorders.
XX
PS Example 2; Fig 1; 245pp; English.
XX
CC The invention relates to a novel isolated peptide comprising or
CC consisting of an amino acid sequence selected from an amino acid sequence
CC of a variant oestrogen receptor protein (e.g. ERbeta), or a fragment of
CC 10 amino acids), antibodies against them, nucleic acids encoding them
CC (including vectors for transforming cells). The gene for human ERbeta is
CC located on chromosome 6q.25.1. The variants are encoded by single
CC nucleotide polymorphisms (SNP). The variant peptides and proteins can be
CC used in assays to determine the biological activity of the protein, to
CC raise antibodies, as a reagent in assays designed to quantitatively
CC determine levels of the protein in biological fluids, to identify
CC compounds that modulate receptor activity and to screen compounds for the
CC ability to stimulate or inhibit interaction between the receptor protein
CC and a target molecule that normally interacts with the receptor protein
CC e.g. oestrogen. The antibody can be used to isolate the protein, to
CC assess expression in disease states e.g. cardiovascular disease and
CC autoimmune disease (e.g. systemic lupus erythematosus, arthritis,
CC rheumatism and osteoarthritis), osteoporosis, breast cancer and
CC endometrial cancer. In addition the antibodies can be used in
CC pharmacogenomic analysis and inhibiting protein function, e.g. blocking
CC the binding of the oestrogen receptor protein to a binding partner such
CC as a ligand. The nucleic acids encoding the proteins can be used as
CC probes, primers, chemical intermediates and in biological assays. The
CC present sequence is the human ERbeta gene
XX
SQ Sequence 325791 BP; 94098 A; 68292 C; 67970 G; 95431 T; 0 U; 0 Other;

Query Match   25.2%; Score 27; DB 4; Length 325791;
Best Local Similarity 20.8%; Pred. No. 2.5e+02;
Matches   21; Conservative   12; Mismatches   68; Indels   0; Gaps   0;

Qy   3 AAAAUNNNNNNNUNAUAUGNNNNNNCUNNNUUUNNNNNNNNAAAAANUANAAAACAUNNNNNNCUU 62
          |:|:|| |: :||
Db 205486 AATTTGACCTGCCATATGCATACTACTCCTATCTTTGGAGAAAATACAACAACTTGTAACATT 205545

```
Qy       63 NAGNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNUUA 103
                                       ||  ||
Db   205546 GATTGCTTCTCTGTGGAGAGGAACTGATAAGAGAAAATTTTA 205586

RESULT 15
ABL32266/c
ID   ABL32266 standard; DNA; 6419 BP.
XX
AC   ABL32266;
XX
DT   26-MAR-2002  (first entry)
XX
DE   Human immune system associated gene SEQ ID NO: 239.
XX
KW   Human; immune system disease; cytosine methylation; antiasthmatic;
KW   antiarteriosclerotic; antianaemic; cytostatic; nootropic;
KW   neuroprotective; anti-HIV; anticonvulsant; ophthalmological;
KW   antirheumatic; antiarthritic; antidiabetic; antipsoriatic;
KW   antiinflammatory; cancer; eye disease; arteriosclerosis; anaemia;
KW   acute myeloid leukaemia; Alzheimer's disease; AIDS; epilepsy;
KW   neurofibromatosis; rheumatoid arthritis; psoriasis; bowel disease; gene;
KW   ds.
XX
OS   Homo sapiens.
XX
PN   WO200200928-A2.
XX
PD   03-JAN-2002.
XX
PF   02-JUL-2001; 2001WO-EP007537.
XX
PR   30-JUN-2000; 2000DE-01032529.
PR   01-SEP-2000; 2000DE-01043826.
XX
PA   (EPIG-) EPIGENOMICS AG.
XX
PI   Olek A,  Piepenbrock C,  Berlin K;
XX
DR   WPI; 2002-130909/17.
XX
PT   Nucleic acid comprising fragment of chemically modified gene, useful for
PT   diagnosis and treatment of diseases associated with abnormal cytosine
PT   methylation.
XX
PS   Claim 1; SEQ ID NO 239; 32pp + Sequence Listing; German.
XX
CC   The present invention provides a number of human immune system associated
CC   genes which are modified by the methylation of cytosines. The sequences
CC   can be used in the diagnosis and treatment of immune system disorders,
CC   including eye diseases such as retinopathy, neovascular glaucoma and
CC   macular degeneration, arteriosclerosis, anaemia, cancer, acute myeloid
CC   leukaemia, Alzheimer's disease, AIDS, epilepsy, neurofibromatosis,
CC   rheumatoid arthritis, psoriasis and inflammatory/ulcerative bowel
CC   diseases. The present sequence is a gene of the invention
XX
SQ   Sequence 6419 BP; 1723 A; 53 C; 1678 G; 2965 T; 0 U; 0 Other;

Query Match             25.0%;  Score 26.8;  DB 6;  Length 6419;
Best Local Similarity   24.0%;  Pred. No. 1.7e+02;
Matches    25;  Conservative    9;  Mismatches   70;  Indels    0;  Gaps    0;

Qy      3 AAAAUNNNNNNUNAUAUGNNNNNNCUNNNUUDNNNNNNNAAAAANUANAAACAUNNNNNCUU 62
            |  |:|   :|: |          ::   |||||   ||||| |:| |:|| |  ||:
Db   1272 AAAAAATAAATTATATAATTAATTCCCATCTTACAAATAAAAAAAAACTAAAAATCGAAACTT 1213

Qy     63 NAGNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNUUAGCA 106
              |      |  |||:             :| ||
Db   1212 AAAAAACACCTACCCAAAAATCACCCAACAAACTATTCTAACA 1169

Search completed: March  8, 2004, 04:45:33
Job time : 310 secs
```

Copyright   GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: March 8, 2004, 04:31:47 ; Search time 60 Seconds
(without alignments)
989.662 Million cell updates/sec

Title: US-09-646-651C-2
Perfect score: 107
Sequence: 1 ggaaaaunnnnnnauaugn.......nnnnnnnnnnnnuuagcag 107

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 682709 seqs, 277475446 residues

Total number of hits satisfying chosen parameters: 1365418

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :   Issued_Patents NA:*
1: /cgn2_6/ptodata/2/ina/5A_COMB.seq:*
2: /cgn2_6/ptodata/2/ina/5B_COMB.seq:*
3: /cgn2_6/ptodata/2/ina/6A_COMB.seq:*
4: /cgn2_6/ptodata/2/ina/6B_COMB.seq:*
5: /cgn2_6/ptodata/2/ina/PCTUS_COMB.seq:*
6: /cgn2_6/ptodata/2/ina/backfiles1.seq:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.		Score	% Match	Query Length	DB	ID	Description
c	1	29.4	27.5	1664976	4	US-08-916-421B-1	Sequence 1, Appli
c	2	26	24.3	318	4	US-09-328-352-642	Sequence 642, App
c	3	25.8	24.1	934	3	US-08-842-306B-5	Sequence 5, Appli
c	4	25.8	24.1	934	3	US-08-833-973B-5	Sequence 5, Appli
c	5	25.8	24.1	934	4	US-08-771-212A-5	Sequence 5, Appli
c	6	24.6	23.0	499	4	US-09-621-976-13988	Sequence 13988, A
c	7	24.6	23.0	3552	4	US-09-643-597-126	Sequence 126, App
c	8	24.6	23.0	3552	4	US-09-480-884A-126	Sequence 126, App
c	9	24.6	23.0	3552	4	US-09-542-615A-126	Sequence 126, App
c	10	24.6	23.0	3552	4	US-09-606-621B-126	Sequence 126, App
c	11	24.6	23.0	3552	4	US-09-221-107-126	Sequence 126, App
c	12	24.6	23.0	5652	4	US-09-601-198-75	Sequence 75, Appl
c	13	24.4	22.8	398	4	US-09-401-064-281	Sequence 281, App
c	14	24.4	22.8	5614	4	US-08-956-171B-99	Sequence 99, Appl
c	15	24.4	22.6	5915	4	US-10-204-708-77	Sequence 77, Appl
c	16	24.2	22.6	8093	4	US-10-204-708-32	Sequence 32, Appl
c	17	24.2	22.6	640681	4	US-09-790-988-1	Sequence 1, Appli
c	18	24	22.4	927	4	US-09-134-000C-3089	Sequence 3089, Ap
c	19	24	22.4	6583	4	US-10-204-708-25	Sequence 25, Appl
c	20	24	22.4	11131	4	US-10-204-708-28	Sequence 28, Appl
c	21	23.8	22.2	65792	4	US-09-596-002-31	Sequence 31, Appl
c	22	23.6	22.1	1474	4	US-08-858-207A-144	Sequence 144, App
c	23	23.6	22.1	2418	4	US-09-601-198-61	Sequence 61, Appl
c	24	23.6	22.1	8703	4	US-08-961-527-177	Sequence 177, App
c	25	23.4	21.9	2319	2	US-08-966-389-5	Sequence 5, Appli
c	26	23.4	21.9	2319	2	US-09-103-509-5	Sequence 5, Appli
c	27	23.4	21.9	2319	2	US-09-102-644-5	Sequence 5, Appli
	28	23.4	21.9	2319	2	US-09-218-032-5	Sequence 5, Appli
c	29	23.4	21.9	2675	4	US-09-63-791A-12	Sequence 12, Appl
	30	23.4	21.9	3345	2	US-08-966-389-8	Sequence 8, Appli
	31	23.4	21.9	3345	2	US-09-103-509-8	Sequence 8, Appli
	32	23.4	21.9	3345	2	US-09-102-644-8	Sequence 8, Appli
	33	23.4	21.9	3347	2	US-09-218-032-8	Sequence 8, Appli
c	34	23.4	21.9	9347	4	US-10-204-708-35	Sequence 35, Appl
	35	23.2	21.9	1664976	4	US-08-916-421B-1	Sequence 1, Appli
	36	23.2	21.7	711	1	US-08-307-499-49	Sequence 49, Appl
	37	23.2	21.7	711	3	US-09-299-268-49	Sequence 49, Appl
c	38	23.2	21.7	727	1	US-07-885-970A-6	Sequence 6, Appli
c	39	23.2	21.7	727	1	US-08-298-687A-6	Sequence 6, Appli
c	40	23.2	21.7	727	1	US-08-530-797-5	Sequence 5, Appli
c	41	23.2	21.7	727	1	US-08-298-829-6	Sequence 6, Appli
c	42	23.2	21.7	727	2	US-08-787-335-5	Sequence 5, Appli
c	43	23.2	21.7	1128	1	US-09-543-681A-3553	Sequence 3553, Ap
c	44	23.2	21.7	10144	4	US-10-204-708-94	Sequence 94, Appl
c	45	23.2	21.7	14176	1	US-08-307-499-1	Sequence 1, Appli

ALIGNMENTS

RESULT 1
US-08-916-421B-1/c
; Sequence 1, Application US/08916421B
; Patent No. 6503729
; GENERAL INFORMATION:
; APPLICANT: Bult et al.
; TITLE OF INVENTION: Complete Genome Sequence of the Methanogenic Archaeon, Methanococ
; Patent No. 6503729
; TITLE OF INVENTION: jannaschii
; FILE REFERENCE: PB275
; CURRENT APPLICATION NUMBER: US/08/916,421B
; CURRENT FILING DATE: 1997-08-22
; PRIOR APPLICATION NUMBER: US 60/024,428
; PRIOR FILING DATE: 1996-08-22
; NUMBER OF SEQ ID NOS: 3
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 1
; LENGTH: 1664976
; TYPE: DNA
; ORGANISM: Methanococcus jannaschii
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (28222)..(28222)
; OTHER INFORMATION: n equals a, t, c, or g
; NAME/KEY: misc_feature
; LOCATION: (28257)..(28258)
; OTHER INFORMATION: n equals a, t, c, or g
; NAME/KEY: misc_feature
; LOCATION: (84773)..(84773)
; OTHER INFORMATION: n equals a, t, c, or g
; NAME/KEY: misc_feature
; LOCATION: (84808)..(84808)
; OTHER INFORMATION: n equals a, t, c, or g
; NAME/KEY: misc_feature
; LOCATION: (84812)..(84812)
; OTHER INFORMATION: n equals a, t, c, or g
; NAME/KEY: misc_feature
; LOCATION: (98120)..(98120)
; OTHER INFORMATION: n equals a, t, c, or g
; NAME/KEY: misc_feature
; LOCATION: (98159)..(98159)
; OTHER INFORMATION: n equals a, t, c, or g
; NAME/KEY: misc_feature
; LOCATION: (98239)..(98239)
; OTHER INFORMATION: n equals a, t, c, or g
; NAME/KEY: misc_feature
; LOCATION: (98266)..(98266)
; OTHER INFORMATION: n equals a, t, c, or g
; NAME/KEY: misc_feature
; LOCATION: (98343)..(98343)

```
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (103998)..(103998)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (148948)..(148948)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (163385)..(163385)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (191989)..(191989)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (191995)..(191995)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (231980)..(231980)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (234187)..(234187)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (234220)..(234220)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (234814)..(234814)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (309398)..(309398)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (309418)..(309418)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (312837)..(312837)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (312993)..(312993)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (319226)..(319226)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (559167)..(559167)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (559241)..(559241)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (600992)..(600992)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (622708)..(622708)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (657081)..(657081)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (657203)..(657203)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (674435)..(674435)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (682442)..(682442)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (713652)..(713652)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (741684)..(741684)
;   OTHER INFORMATION: n equals a, t, c, or g

;   NAME/KEY: misc_feature
;   LOCATION: (779455)..(779455)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (779676)..(779676)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (855539)..(855539)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (871619)..(871619)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1084830)..(1084830)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1096846)..(1096846)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1119881)..(1119881)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1130881)..(1130881)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1310988)..(1310988)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1313224)..(1313224)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1349473)..(1349473)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1349491)..(1349491)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1470091)..(1470091)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1569020)..(1569020)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1602912)..(1602912)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1603734)..(1603734)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1637998)..(1637998)
;   OTHER INFORMATION: n equals a, t, c, or g
;   NAME/KEY: misc_feature
;   LOCATION: (1664854)..(1664855)
;   OTHER INFORMATION: n equals a, t, c, or g
US-08-916-421B-1

Query Match    27.5%;  Score 29.4;  DB 4;  Length 1664976;
Best Local Similarity   24.8%;  Pred. No. 4;
Matches   26;  Conservative   10;  Mismatches   69;  Indels   0;  Gaps   0;

Qy        3 AAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNNAAAAANUANAAACAUNNNNNCUU 62
              |||||  :||    ||: : ::      |||| :|  ||||:
Db   573299 AAAATTAGTATTAGAAGCTATAACTTATTTTAATGCCAAAAAATATAAACATTTCTGGTG 573240

Qy       63 NAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNUUAGCAG 107
               |:
Db   573239 AAATAATGACAGGCAAAGTTATCTTAGTAGGAGACCGGGAG 573195

RESULT 2
US-09-328-352-642
; Sequence 642, Application US/09328352
; Patent No. 6562958
```

GENERAL INFORMATION:
APPLICANT: Gary L. Breton et al.
TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO ACINETOBACTER
TITLE OF INVENTION: BAUMANNI FOR DIAGNOSTICS AND THERAPEUTICS
FILE REFERENCE: GTC99-03PA
CURRENT APPLICATION NUMBER: US/09/328,352
CURRENT FILING DATE: 1999-06-04
NUMBER OF SEQ ID NOS: 8252
SEQ ID NO 642
LENGTH: 318
TYPE: DNA
ORGANISM: Acinetobacter baumannii
US-09-328-352-642

Query Match 24.3%; Score 26; DB 4; Length 318;
Best Local Similarity 26.2%; Pred. No. 9.5;
Matches 22; Conservative 10; Mismatches 52; Indels 0; Gaps 0;

```
Qy    1 GGAAAAUNNNNUNUAUGNNNNNCUNNNNUUUNNNNNAAAAANUANAAACAUNNNNNC 60
          ||||  :  :    :  ::   |||      :   ::  |||  :  ||| |
Db   34 GCAAAATATATACAAATTGAAATATCTTTTTAGCACTTAAATATTTAAAAAGTGGTAAC 93

Qy   61 UUNAGNNNNNNNNNNAGAAAU 84
          ||||  |
Db   94 TTAATTAATAAAACAAAAAGAAAT 117
```

RESULT 3
US-08-842-306B-5/c
Sequence 5, Application US/08842306B
Patent No. 6271197
GENERAL INFORMATION:
APPLICANT: Berlin, Vivian
Levin, David
Ohya, Yoshikazu
Damagnez, Veronique
Smith, Susan
TITLE OF INVENTION: ASSAYS AND REAGENTS FOR IDENTIFYING ANTI-FUNGAL AGENTS, AND USES RELATED THERETO
NUMBER OF SEQUENCES: 48
CORRESPONDENCE ADDRESS:
ADDRESSEE: FOLEY, HOAG & ELIOT LLP
STREET: One Post Office Square
CITY: Boston
STATE: MA
COUNTRY: USA
ZIP: 02109-2170
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: WordPad
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/842,306B
FILING DATE: 23-Apr-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/771,212
FILING DATE: 20-DEC-1996
APPLICATION NUMBER: US 08/631,319
FILING DATE: 11-APR-1996
ATTORNEY/AGENT INFORMATION:
NAME: Vincent, Matthew P.
REGISTRATION NUMBER: 36,709
REFERENCE/DOCKET NUMBER: MIV-074.04
TELECOMMUNICATION INFORMATION:
TELEPHONE: 617-832-1000
TELEFAX: 617-832-7000
INFORMATION FOR SEQ ID NO: 5:
SEQUENCE CHARACTERISTICS:
LENGTH: 934 base pairs
TYPE: nucleic acid
STRANDEDNESS: both
TOPOLOGY: linear
MOLECULE TYPE: cDNA
FEATURE:
NAME/KEY: CDS
LOCATION: 260..832
SEQUENCE DESCRIPTION: SEQ ID NO: 5:
US-08-842-306B-5

Query Match 24.1%; Score 25.8; DB 3; Length 934;
Best Local Similarity 22.3%; Pred. No. 13;
Matches 23; Conservative 10; Mismatches 70; Indels 0; Gaps 0;

```
Qy    4 AAAUNNNNNUNUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUUN 63
          |||  :       :   ::     ::  :     |||  |   ::  ||| | |
Db  243 AATTATTATGAGCTGAATACTTTTCCTTGCTAAAAAAGAAAAACTGAAAGCAAA 184

Qy   64 AGNNNNNNNNNNAGAAAUNNNNNNNNNNNNNUUAGCA 106
          ||  ||||              ::|||
Db  183 AGTGAAAACTAAAGTAAAAAAAATAACAATAAAAAATAGATTTAGGA 141
```

RESULT 4
US-08-838-973B-5/c
Sequence 5, Application US/08838973B
Patent No. 6277564
GENERAL INFORMATION:
APPLICANT: Berlin, Vivian
Damagnez, Veronique
Smith, Susan
TITLE OF INVENTION: ASSAYS AND REAGENTS FOR IDENTIFYING ANTI-FUNGAL AGENTS, AND USES RELATED THERETO
NUMBER OF SEQUENCES: 48
CORRESPONDENCE ADDRESS:
ADDRESSEE: FOLEY, HOAG & ELIOT LLP
STREET: One Post Office Square
CITY: Boston
STATE: MA
COUNTRY: USA
ZIP: 02109-2170
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/838,973B
FILING DATE: 23-Apr-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/631,319
FILING DATE: 10-APR-1996
ATTORNEY/AGENT INFORMATION:
NAME: Vincent, Matthew P.
REGISTRATION NUMBER: 36,709
REFERENCE/DOCKET NUMBER: MIV-074.05
TELECOMMUNICATION INFORMATION:
TELEPHONE: 617-832-1000
TELEFAX: 617-832-7000
INFORMATION FOR SEQ ID NO: 5:
SEQUENCE CHARACTERISTICS:
LENGTH: 934 base pairs
TYPE: nucleic acid
STRANDEDNESS: both
TOPOLOGY: linear
MOLECULE TYPE: cDNA
FEATURE:
NAME/KEY: CDS
LOCATION: 260..832
SEQUENCE DESCRIPTION: SEQ ID NO: 5:
US-08-838-973B-5

Query Match 24.1%; Score 25.8; DB 3; Length 934;
Best Local Similarity 22.3%; Pred. No. 13;
Matches 23; Conservative 10; Mismatches 70; Indels 0; Gaps 0;

```
Qy      4 AAAAUNNNNNUNAUAUGNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUUN 63
          ||:||||:                :|       ||||||  |||| |||||||||
Db    243 AATTATTTATGAGCTGAATACTTTCTCTTGTGCTAAAAAAAGAAAAACTGAAAGCAAA 184

Qy     64 AGNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNNUUAGCA 106
          ||||                  :||||
Db    183 AGTGAAAACTAAAGTAAAAATAACAATAAAAAATAGATTTAGGA 141
```

RESULT 5
US-08-771-212A-5/c
; Sequence 5, Application US/08771212A
; Patent No. 6455281
; GENERAL INFORMATION:
; APPLICANT: Berlin, V.
; APPLICANT: Damagnez, V.
; APPLICANT: Smith, S.
; TITLE OF INVENTION: NUCLEIC ACIDS FOR IDENTIFYING ANTI-FUNGAL AGENTS, AND USES RELATE
; TITLE OF INVENTION: THERETO
; FILE REFERENCE: GPCI-P03-074
; CURRENT APPLICATION NUMBER: US/08/771,212A
; CURRENT FILING DATE: 1996-12-20
; PRIOR APPLICATION NUMBER: 08/631,319
; PRIOR FILING DATE: 1996-04-10
; NUMBER OF SEQ ID NOS: 42
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 5
;   LENGTH: 934
;   TYPE: DNA
;   ORGANISM: Candida sp
; FEATURE:
;   NAME/KEY: CDS
;   LOCATION: (260)..(832)
; OTHER INFORMATION:
US-08-771-212A-5

Query Match   24.1%; Score 25.8; DB 4; Length 934;
Best Local Similarity 22.3%; Pred. No. 13;
Matches   23; Conservative   10; Mismatches   70; Indels   0; Gaps   0;

```
Qy      4 AAAAUNNNNNUNAUAUGNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUUN 63
          ||:||||:                :|       ||||||  |||| |||||||||
Db    243 AATTATTTATGAGCTGAATACTTTCTCTTGTGCTAAAAAAAGAAAAACTGAAAGCAAA 184

Qy     64 AGNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNNUUAGCA 106
          ||||                  :||||
Db    183 AGTGAAAACTAAAGTAAAAATAACAATAAAAAATAGATTTAGGA 141
```

RESULT 6
US-09-621-976-13988/c
; Sequence 13988, Application US/09621976
; Patent No. 6639063
; GENERAL INFORMATION:
; APPLICANT: Dumas Milne Edwards, J.B.
; APPLICANT: Jobert, S.
; APPLICANT: Giordano, J.Y.
; TITLE OF INVENTION: ESTs and Encoded Human Proteins.
; FILE REFERENCE: GENSET.054PR2
; CURRENT APPLICATION NUMBER: US/09/621,976
; CURRENT FILING DATE: 2000-07-21
; NUMBER OF SEQ ID NOS: 19335
; SOFTWARE: Patent.pm
; SEQ ID NO 13988
;   LENGTH: 499
;   TYPE: DNA
;   ORGANISM: Homo sapiens
US-09-621-976-13988

Query Match   23.0%; Score 24.6; DB 4; Length 499;
Best Local Similarity 21.9%; Pred. No. 27;
Matches   23; Conservative   10; Mismatches   72; Indels   0; Gaps   0;

```
Qy      1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNNAAAAANUANAAACAUNNNNNC 60
          ||:||                    :|                         :|
Db    423 GCATAACCTGCATCATATGGCGTGCTTCTTGCTTAGCTGCAAGAATATGAAAATATTCTACC 364

Qy     61 UUNAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNAGNN 105
          ||||||
Db    363 TCAATTTTATGGAGCATAAGAAAATTTTTGAGGAAGGACTTAAC 319
```

RESULT 7
US-09-643-597-126
; Sequence 126, Application US/09643597
; Patent No. 6426072
; GENERAL INFORMATION:
; APPLICANT: Wang, Tongtong
; APPLICANT: Fan, Liqun
; APPLICANT: Kalos, Michael D.
; APPLICANT: Bangur, Chaitanya S.
; APPLICANT: Hosken, Nancy
; APPLICANT: Fanger, Gary R.
; APPLICANT: Li, Samuel X.
; APPLICANT: Wang, Aijun
; APPLICANT: Skeiky, Yasir A.W.
; APPLICANT: Henderson, Robert A.
; APPLICANT: McNeill, Patricia D.
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY
; TITLE OF INVENTION: AND DIAGNOSIS OF LUNG CANCER
; FILE REFERENCE: 210121.455C11
; CURRENT APPLICATION NUMBER: US/09/643,597
; CURRENT FILING DATE: 2000-08-21
; NUMBER OF SEQ ID NOS: 369
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 126
;   LENGTH: 3552
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-09-643-597-126

Query Match   23.0%; Score 24.6; DB 4; Length 3552;
Best Local Similarity 27.2%; Pred. No. 38;
Matches   22; Conservative   8; Mismatches   51; Indels   0; Gaps   0;

```
Qy      3 AAAAUNNNNNUNAUAUGNNNNNNCUNNNUUUNNNNNNNAAAAANUANAAACAUNNNNNNCUU 62
          ||||                  :|:||              ||||||
Db   3081 AATATCACATTATTATGTATTCACTTTAAGTGATAGTTTAAAAAATAAACAAGAAATATT 3140

Qy     63 NAGNNNNNNNNNNNNNNNNAGAAA 83
              ||||||
Db   3141 GAGTATCACCTATGTGAAGAAA 3161
```

RESULT 8
US-09-480-884A-126
; Sequence 126, Application US/09480884A
; Patent No. 6482597
; GENERAL INFORMATION:
; APPLICANT: Wang, Tongtong
; APPLICANT: Fan, Liqun
; APPLICANT: Hosken, Nancy A.
; APPLICANT: Kalos, Michael D.
; APPLICANT: Fanger, Gary R.
; TITLE OF INVENTION: COMPOUNDS AND METHODS FOR THERAPY
; TITLE OF INVENTION: AND DIAGNOSIS OF LUNG CANCER
; FILE REFERENCE: 210121.455C6
; CURRENT APPLICATION NUMBER: US/09/480,884A
; CURRENT FILING DATE: 2001-08-27
; NUMBER OF SEQ ID NOS: 330
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 126
;   LENGTH: 3552
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-09-480-884A-126
```

ESULT 9
S-09-542-615A-126
; Sequence 126, Application US/09542615A
; Patent No. 6518256
; GENERAL INFORMATION:
; APPLICANT: Wang, Tongtong
; APPLICANT: Fan, Liqun
; APPLICANT: Kalos, Michael D.
; APPLICANT: Bangur, Chaitanya S.
; APPLICANT: Hosken, Nancy A.
; APPLICANT: Fanger, Gary R.
; TITLE OF INVENTION: COMPOUNDS AND METHODS FOR THERAPY
; TITLE OF INVENTION: AND DIAGNOSIS OF LUNG CANCER
; FILE REFERENCE: 210121.455C8
; CURRENT APPLICATION NUMBER: US/09/542,615A
; CURRENT FILING DATE: 2000-04-14
; NUMBER OF SEQ ID NOS: 350
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 126
; LENGTH: 3552
; TYPE: DNA
; ORGANISM: Homo sapien
S-09-542-615A-126

Query Match            23.0%;  Score 24.6;  DB 4;  Length 3552;
Best Local Similarity  27.2%;  Pred. No. 38;
Matches    22;  Conservative  8;  Mismatches  51;  Indels  0;  Gaps  0;

Qy      3  AAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU  62
           ||| : :|  : :|  ::  :  |||||
Db   3081  AATATCACATTATTATGTATTCACTTTAAGTGATGATAGTTTAAAAAATAAACAAGAAATATT 3140

Qy     63  NAGNNNNNNNNNNNAGAAA  83
           |||||
Db   3141  GAGTATCACTATGTGAAGAAA 3161

ESULT 10
S-09-606-421B-126
; Sequence 126, Application US/09606421B
; Patent No. 6531315
; GENERAL INFORMATION:
; APPLICANT: Wang, Tongtong
; APPLICANT: Fan, Liqun
; APPLICANT: Kalos, Michael D.
; APPLICANT: Bangur, Chaitanya S.
; APPLICANT: Hosken, Nancy
; APPLICANT: Fanger, Gary R.
; APPLICANT: Li, Samuel X.
; APPLICANT: Wang, Aijun
; APPLICANT: Skeiky, Yasir A.W.
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR THE THERAPY
; TITLE OF INVENTION: AND DIAGNOSIS OF LUNG CANCER
; FILE REFERENCE: 210121.455C9
; CURRENT APPLICATION NUMBER: US/09/606,421B
; CURRENT FILING DATE: 2000-06-28
; NUMBER OF SEQ ID NOS: 358
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 126
; LENGTH: 3552
; TYPE: DNA
; ORGANISM: Homo sapien
S-09-606-421B-126

Query Match            23.0%;  Score 24.6;  DB 4;  Length 3552;
Best Local Similarity  27.2%;  Pred. No. 38;
Matches    22;  Conservative  8;  Mismatches  51;  Indels  0;  Gaps  0;

Qy      3  AAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU  62
           ||| : :|  : :|  ::  :  |||||
Db   3081  AATATCACATTATTATGTATTCACTTTAAGTGATGATAGTTTAAAAAATAAACAAGAAATATT 3140

Qy     63  NAGNNNNNNNNNNNAGAAA  83
           |||||
Db   3141  GAGTATCACTATGTGAAGAAA 3161

; LENGTH: 3552;
; TYPE: DNA
; ORGANISM: Homo sapien
US-09-606-421B-126

Query Match            23.0%;  Score 24.6;  DB 4;  Length 3552;
Best Local Similarity  27.2%;  Pred. No. 38;
Matches    22;  Conservative  8;  Mismatches  51;  Indels  0;  Gaps  0;

Qy      3  AAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU  62
           ||| : :|  : :|  ::  :  |||||
Db   3081  AATATCACATTATTATGTATTCACTTTAAGTGATGATAGTTTAAAAAATAAACAAGAAATATT 3140

Qy     63  NAGNNNNNNNNNNNAGAAA  83
           |||||
Db   3141  GAGTATCACTATGTGAAGAAA 3161

RESULT 11
US-09-221-107-126
; Sequence 126, Application US/09221107
; Patent No. 6660838
; GENERAL INFORMATION:
; APPLICANT: Wang, Tongtong
; TITLE OF INVENTION: COMPOUNDS AND METHODS FOR THERAPY OF LUNG CANCER
; FILE REFERENCE: 210121.455C2
; CURRENT APPLICATION NUMBER: US/09/221,107
; CURRENT FILING DATE: 1998-12-22
; NUMBER OF SEQ ID NOS: 161
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 126
; LENGTH: 3552
; TYPE: DNA
; ORGANISM: Human
US-09-221-107-126

Query Match            23.0%;  Score 24.6;  DB 4;  Length 3552;
Best Local Similarity  27.2%;  Pred. No. 38;
Matches    22;  Conservative  8;  Mismatches  51;  Indels  0;  Gaps  0;

Qy      3  AAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU  62
           ||| : :|  : :|  ::  :  |||||
Db   3081  AATATCACATTATTATGTATTCACTTTAAGTGATGATAGTTTAAAAAATAAACAAGAAATATT 3140

Qy     63  NAGNNNNNNNNNNNAGAAA  83
           |||||
Db   3141  GAGTATCACTATGTGAAGAAA 3161

RESULT 12
US-09-601-198-75/c
; Sequence 75, Application US/09601198
; Patent No. 6531583
; GENERAL INFORMATION:
; APPLICANT: Cassell, Gail H.
; APPLICANT: Chen, Elison Y.
; APPLICANT: Glass, Jennifer S.
; APPLICANT: Glass, John I.
; APPLICANT: Heiner, Cheryl R.
; APPLICANT: Lefkowitz, Elliot
; TITLE OF INVENTION: NUCLEIC ACID PROBES AND METHOD FOR DETECTING UREAPLASMA
; FILE REFERENCE: UAB-13452/22
; CURRENT APPLICATION NUMBER: US/09/601,198
; CURRENT FILING DATE: 2000-12-08
; PRIOR APPLICATION NUMBER: 60/073,189
; PRIOR FILING DATE: 1998-01-30
; NUMBER OF SEQ ID NOS: 181
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 75
; LENGTH: 5652
; TYPE: DNA
; ORGANISM: Ureaplasma urealyticum

US-09-601-198-75

Query Match             23.0%;  Score  24.6;  DB 4;  Length 5652;
Best Local Similarity   21.0%;  Pred. No. 42;
Matches    22;  Conservative   11;  Mismatches   72;  Indels    0;  Gaps    0;

Qy      3 AAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAACAUNNNNNNCUU 62
          |||:       | |:    |   ::|          |:| |||       ::
Db    413 AAAATAATGGCAAAATAGAATATCGATGTTCACACAGAATAATACAAATAATTTATTTT 354

Qy     63 NAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNUUAGCAG 107
          ||||:                         ::|||
Db    353 ATCTAAAACGTCAATCAGACATTAATTCTAAATGAACATTAGAAG 309

RESULT 13
US-09-401-064-281/c
; Sequence 281, Application US/09401064
; Patent No. 6623923
; GENERAL INFORMATION:
;   APPLICANT: Xu, Jiangchun
;   APPLICANT: Lodes, Michael J.
;   APPLICANT: Secrist, Heather
;   APPLICANT: Benson, Darin R.
;   APPLICANT: Meagher, Madeline Joy
;   APPLICANT: Stolk, John A.
;   APPLICANT: Wang, Tongtong
;   TITLE OF INVENTION: COMPOUNDS FOR IMMUNOTHERAPY AND
;   TITLE OF INVENTION: DIAGNOSIS OF COLON CANCER AND METHODS FOR THEIR USE
;   FILE REFERENCE: 210121.471C2
;   CURRENT APPLICATION NUMBER: US/09/401,064
;   CURRENT FILING DATE: 1999-09-22
;   NUMBER OF SEQ ID NOS: 371
;   SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 281
;   LENGTH: 398
;   TYPE: DNA
;   ORGANISM: Homo sapien
US-09-401-064-281

Query Match             22.8%;  Score  24.4;  DB 4;  Length 398;
Best Local Similarity   23.2%;  Pred. No. 30;
Matches    22;  Conservative    9;  Mismatches   64;  Indels    0;  Gaps    0;

Qy     13 UNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAACAUNNNNNCUNAGNNNNNNN 72
          ::  ::       |: |:       || ||||::|
Db    204 TGTTTTCCTATTACCATTATTAAAAGTCAGAAGAGAAACATGAAGAACTAAGTGACAAG 145

Qy     73 NNNNNNAGAAAUNNNNNNNNNNNNNNNNNNNNNNNUUAGCAG 107
          ||||:                        :||||
Db    144 ATAATGAGAAATATTTGAGGCTGTAAAATAAGCAG 110

RESULT 14
US-08-956-171B-99/c
; Sequence 99, Application US/08956171B
; Patent No. 6593114
; GENERAL INFORMATION:
;   APPLICANT: Charles Kunsch
;            Gil H. Choi
;            Patrick S. Dillon
;            Craig A. Rosen
;            Steven C. Barash
;            Michael R. Fannon
;   TITLE OF INVENTION: Staphylococcus aureus Polynucleotides and Sequences
;   NUMBER OF SEQUENCES: 5256
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE: Human Genome Sciences, Inc.
;     STREET: 9410 Key West Avenue
;     CITY: Rockville
;     STATE: Maryland
;     COUNTRY: USA
;     ZIP: 20850

---

COMPUTER READABLE FORM:
  MEDIUM TYPE: Diskette, 3.50 inch, 1.4Mb storage
  COMPUTER: HP Vectra 486/33
  OPERATING SYSTEM: MSDOS version 6.2
  SOFTWARE: ASCII Text
CURRENT APPLICATION DATA:
  APPLICATION NUMBER: US/08/956,171B
  FILING DATE: 20-Oct-1997
  CLASSIFICATION: <Unknown>
PRIOR APPLICATION DATA:
  APPLICATION NUMBER: 60/009,861
  FILING DATE: January 5, 1996
  APPLICATION NUMBER: 08/781,986
  FILING DATE: January 3, 1997
ATTORNEY/AGENT INFORMATION:
  NAME: Mark J. Hyman
  REGISTRATION NUMBER: 46,789
  REFERENCE/DOCKET NUMBER: PB248P1
TELECOMMUNICATION INFORMATION:
  TELEPHONE: (240) 314-1224
  TELEFAX: (301) 309-8439
INFORMATION FOR SEQ ID NO: 99:
  SEQUENCE CHARACTERISTICS:
    LENGTH: 5614 base pairs
    TYPE: nucleic acid
    STRANDEDNESS: double
    TOPOLOGY: linear
  SEQUENCE DESCRIPTION: SEQ ID NO: 99:
US-08-956-171B-99

Query Match             22.8%;  Score  24.4;  DB 4;  Length 5614;
Best Local Similarity   22.0%;  Pred. No. 48;
Matches    22;  Conservative    9;  Mismatches   69;  Indels    0;  Gaps    0;

Qy      4 AAAUNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNNAAAAANUANAAACAUNNNNNNCUUN 63
          :::|     |  |      | |  :    :||          |  :| |||
Db   1552 AAATGGATTTTAAAAGATAGCAATTAAAGTAGCGTAAACCACTAAAAAAACTTTACTTA 1493

Qy     64 AGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNUA 103
          ||||:                        ||||
Db   1492 AGCCTTAATATTGCGTGAAAATAATAATAAATGATATA 1453

RESULT 15
US-10-204-708-77
; Sequence 77, Application US/10204708
; Patent No. 6677731
; GENERAL INFORMATION:
;   APPLICANT: OLEK, Alexander
;   APPLICANT: PIEPENBROCK, Christian
;   APPLICANT: BERLIN, Kurt
;   TITLE OF INVENTION: Diagnosis of Diseases Associated with DNA Replication
;   TITLE OF INVENTION: by Assessing DNA Methylation
;   FILE REFERENCE: 5013.1012
;   CURRENT APPLICATION NUMBER: US/10/204,708
;   CURRENT FILING DATE:  2003-05-06
;   PRIOR APPLICATION NUMBER: PCT/EP01/03971
;   PRIOR FILING DATE: 2001-04-06
;   PRIOR APPLICATION NUMBER: DE 10019058.8
;   PRIOR FILING DATE: 2000-04-06
;   PRIOR APPLICATION NUMBER: DE 10019173.8
;   PRIOR FILING DATE: 2000-04-07
;   PRIOR APPLICATION NUMBER: DE 10032529.7
;   PRIOR FILING DATE: 2000-06-30
;   PRIOR APPLICATION NUMBER: DE 10043826.1
;   PRIOR FILING DATE: 2000-09-01
;   NUMBER OF SEQ ID NOS: 98
; SEQ ID NO 77
;   LENGTH: 5915
;   TYPE: DNA
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)

JS-10-204-708-77

Query Match            22.8%;  Score 24.4;  DB 4;  Length 5915;
Best Local Similarity  19.0%;  Pred. No. 48;
Matches   19;  Conservative   12;  Mismatches   69;  Indels   0;  Gaps   0;

Qy     5 AAUNNNNUNAUAUGNNNNCUNNNUUUNNNNNAAAANUANAAACAUNNNNNCUUNA 64
         ||:        :|:|:|        :        ::::    ||||| :|  |||| |:
Db  3458 AATTTGGTTAATATGGTAAAATTTTGTTTTTATTAAAAAATATAAAAATTAGTTAGGCG 3517

Qy    65 GNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNUUAG 104
            ||:                           :|
Db  3518 TGGTGGTAGGCGTTTGTAATTTTAGTTATACGGGAGGTTG 3557


Search completed: March  8, 2004, 06:01:49
Job time : 65 secs

```
              GenCore version 5.1.6
          Copyright (c) 1993 - 2004 Compugen Ltd.

DM nucleic - nucleic search, using sw model

Run on:    March  8, 2004, 04:40:28 ; Search time 1220 Seconds
                                       (without alignments)
                            320.775 Million cell updates/sec

Title:     US-09-646-651C-2
Perfect score:  107
Sequence:  1 ggaaaunnmmnnauaugn........nnnnnnnnnnnnuuagcag 107

Scoring table:  IDENTITY_NUC
                Gapop 10.0 , Gapext 1.0

Searched:  2421054 seqs, 182871609 residues

Total number of hits satisfying chosen parameters:   4842108

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing:  Minimum Match 0%
                  Maximum Match 100%
                  Listing first 45 summaries

Database :     Published Applications NA:*
       1:  /cgn2_6/ptodata/2/pubpna/US07_PUBCOMB.seq:*
       2:  /cgn2_6/ptodata/2/pubpna/PCT_NEW_PUB.seq:*
       3:  /cgn2_6/ptodata/2/pubpna/US06_NEW_PUB.seq:*
       4:  /cgn2_6/ptodata/2/pubpna/US06_PUBCOMB.seq:*
       5:  /cgn2_6/ptodata/2/pubpna/US07_NEW_PUB.seq:*
       6:  /cgn2_6/ptodata/2/pubpna/PCTUS_PUBCOMB.seq:*
       7:  /cgn2_6/ptodata/2/pubpna/US08_NEW_PUB.seq:*
       8:  /cgn2_6/ptodata/2/pubpna/US08_PUBCOMB.seq:*
       9:  /cgn2_6/ptodata/2/pubpna/US09A_PUBCOMB.seq:*
      10:  /cgn2_6/ptodata/2/pubpna/US09B_PUBCOMB.seq:*
      11:  /cgn2_6/ptodata/2/pubpna/US09C_PUBCOMB.seq:*
      12:  /cgn2_6/ptodata/2/pubpna/US09_NEW_PUB.seq:*
      13:  /cgn2_6/ptodata/2/pubpna/US10A_PUBCOMB.seq:*
      14:  /cgn2_6/ptodata/2/pubpna/US10B_PUBCOMB.seq:*
      15:  /cgn2_6/ptodata/2/pubpna/US10C_PUBCOMB.seq:*
      16:  /cgn2_6/ptodata/2/pubpna/US10_NEW_PUB.seq:*
      17:  /cgn2_6/ptodata/2/pubpna/US60_NEW_PUB.seq:*
      18:  /cgn2_6/ptodata/2/pubpna/US60_PUBCOMB.seq:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	27.4	25.6	524	15	US-10-012-697-280	Sequence 280, App
2	27.4	25.6	761	15	US-10-012-697-493	Sequence 493, App
3	27.4	25.6	769	15	US-10-012-697-418	GENERAL INFORMATI
4	27.4	25.6	789	15	US-10-012-697-415	Sequence 415, App
5	27.4	25.6	929	15	US-10-012-697-1307	Sequence 1307, Ap
6	26.8	25.0	6419	14	US-10-311-455-239	Sequence 239, App
7	26.8	25.0	13814	14	US-10-311-455-1166	Sequence 1166, Ap
8	26.8	25.0	3673778	15	US-10-312-841-2	Sequence 2, Appli
9	26.6	24.9	487	15	US-10-027-632-323248	Sequence 323248,
10	26.6	24.9	488	15	US-10-027-632-324208	Sequence 324208,
11	26.6	24.9	634	15	US-10-027-632-8286	Sequence 8286, Ap
12	26.6	24.9	10034	14	US-10-311-455-1858	Sequence 1858, Ap
13	26.2	24.5	390	10	US-09-814-353-17808	Sequence 17808, A
14	26.2	24.5	3673778	14	US-10-312-841-1	Sequence 1, Appli
15	26	24.3	511	12	US-10-424-599-85840	Sequence 85840, A

C 16	26	24.3	5504	12	US-10-221-613-270	Sequence 270, App
17	26	24.3	7977	14	US-10-311-455-2062	Sequence 2062, Ap
18	25.8	24.3	3673778	14	US-10-312-841-1	Sequence 1, Appli
19	25.8	24.1	553	9	US-09-560-863-928	Sequence 928, App
20	25.8	24.1	585	15	US-10-027-632-251034	Sequence 251034,
C 21	25.8	24.1	934	9	US-09-945-249-5	Sequence 5, Appli
C 22	25.8	24.1	1031	14	US-10-093-524-9	Sequence 9, Appli
C 23	25.8	24.1	1386	12	US-10-282-122A-15352	Sequence 15352, A
24	25.8	24.1	1566	14	US-10-081-051-59	Sequence 59, Appl
25	25.8	24.1	1905	12	US-10-282-122A-17125	Sequence 17125, A
26	25.8	24.1	4544	14	US-10-081-051-58	Sequence 58, Appl
C 27	25.8	24.1	7461	9	US-09-764-860-1135	Sequence 1135, Ap
C 28	25.8	24.1	7461	9	US-09-764-904-91	Sequence 91, Appl
C 29	25.8	24.1	7461	14	US-10-091-548-91	Sequence 91, Appl
C 30	25.8	24.1	7461	14	US-10-074-095-1135	Sequence 1135, Ap
C 31	25.8	24.1	7461	15	US-10-212-872-1135	Sequence 1135, Ap
C 32	25.8	24.1	32174	9	US-09-908-711-158	Sequence 158, App
C 33	25.8	24.1	32174	9	US-09-764-860-1134	Sequence 1134, Ap
C 34	25.8	24.1	32174	9	US-09-764-877-2645	Sequence 2645, Ap
C 35	25.8	24.1	32174	9	US-09-860-670-232	Sequence 232, App
C 36	25.8	24.1	32174	9	US-09-764-904-90	Sequence 90, Appl
C 37	25.8	24.1	32174	10	US-09-764-891-6480	Sequence 6480, Ap
C 38	25.8	24.1	32174	10	US-09-764-891-10135	Sequence 10135, A
C 39	25.8	24.1	32174	10	US-09-764-891-10179	Sequence 10179, A
C 40	25.8	24.1	32174	14	US-10-091-548-90	Sequence 90, Appl
C 41	25.8	24.1	32174	14	US-10-074-095-1134	Sequence 1134, Ap
C 42	25.8	24.1	32174	15	US-10-212-872-1134	Sequence 1134, Ap
43	25.8	24.1	32174	15	US-10-074-024-609	Sequence 609, App
C 44	25.8	24.1	32174	15	US-10-227-646-232	Sequence 232, App
C 45	25.8	24.1	32174	15	US-10-242-515-2645	Sequence 2645, Ap

ALIGNMENTS

```
RESULT 1
US-10-012-697-280
; Sequence 280, Application US/10012697
; Publication No. US20030215803A1
; GENERAL INFORMATION:
;  APPLICANT: Escobedo, Jaime
;  APPLICANT: Garcia, Pablo Dominguez
;  APPLICANT: Kassam, Altaf
;  APPLICANT: Lamson, George
;  APPLICANT: Scott, Beth
;  APPLICANT: Drmanac, Radoje
;  APPLICANT: Crkvenjakov, Radomir
;  APPLICANT: Dickson, Mark
;  APPLICANT: Drmanac, Snezana
;  APPLICANT: Labat, Ivan
;  APPLICANT: Leshkowitz, Dena
;  APPLICANT: Kita, David
;  APPLICANT: Garcia, Veronica
;  APPLICANT: Jones, Lee William
;  APPLICANT: Stache-Crain, Birgit
;  TITLE OF INVENTION: HUMAN GENES AND GENE EXPRESSION PRODUCTS
;  TITLE OF INVENTION: ISOLATED FROM HUMAN PROSTATE
;  FILE REFERENCE: 2300-16252
;  CURRENT APPLICATION NUMBER: US/10/012,697
;  CURRENT FILING DATE: 2003-01-21
;  PRIOR APPLICATION NUMBER: 60/254,648
;  PRIOR FILING DATE: 2000-12-07
;  PRIOR APPLICATION NUMBER: 60/275,668
;  PRIOR FILING DATE: 2001-03-13
;  NUMBER OF SEQ ID NOS: 1568
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 280
;  LENGTH: 524
;  TYPE: DNA
;  ORGANISM: Homo sapiens
;  FEATURE:
;  NAME/KEY: misc_feature
;  LOCATION: 479, 484, 486, 487, 496, 501, 505, 506, 509, 511, 513, 514,
```

```
;      LOCATION: 515, 516, 521, 523
;      OTHER INFORMATION: n = A,T,C or G
;      FEATURE:
;      NAME/KEY: misc_feature
;      LOCATION: 479, 484, 486, 487, 496, 501, 505, 506, 509, 511, 513, 514,
;      LOCATION: 515, 516, 521, 523
;      OTHER INFORMATION: n = A,T,C or G
;      FEATURE:
;      NAME/KEY: misc_feature
;      LOCATION: 479, 484, 486, 487, 496, 501, 505, 506, 509, 511, 513, 514,
;      LOCATION: 515, 516, 521, 523
;      OTHER INFORMATION: n = A,T,C or G
;      FEATURE:
;      NAME/KEY: misc_feature
;      LOCATION: 479, 484, 486, 487, 496, 501, 505, 506, 509, 511, 513, 514,
;      LOCATION: 515, 516, 521, 523
;      OTHER INFORMATION: n = A,T,C or G
;      FEATURE:
;      NAME/KEY: misc_feature
;      LOCATION: 479, 484, 486, 487, 496, 501, 505, 506, 509, 511, 513, 514,
;      LOCATION: 515, 516, 521, 523
;      OTHER INFORMATION: n = A,T,C or G
US-10-012-697-280

Query Match             25.6%;        Score 27.4;  DB 15;  Length 524;
Best Local Similarity   24.3%;   Pred. No. 1.2e+02;
Matches  25;  Conservative   9;  Mismatches   9;  Indels  69;  Gaps    0;

Qy       2 GAAAAUNNNNNUNAUAUGNNNNNCUNNNNUUNNNNNNAAAAANUANAAACAUNNNNNCU 61
           |||||       :|     |:|   |: |      :|||:   |:||| :|
Db     232 GAAAACTCTTGTTAGACATGATGTTTCCTATACAGAAGATACAAACTTGATTGCT 291

Qy      62 UNAGNNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAG 104
            :||             ||||            :||:
Db     292 TCAGTAAAAACACTTTTAGAGATTGTGTTTCCTTTTTTGTGAG 334


RESULT 2
US-10-012-697-493
; Sequence 493, Application US/10012697
; Publication No. US20030215803A1
; GENERAL INFORMATION:
;   APPLICANT: Escobedo, Jaime
;   APPLICANT: Garcia, Pablo Dominguez
;   APPLICANT: Kassam, Altaf
;   APPLICANT: Lamson, George
;   APPLICANT: Scott, Beth
;   APPLICANT: Drmanac, Radoje
;   APPLICANT: Crkvenjakov, Radomir
;   APPLICANT: Dickson, Mark
;   APPLICANT: Drmanac, Snezana
;   APPLICANT: Labat, Ivan
;   APPLICANT: Leshkowitz, Dena
;   APPLICANT: Kita, David
;   APPLICANT: Garcia, Veronica
;   APPLICANT: Jones, Lee William
;   APPLICANT: Stache-Crain, Birgit
;   TITLE OF INVENTION: HUMAN GENES AND GENE EXPRESSION PRODUCTS
;   TITLE OF INVENTION: ISOLATED FROM HUMAN PROSTATE
;   FILE REFERENCE: 2300-16252
;   CURRENT APPLICATION NUMBER: US/10/012,697
;   CURRENT FILING DATE: 2003-01-21
;   PRIOR APPLICATION NUMBER: 60/254,648
;   PRIOR FILING DATE: 2000-12-07
;   PRIOR APPLICATION NUMBER: 60/275,668
;   PRIOR FILING DATE: 2001-03-13
;   NUMBER OF SEQ ID NOS: 1568
; SEQ ID NO 493
;   SOFTWARE: FastSEQ for Windows Version 4.0
;   LENGTH: 761
;   TYPE: DNA
;   ORGANISM: Homo sapiens
;   FEATURE:
;      NAME/KEY: misc_feature
;      LOCATION: 534, 596, 615, 633, 641, 648, 656, 710, 729, 736, 744, 748,
;      LOCATION: 749, 751, 752
;      OTHER INFORMATION: n = A,T,C or G
;      FEATURE:
;      NAME/KEY: misc_feature
;      LOCATION: 534, 596, 615, 633, 641, 648, 656, 710, 729, 736, 744, 748,
;      LOCATION: 749, 751, 752
;      OTHER INFORMATION: n = A,T,C or G
;      FEATURE:
;      NAME/KEY: misc_feature
;      LOCATION: 534, 596, 615, 633, 641, 648, 656, 710, 729, 736, 744, 748,
;      LOCATION: 749, 751, 752
;      OTHER INFORMATION: n = A,T,C or G
;      FEATURE:
;      NAME/KEY: misc_feature
;      LOCATION: 534, 596, 615, 633, 641, 648, 656, 710, 729, 736, 744, 748,
;      LOCATION: 749, 751, 752
;      OTHER INFORMATION: n = A,T,C or G
;      FEATURE:
;      NAME/KEY: misc_feature
;      LOCATION: 534, 596, 615, 633, 641, 648, 656, 710, 729, 736, 744, 748,
;      LOCATION: 749, 751, 752
;      OTHER INFORMATION: n = A,T,C or G
US-10-012-697-493

Query Match             25.6%;        Score 27.4;  DB 15;  Length 761;
Best Local Similarity   24.3%;   Pred. No. 1.4e+02;
Matches  25;  Conservative   9;  Mismatches   9;  Indels  69;  Gaps    0;

Qy       2 GAAAAUNNNNNUNAUAUGNNNNNCUNNNNUUNNNNNNAAAAANUANAAACAUNNNNNCU 61
           |||||       :|     |:|   |: |      :|||:   |:||| :|
Db     237 GAAAACTCTTGTTAGACATGATGTTTCCTATACAGAAGATACAAACTTGATTGCT 296

Qy      62 UNAGNNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAG 104
            :||             ||||            :||:
Db     297 TCAGTAAAAACACTTTTAGAGATTGTGTTTCCTTTTTTGTGAG 339


RESULT 3
US-10-012-697-418
; GENERAL INFORMATION:
;   APPLICANT: Escobedo, Jaime
;   APPLICANT: Garcia, Pablo Dominguez
;   APPLICANT: Kassam, Altaf
;   APPLICANT: Lamson, George
;   APPLICANT: Scott, Beth
;   APPLICANT: Drmanac, Radoje
;   APPLICANT: Crkvenjakov, Radomir
;   APPLICANT: Dickson, Mark
;   APPLICANT: Drmanac, Snezana
;   APPLICANT: Labat, Ivan
;   APPLICANT: Leshkowitz, Dena
;   APPLICANT: Kita, David
;   APPLICANT: Garcia, Veronica
;   APPLICANT: Jones, Lee William
;   APPLICANT: Stache-Crain, Birgit
;   TITLE OF INVENTION: HUMAN GENES AND GENE EXPRESSION PRODUCTS
;   TITLE OF INVENTION: ISOLATED FROM HUMAN PROSTATE
;   FILE REFERENCE: 2300-16252
;   CURRENT APPLICATION NUMBER: US/10/012,697
;   CURRENT FILING DATE: 2003-01-21
;   PRIOR APPLICATION NUMBER: 60/254,648
;   PRIOR FILING DATE: 2000-12-07
;   PRIOR APPLICATION NUMBER: 60/275,668
;   PRIOR FILING DATE: 2001-03-13
;   NUMBER OF SEQ ID NOS: 1568
;   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 493
;   OTHER INFORMATION: n = A,T,C or G
US-10-012-697-418

Query Match             25.6%;        Score 27.4;  DB 15;  Length 769;
Best Local Similarity   24.3%;   Pred. No. 1.4e+02;
```

Matches 25; Conservative   9; Mismatches 9; Indels   0; Gaps   0;

```
Qy    2 GAAAAUNNNNNUNAUAUGNNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 61
          ||||     :|    :|            :  :  |  ||||   |:  |
Db   88 GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAAAGATACAAACTTGATTGCT 147

Qy   62 UNAGNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNUUAG 104
          ||||                  |:  :
Db  148 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTGTGAG 190
```

RESULT 4
US-10-012-697-415
; Sequence 415, Application US/10012697
; Publication No. US20030215803A1
GENERAL INFORMATION:
APPLICANT: Escobedo, Jaime
APPLICANT: Garcia, Pablo Dominguez
APPLICANT: Kassam, Altaf
APPLICANT: Lamson, George
APPLICANT: Scott, Beth
APPLICANT: Drmanac, Radoje
APPLICANT: Crkvenjakov, Radomir
APPLICANT: Dickson, Mark
APPLICANT: Drmanac, Snezana
APPLICANT: Labat, Ivan
APPLICANT: Leshkowitz, Dena
APPLICANT: Kita, David
APPLICANT: Garcia, Veronica
APPLICANT: Jones, Lee William
APPLICANT: Stache-Crain, Birgit
TITLE OF INVENTION: HUMAN GENES AND GENE EXPRESSION PRODUCTS
TITLE OF INVENTION: ISOLATED FROM HUMAN PROSTATE
FILE REFERENCE: 2300-16252
CURRENT APPLICATION NUMBER: US/10/012,697
CURRENT FILING DATE: 2003-01-21
PRIOR APPLICATION NUMBER: 60/254,648
PRIOR FILING DATE: 2000-12-07
PRIOR APPLICATION NUMBER: 60/275,668
PRIOR FILING DATE: 2001-03-13
NUMBER OF SEQ ID NOS: 1568
SOFTWARE: FastSEQ for Windows Version 4.0
SEQ ID NO 415
LENGTH: 789
TYPE: DNA
ORGANISM: Homo sapiens
FEATURE:
NAME/KEY: misc_feature
LOCATION: 5, 7, 9, 12, 15, 17, 19, 20, 27, 33, 46, 62, 63, 64, 66,
LOCATION: 67, 74, 76, 509, 613, 645, 651, 655, 666, 678, 715, 718, 729, 742, 772, 77
OTHER INFORMATION: n = A,T,C or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: 5, 7, 9, 12, 15, 17, 19, 20, 27, 33, 46, 62, 63, 64, 66,
LOCATION: 67, 74, 76, 509, 613, 645, 651, 655, 666, 678, 715, 718, 729, 742, 772, 77
OTHER INFORMATION: n = A,T,C or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: 5, 7, 9, 12, 15, 17, 19, 20, 27, 33, 46, 62, 63, 64, 66,
LOCATION: 67, 74, 76, 509, 613, 645, 651, 655, 666, 678, 715, 718, 729, 742, 772, 77
OTHER INFORMATION: n = A,T,C or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: 5, 7, 9, 12, 15, 17, 19, 20, 27, 33, 46, 62, 63, 64, 66,
LOCATION: 67, 74, 76, 509, 613, 645, 651, 655, 666, 678, 715, 718, 729, 742, 772, 77
OTHER INFORMATION: n = A,T,C or G
FEATURE:
NAME/KEY: misc_feature
LOCATION: 5, 7, 9, 12, 15, 17, 19, 20, 27, 33, 46, 62, 63, 64, 66,
LOCATION: 67, 74, 76, 509, 613, 645, 651, 655, 666, 678, 715, 718, 729, 742, 772, 77
OTHER INFORMATION: n = A,T,C or G
S-10-012-697-415

Query Match   25.6%; Score 27.4; DB 15; Length 789;
Best Local Similarity 24.3%; Pred. No. 1.4e+02;
Matches 25; Conservative 25; Mismatches 9; Indels   0; Gaps   0;

```
Qy    2 GAAAAUNNNNNUNAUAUGNNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 61
          ||||     :|    :|            :  :  |  ||||   |:  |
Db   97 GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAAAGATACAAACTTGATTGCT 156

Qy   62 UNAGNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNNNNNUUAG 104
          ||||                  |:  :
Db  157 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTGTGAG 199
```

RESULT 5
US-10-012-697-1307
; Sequence 1307, Application US/10012697
; Publication No. US20030215803A1
; GENERAL INFORMATION:
; APPLICANT: Escobedo, Jaime
; APPLICANT: Garcia, Pablo Dominguez
; APPLICANT: Kassam, Altaf
; APPLICANT: Lamson, George
; APPLICANT: Scott, Beth
; APPLICANT: Drmanac, Radoje
; APPLICANT: Crkvenjakov, Radomir
; APPLICANT: Dickson, Mark
; APPLICANT: Drmanac, Snezana
; APPLICANT: Labat, Ivan
; APPLICANT: Leshkowitz, Dena
; APPLICANT: Kita, David
; APPLICANT: Garcia, Veronica
; APPLICANT: Jones, Lee William
; APPLICANT: Stache-Crain, Birgit
; TITLE OF INVENTION: HUMAN GENES AND GENE EXPRESSION PRODUCTS
; TITLE OF INVENTION: ISOLATED FROM HUMAN PROSTATE
; FILE REFERENCE: 2300-16252
; CURRENT APPLICATION NUMBER: US/10/012,697
; CURRENT FILING DATE: 2003-01-21
; PRIOR APPLICATION NUMBER: 60/254,648
; PRIOR FILING DATE: 2000-12-07
; PRIOR APPLICATION NUMBER: 60/275,668
; PRIOR FILING DATE: 2001-03-13
; NUMBER OF SEQ ID NOS: 1568
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1307
; LENGTH: 929
; TYPE: DNA
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 649, 785, 791, 795, 806, 818, 855, 858, 869, 882, 912, 916,
; LOCATION: 919, 920, 921, 923, 926, 927, 928
; OTHER INFORMATION: n = A,T,C or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 649, 785, 791, 795, 806, 818, 855, 858, 869, 882, 912, 916,
; LOCATION: 919, 920, 921, 923, 926, 927, 928
; OTHER INFORMATION: n = A,T,C or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 649, 785, 791, 795, 806, 818, 855, 858, 869, 882, 912, 916,
; LOCATION: 919, 920, 921, 923, 926, 927, 928
; OTHER INFORMATION: n = A,T,C or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 649, 785, 791, 795, 806, 818, 855, 858, 869, 882, 912, 916,
; LOCATION: 919, 920, 921, 923, 926, 927, 928
; OTHER INFORMATION: n = A,T,C or G
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 649, 785, 791, 795, 806, 818, 855, 858, 869, 882, 912, 916,
; LOCATION: 919, 920, 921, 923, 926, 927, 928
; OTHER INFORMATION: n = A,T,C or G

US-10-012-697-1307

Query Match   25.6%; Score 27.4; DB 15; Length 929;
Best Local Similarity 24.3%; Pred. No. 1.5e+02;
Matches 25; Conservative 9; Mismatches 69; Indels 0; Gaps 0;

Qy   2 GAAAAAUNNNNNUNAUAUGNNNNNNCUNNNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 61
            ||||||| |||| :   :   :|| :||||| |:
Db   237 GAAAACTTCTTGTTAGACATGATGTTTCCTATACAGAAGAAAGATACAAACTTGATTGCT 296

Qy   62 UNAGNNNNNNNNNNNNNAGAAAAUNNNNNNNNNNNNNNUAG 104
            :.|| ||||:|
Db   297 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTTGTGAG 339

RESULT 6
US-10-311-455-239/c
; Sequence 239, Application US/10311455
; Publication No. US2003014360GA1
; GENERAL INFORMATION:
; APPLICANT: OLEK, Alexander
; APPLICANT: PIEPENBROCK, Christian
; APPLICANT: BERLIN, Kurt
; TITLE OF INVENTION: Diagnosis of Diseases Associated with the Immune System by Determ
; FILE REFERENCE: 5013.1014
; CURRENT APPLICATION NUMBER: US/10/311,455
; CURRENT FILING DATE: 2002-12-16
; PRIOR APPLICATION NUMBER: PCT/EP01/07537
; PRIOR FILING DATE: 2001-07-02
; PRIOR APPLICATION NUMBER: DE 10032529.7
; PRIOR FILING DATE: 2000-06-30
; PRIOR APPLICATION NUMBER: DE 10043826.1
; PRIOR FILING DATE: 2000-09-01
; NUMBER OF SEQ ID NOS: 2424
; SEQ ID NO 239
; LENGTH: 6419
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
US-10-311-455-239

Query Match   25.0%; Score 26.8; DB 14; Length 6419;
Best Local Similarity 24.0%; Pred. No. 4.4e+02;
Matches 25; Conservative 9; Mismatches 70; Indels 0; Gaps 0;

Qy   3 AAAAUNNNNNUNAUAUGNNNNNNCUNNNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 62
            |||| ::   : ||||
Db   1272 AAAAATAAATTATATTAATTCCCATCTTACAAATAAAAATCTAAAAATCGAAACTT 1213

Qy   63 NAGNNNNNNNNNNNNNNAGAAAAUNNNNNNNNNNNNNNUAGCA 106
            ||||: |:||
Db   1212 AAAAAACACCTACCCAAAAATCACCCAACAAACTATTCTAACA 1169

RESULT 7
US-10-311-455-1166/c
; Sequence 1166, Application US/10311455
; Publication No. US2003014360GA1
; GENERAL INFORMATION:
; APPLICANT: OLEK, Alexander
; APPLICANT: PIEPENBROCK, Christian
; APPLICANT: BERLIN, Kurt
; TITLE OF INVENTION: Diagnosis of Diseases Associated with the Immune System by Determ
; FILE REFERENCE: 5013.1014
; CURRENT APPLICATION NUMBER: US/10/311,455
; CURRENT FILING DATE: 2002-12-16
; PRIOR APPLICATION NUMBER: PCT/EP01/07537
; PRIOR FILING DATE: 2001-07-02
; PRIOR APPLICATION NUMBER: DE 10032529.7
; PRIOR FILING DATE: 2000-06-30

PRIOR APPLICATION NUMBER: DE 10043826.1
; PRIOR FILING DATE: 2000-09-01
; NUMBER OF SEQ ID NOS: 2424
; SEQ ID NO 1166
; LENGTH: 13814
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
; FEATURE:
; NAME/KEY: unsure
; LOCATION: 9297
; OTHER INFORMATION: n is a or g or c or t
US-10-311-455-1166

Query Match   25.0%; Score 26.8; DB 14; Length 13814;
Best Local Similarity 22.1%; Pred. No. 5.9e+02;
Matches 23; Conservative 11; Mismatches 70; Indels 0; Gaps 0;

Qy   3 AAAAUNNNNNUNAUAUGNNNNNNCUNNNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
            || :::   :|||| |:
Db   2230 AAAATTAATTTAAATTTCTAAACACTTTTAACAAAAAAAATTCTTAAACACTA 2171

Qy   63 NAGNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNUUAGCA 106
            |||| |||||
Db   2170 AAAACAAAATTAAATTAAAAATATTCAATACTCTTCCATTATCA 2127

RESULT 8
US-10-312-841-2/c
; Sequence 2, Application US/10312841
; Publication No. US20030186277A1
; GENERAL INFORMATION:
; APPLICANT: Epigenomics AG
; TITLE OF INVENTION: Diagnose von bedeutenden genetischen Parametern innerhalb des MH(
; FILE REFERENCE: E01/1208/WO
; CURRENT APPLICATION NUMBER: US/10/312,841
; CURRENT FILING DATE: 2002-12-30
; NUMBER OF SEQ ID NOS: 2
; SEQ ID NO 2
; LENGTH: 3673778
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; NAME/KEY: unsure
; LOCATION: (379615)
US-10-312-841-2

Query Match   25.0%; Score 26.8; DB 14; Length 3673778;
Best Local Similarity 22.1%; Pred. No. 9.4e+02;
Matches 23; Conservative 11; Mismatches 70; Indels 0; Gaps 0;

Qy   3 AAAAUNNNNNUNAUAUGNNNNNNCUNNNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
            |||| ::   :   :|||| ||:
Db 2995750 AAAATTATCTTCATATAAAAACCATAAATTTATCTATATAAATCTCAAACATATCATTAA 2995691

Qy   63 NAGNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNUUAGCA 106
            |||| ||||:
Db 2995690 AATATAACATACCCAAAAAAATTTAATTAATATATATTTAAACA 2995647

RESULT 9
US-10-027-632-323248/c
; Sequence 323248, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632

; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 323248
; LENGTH: 487
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-323248

Query Match   24.9%; Score 26.6; DB 15; Length 487;
Best Local Similarity   22.2%; Pred. No. 2e+02;
Matches   22; Conservative 10; Mismatches 67; Indels   0; Gaps   0;

Qy   3 AAAAUNNNNNNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
          ||| |: :|| |: .::: ||||| :| ||| ||
Db 378 AAAAGAAAAAAATTTGCAACTTCTTTCTTTTGCAAGAAAAAATAAAAAGACAACCACAT 319

Qy   63 NAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNU 101
               ||:
Db 318 AAGTTACCAGAATGTGCATAATCATTACTTCATGATCTT 280

RESULT 10
US-10-027-632-324208/c
; Sequence 324208, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 324208
; LENGTH: 488
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-324208

Query Match   24.9%; Score 26.6; DB 15; Length 488;
Best Local Similarity   22.2%; Pred. No. 2e+02;
Matches   22; Conservative 10; Mismatches 67; Indels   0; Gaps   0;

Qy   3 AAAAUNNNNNNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
          ||| |: :|| |: .::: ||||| :| ||| ||
Db 378 AAAAGAAAAAAATTTGCAACTTCTTTCTTTTGCAAGAAAAAATAAAAAGACAACCACAT 319

Qy   63 NAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNU 101
               ||:
Db 318 AAGTTACCAGAATGTGCATAATCATTACTTCATGATCTT 280

RESULT 11
US-10-027-632-8286
; Sequence 8286, Application US/10027632
; Publication No. US20030204075A9
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 8286
; LENGTH: 634
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-8286

Query Match   24.9%; Score 26.6; DB 15; Length 634;
Best Local Similarity   23.4%; Pred. No. 2.2e+02;
Matches   25; Conservative 10; Mismatches 72; Indels   0; Gaps   0;

Qy   1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNNAAAAANUANAAACAUNNNNNC 60
          |||| ||| ||:
Db 421 GGAAGAGACCATTCTTTGCATACCCATTTCTGGATAAAAGAAAAGAGACATTCCTGT 480

Qy   61 UUNAGNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNUUAGCAG 107
          :: | :: ||||
Db 481 TTTTGATCTTTAATTCAAGAAATGGGGCAAAAACCACCTAATCTG 527

RESULT 12
US-10-311-455-1858
; Sequence 1858, Application US/10311455
; Publication No. US20030143606A1
; GENERAL INFORMATION:
; APPLICANT: OLEK, Alexander
; APPLICANT: PIEPENBROCK, Christian
; APPLICANT: BERLIN, Kurt
; TITLE OF INVENTION: Diagnosis of Diseases Associated with the Immune System by Determ
; FILE REFERENCE: 5013.1014
; TITLE OF INVENTION: cytosine methylation
; CURRENT APPLICATION NUMBER: US/10/311,455
; CURRENT FILING DATE: 2002-12-16
; PRIOR APPLICATION NUMBER: PCT/EP01/07537
; PRIOR FILING DATE: 2001-07-02
; PRIOR APPLICATION NUMBER: DE 10032529.7
; PRIOR FILING DATE: 2000-06-30
; PRIOR APPLICATION NUMBER: DE 10043826.1

; PRIOR FILING DATE: 2000-09-01
; NUMBER OF SEQ ID NOS: 1858
; SEQ ID NO 1858
; LENGTH: 10034
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
US-10-311-455-1858

Query Match   24.9%; Score 26.6; DB 14; Length 10034;
Best Local Similarity   17.2%; Pred. No. 6e+02;
Matches   17; Conservative   15; Mismatches   67; Indels   0; Gaps   0;

Qy   4 AAAUNNNNNUNAUAUGNNNNNCUNNNNUUNNNNNNAAAAANUANAAACAUNNNNNCUUN 63
            ::|:| :. ::: :.: :.::: ||||| :| ||| |: ::
Db   2863 AAAATTTGATTAATATGGTGAAATTTTATTTTATTAAAATATAAATTATTGGGTATTT 2922

Qy   64 AGNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNU 102
             :|
Db   2923 TGGTAGCGTATGTTTGTAATTTTAGTTGTGTAGGAGGTT 2961

RESULT 13
US-09-814-353-17808/c
; Sequence 17808, Application US/09814353
; Publication No. US20030165831A1
; GENERAL INFORMATION:
; APPLICANT: Lee, John
; APPLICANT: Thompson, Pamela
; APPLICANT: Lillie, James
; TITLE OF INVENTION: NOVEL GENES, COMPOSITIONS, KITS, AND METHODS FOR
; TITLE OF INVENTION: IDENTIFICATION, ASSESSMENT, PREVENTION, AND
; TITLE OF INVENTION: THERAPY OF OVARIAN CANCER
; FILE REFERENCE: MRI-006B
; CURRENT APPLICATION NUMBER: US/09/814,353
; CURRENT FILING DATE: 2001-03-21
; PRIOR APPLICATION NUMBER: US 60/191,031
; PRIOR FILING DATE: 2000-03-21
; PRIOR APPLICATION NUMBER: US 60/207,124
; PRIOR FILING DATE: 2000-05-25
; PRIOR APPLICATION NUMBER: US 60/211,940
; PRIOR FILING DATE: 2000-06-15
; PRIOR APPLICATION NUMBER: US 60/216,820
; PRIOR FILING DATE: 2000-07-07
; PRIOR APPLICATION NUMBER: US 60/220,661
; PRIOR FILING DATE: 2000-07-25
; PRIOR APPLICATION NUMBER: US 60/257,672
; PRIOR FILING DATE: 2000-12-21
; NUMBER OF SEQ ID NOS: 22037
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 17808
; LENGTH: 390
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-814-353-17808

Query Match   24.5%; Score 26.2; DB 10; Length 390;
Best Local Similarity   23.5%; Pred. No. 2.4e+02;
Matches   19; Conservative   12; Mismatches   50; Indels   0; Gaps   0;

Qy   3 AAAAUNNNNNUNAUAUGNNNNNCUNNNNUUNNNNNNAAAAANUANAAACAUNNNNNCUU 62
            :|||| :. ::. :.: :::: .:| ||| :||:::
Db   309 AAAATAATTTTATTTTTTTCTTTTTTTTTTTTTTTTAAAATTAAAAARTTAATTTTT 250

Qy   63 NAGNNNNNNNNNNNAGAAA 83
             |||
Db   249 TTTTTTTTTTAAAAAAAAA 229

RESULT 14
US-10-312-841-1/c
; Sequence 1, Application US/10312841

; Publication No. US20030186277A1
; GENERAL INFORMATION:
; APPLICANT: Epigenomics AG
; TITLE OF INVENTION: Diagnose von bedeutenden genetischen Parametern innerhalb des MH
; FILE REFERENCE: E01/1208/WO
; CURRENT APPLICATION NUMBER: US/10/312,841
; CURRENT FILING DATE: 2002-12-30
; NUMBER OF SEQ ID NOS: 2
; SEQ ID NO 1
; LENGTH: 3673778
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: chemically treated genomic DNA (Homo sapiens)
; FEATURE:
; NAME/KEY: unsure
; LOCATION: (3294164)
US-10-312-841-1

Query Match   24.5%; Score 26.2; DB 14; Length 3673778;
Best Local Similarity   22.9%; Pred. No. 9.4e+02;
Matches   24; Conservative   10; Mismatches   71; Indels   0; Gaps   0;

Qy   2 GAAAAUNNNNNUNAUAUGNNNNNCUNNNNUUNNNNNNAAAAANUANAAACAUNNNNNCU 61
            |||| :|:.   ::   : .:::
Db 1459596 GAAACCTACCGTAATTATTAAATATCTAAATTTTAATTAAAAAAACAAAAAACCTAAT 1459537

Qy   62 UNAGNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUUAGCA 106
               :|||
Db 1459536 ATACAAATTCCATRATAAAAAAAAACCCAAACGAATATCTTATCA 1459492

RESULT 15
US-10-424-599-85840
; Sequence 85840, Application US/10424599
; Publication No. US2004003107241
; GENERAL INFORMATION:
; APPLICANT: La Rosa Thomas J
; APPLICANT: Kovalic David K
; APPLICANT: Zhou Yihua
; APPLICANT: Cao Yongwei
; TITLE OF INVENTION: Soy Nucleic Acid Molecules and Other Molecules Associated With
; TITLE OF INVENTION: Plants and Uses Thereof for Plant Improvement
; FILE REFERENCE: 38-21(53223)B
; CURRENT APPLICATION NUMBER: US/10/424,599
; CURRENT FILING DATE: 2003-04-28
; NUMBER OF SEQ ID NOS: 285684
; SEQ ID NO 85840
; LENGTH: 511
; TYPE: DNA
; ORGANISM: Glycine max
; FEATURE:
; OTHER INFORMATION: Clone ID: PAT_MRT3847_48527C.1
US-10-424-599-85840

Query Match   24.3%; Score 26; DB 12; Length 511;
Best Local Similarity   24.0%; Pred. No. 3e+02;
Matches   24; Conservative   8; Mismatches   68; Indels   0; Gaps   0;

Qy   3 AAAAUNNNNNUNAUAUGNNNNNCUNNNNUUNNNNNNAAAAANUANAAACAUNNNNNCUU 62
            :| :::. . : |:. :: |||| | ||||
Db   270 AAAAGGGAACCAAAATGCCCCACTATTTTAATAAAAAAAAAAAAACCAAAATATCGG 329

Qy   63 NAGNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNU 102
             |||
Db   330 AGGGGGGGGGTTAAAGAAGGAATAAAAGTTAACGTCCCCTT 369

Search completed: March 8, 2004, 06:22:39
Job time : 1232 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: March 8, 2004, 04:24:32 ; Search time 2381 Seconds
                                        (without alignments)
                              1341.980 Million cell updates/sec

Title: US-09-646-651C-2
Perfect score: 107
Sequence: 1 ggaaaaunnnnnunauaugn........nnnnnnnnnnnuuagcag 107

Scoring table: IDENTITY_NUC
               Gapop 10.0 , Gapext 1.0

Searched: 27513289 seqs, 14931090276 residues

Total number of hits satisfying chosen parameters: 55026578

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
                 Maximum Match 100%
                 Listing first 45 summaries

Database : EST:*
         1: em_estba:*
         2: em_esthum:*
         3: em_estin:*
         4: em_estmu:*
         5: em_estov:*
         6: em_estpl:*
         7: em_estro:*
         8: em_htc:*
         9: em_est1:*
        10: gb_est2:*
        11: gb_htc:*
        12: gb_est3:*
        13: gb_est4:*
        14: gb_est5:*
        15: em_estfun:*
        16: em_estom:*
        17: em_gss_hum:*
        18: em_gss_inv:*
        19: em_gss_pln:*
        20: em_gss_vrt:*
        21: em_gss_fun:*
        22: em_gss_mam:*
        23: em_gss_mus:*
        24: em_gss_pro:*
        25: em_gss_rod:*
        26: em_gss_phg:*
        27: em_gss_vrl:*
        28: gb_gss1:*
        29: gb_gss2:*

SUMMARIES

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

Result No.	Score	% Query Match	Length	DB	ID	Description
c 1	29.6	27.7	679	28	BZ043484	BZ043484 lkg57f11.
c 2	29	27.1	453	10	BG059751	BG059751 naf53b08.
c 3	28.8	26.9	248	13	BX684795	BX684795 BX684795
c 4	28.8	26.9	685	28	BH488315	BH488315 BOGWD90TF

No.	Score	%	Length	DB	ID	ID	Description
c 5	28.8	26.9	794	28	BH489963	BH489963	BOGKA57TR
c 6	28.6	26.7	1125	29	CNS057N6	AL324843	Tetraodon
7	28	26.2	367	28	AQ135026	AQ135026	HS_3053_A
8	28	26.2	394	28	AQ205663	AQ205663	HS_3236_B
9	28	26.2	394	28	AQ268612	AQ268612	RPCI11-71
10	27.8	26.2	406	28	AQ211558	AQ211558	HS_3235_B
11	27.8	26.0	539	9	AL915410	AL915410	AL915410
12	27.6	26.0	539	9	AL915411	AL915411	AL915411
13	27.6	26.0	618	28	BH719067	BH719067	BOHXL74TF
14	27.6	25.8	807	28	BH654909	BH654909	BOHTZ17TF
15	27.4	25.6	204	14	CB050688	CB050688	NISC_gj19
16	27.4	25.6	508	14	CB050532	CB050532	NISC_gj18
c 17	27.4	25.6	544	14	CB050531	CB050531	NISC_gj18
c 18	27.4	25.6	704	9	AL720964	AL720964	AL720964
19	27	25.2	234	28	CC397779	CC397779	PUHFZ58TD
20	27	25.2	500	9	AU087590	AU087590	AU087590
21	27	25.2	714	28	BH970555	BH970555	odj11g05.
22	27	25.2	730	28	BZ032632	BZ032632	oei22f07.
23	27	25.2	779	28	CC098521	CC098521	CSU-K34.1
24	27	25.2	810	28	BH480090	BH480090	BOGCF72TF
25	27	25.2	811	28	BH250315	BH250315	BOGAI90TF
c 26	27	25.2	860	12	BG976823	BG976823	602845725
c 27	27	25.2	942	14	CB182382	CB182382	AGENCOURT
c 28	27	25.2	1101	29	CNS0177G	AL107686	Drosophil
c 29	26.8	25.0	333	14	CF544518	CF544518	Hd_mxf7_6
30	26.8	25.0	463	28	AQ466253	AQ466253	HS_5157_A
31	26.8	25.0	540	28	AZ067096	AZ067096	RPCI-23-4
32	26.8	25.0	653	29	CE241947	CE241947	tigr-gss-
33	26.8	25.0	686	29	CE846494	CE846494	tigr-gss-
c 34	26.8	25.0	963	29	CNS074X6	AL429376	clone BA0
c 35	26.6	24.9	429	28	AQ513768	AQ513768	HS_5152_A
c 36	26.6	24.9	458	28	AQ517382	AQ517382	HS_5135_B
c 37	26.6	24.9	487	28	BZ173324	BZ173324	CH230-321
c 38	26.6	24.9	719	28	AG008606	AG008606	Homo_sapi
c 39	26.6	24.9	739	14	CF259384	CF259384	388_Trich
40	26.6	24.9	781	28	CC077740	CC077740	CSU-K33r.
41	26.6	24.9	841	28	BZ262911	BZ262911	CH230-374
42	26.6	24.9	857	29	CNS010S3	AL099357	Drosophil
43	26.6	24.9	859	28	CC198967	CC198967	ZMMBBc032
c 44	26.4	24.7	182	28	BH911389	BH911389	SALK_0682
45	26.4	24.7	418	12	BG941688	BG941688	axl6b02.x

ALIGNMENTS

RESULT 1
BZ043484/c
LOCUS   BZ043484   679 bp   DNA   linear   GSS 09-OCT-2002
DEFINITION lkg57f11.b1 B.oleracea002 Brassica oleracea genomic, genomic survey
            sequence.
ACCESSION   BZ043484
VERSION   BZ043484.1 GI:23635947
KEYWORDS   GSS.
SOURCE   Brassica oleracea
  ORGANISM Brassica oleracea
            Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
            Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
            rosids; eurosids II; Brassicales; Brassicaceae; Brassica.
REFERENCE   1 (bases 1 to 679)
  AUTHORS   Delehaunty,K., Fewell,G., Fulton,L., McCombie,W.R., Miner,T.,
            Nash,W., Rabinowicz,P.D. and Wilson,R.K.
  TITLE   Whole genome shotgun reads from Brassica oleracea
  JOURNAL   Unpublished (2002)
COMMENT   Contact: Richard K. Wilson
            Washington University School of Medicine
            Genome Sequencing Center
            Email: submissions@watson.wustl.edu
            Plate: lkg57 row: f column: 11
            Seq primer: -21UPpOT forward
            Class: shotgun
            High quality sequence start: 17
            High quality sequence stop: 551.

FEATURES   Location/Qualifiers
     source   1..679
                   /organism="Brassica oleracea"
                   /mol_type="genomic DNA"
                   /db_xref="taxon:3712"
                   /clone_lib="B.oleracea002"
                   /note="Vector: pOTw13; Whole genome shotgun library from
                   flowering buds. DNA was purified from a crude nuclear
                   prep using Brassica oleracea TO1000DH3 buds provided by
                   Thosmas Osborn at the University of Wisconsin. Genomic
                   DNA was provided by Pablo Rabinowicz (CSHL) and the
                   shotgun library prepared at Washington University Genome
                   Sequencing Center."
ORIGIN

Query Match   27.7%; Score 29.6; DB 28; Length 679;
Best Local Similarity   23.5%; Pred. No. 1.1e+03;
Matches 24; Conservative   11; Mismatches   67; Indels   0; Gaps   0;

Qy   3 AAAAUNNNNNUNAUAUGNNNNNCUNNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
            |||| | :|: | :|: |||| ||| | :|
Db   333 AAAAATACATAGATATATTATTACCTCTAGATTTGTTTAAAAAAATTATTAAAATCTTTACTA 274

Qy   63 NAGNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNUUAG 104
              ||| |||||| :|:
Db   273 AATCGTTTACACCTCAAAAATCTCAGAATCCGGCGGAAGTAG 232

RESULT 2
BG059751
LOCUS   BG059751   453 bp   mRNA   linear   EST 25-JAN-2001
DEFINITION naf53b08.x1 NCI_CGAP_Brn65 Homo sapiens cDNA clone IMAGE:4147551 3'
            similar to contains Alu repetitive element;, mRNA sequence.
ACCESSION   BG059751
VERSION   BG059751.1 GI:12527546
KEYWORDS   EST.
SOURCE   Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 453)
  AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  TITLE   National Cancer Institute / National Institute of Neurological
            Disorders and Stroke, Brain Tumor Genome Anatomy Project
            (CGAP/BTGAP), Tumor Gene Index
  JOURNAL   Unpublished (1998)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: David N. Louis, M.D.
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL, send email to:
            info@image.llnl.gov
            Seq primer: -40UP from Gibco
            High quality sequence stop: 421.
FEATURES   Location/Qualifiers
     source   1..453
                   /organism="Homo sapiens"
                   /mol_type="mRNA"
                   /db_xref="taxon:9606"
                   /clone="IMAGE:4147551"
                   /tissue_type="glioblastoma without EGFR amplification"
                   /lab_host="DH10B (T1 phage-resistant)"
                   /clone_lib="NCI_CGAP_Brn65"
                   /note="Organ: brain; Vector: pCMV-SPORT6; Site_1: NotI;
                   Site_2: SalI; Cloned unidirectionally. Primer: Oligo dT.
                   Average insert size 1.77 kb. Constructed by Life
                   Technologies."
ORIGIN

Query Match   27.1%; Score 29; DB 10; Length 453;

Best Local Similarity   23.3%; Pred. No. 1.7e+03;
Matches 24; Conservative   11; Mismatches   68; Indels   0; Gaps   0;

Qy   1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNNUUNNNNNAAAAANUANAAACAUNNNNNC 60
            ||||| | :|: | :::
Db   189 GGAGAATGAAATTAACTTTTTTCTGTCTGGATTTAGGAGAGAAACAATGGAAACATTTTAAA 248

Qy   61 UUNAGNNNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNNUUA 103
             ||| ||||||
Db   249 ACAAGTTTTATATCTGAGAGAAAAAAAGGAATGATTCCATTA 291

RESULT 3
BX684795/c
LOCUS   BX684795   248 bp   mRNA   linear   EST 14-NOV-2003
DEFINITION BX684795 XGC-neurula Silurana tropicalis cDNA clone TNeu075o20 3',
            mRNA sequence.
ACCESSION   BX684795
VERSION   BX684795.1 GI:3833915
KEYWORDS   EST.
SOURCE   Silurana tropicalis (western clawed frog)
  ORGANISM Silurana tropicalis
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Amphibia; Batrachia; Anura; Mesobatrachia; Pipoidea; Pipidae;
            Xenopodinae; Silurana.
REFERENCE   1 (bases 1 to 248)
  AUTHORS   Croning,M.D.R., Ashurst,J.L., Taylor,R., Zorn,A.M. and Rogers,J.
  TITLE   Sanger Xenopus tropicalis EST project 2001 (11_2003)
  JOURNAL   Unpublished (2003)
COMMENT   Contact: Croning MDR
            Sanger Institute
            Hinxton, Cambridgeshire, CB10 1SA, UK
            Email: trop@sanger.ac.uk
            Sanger Xenopus tropicalis EST project 2001
            TROPICALIS_SEQUENCE_ID: TNeu075o20.q1kT7
            Sequencing_primer: T7
            This sequence is from a Xenopus Gene Collection (XGC) library
            constructed by Aaron M. Zorn.
            cDNA was oligo dT primed from 5ug of poly A+ RNA from neurula.
            EcoRI-NotI cut cDNA was then ligated into pCS107 with EcoRI at the
            5' end and NotI at the 3' end.
            Vector: pCS107; Site 1: EcoRI; Site_2: NotI
            Host: Escherichia coli DH10B.
FEATURES   Location/Qualifiers
     source   1..248
                   /organism="Silurana tropicalis"
                   /mol_type="mRNA"
                   /db_xref="taxon:8364"
                   /clone="TNeu075o20"
                   /dev_stage="neurula"
                   /lab_host="Escherichia coli DH10B"
                   /clone_lib="XGC-neurula"
                   /note="Vector: pCS107; Site 1: EcoRI; Site 2: NotI; cDNA
                   was oligo dT primed from 5ug of poly A+ RNA from neurula.
                   EcoRI-NotI cut cDNA was then ligated into pCS107 with
                   EcoRI at the 5' end and NotI at the 3' end."
ORIGIN

Query Match   26.9%; Score 28.8; DB 13; Length 248;
Best Local Similarity   31.7%; Pred. No. 2.3e+03;
Matches 26; Conservative   8; Mismatches   48; Indels   0; Gaps   0;

Qy   3 AAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
            ||||| :|: | ::: |||| ||||
Db   110 AAAATGATGGTAAGAGGTTTACCCTTTTTCAAAAAAAAAAAAAATTTCAACGG 51

Qy   63 NAGNNNNNNNNNNNNNNAGAAAU 84
              ||| ||||||
Db   50 GAGNTAAAAAAAAAAAAAT 29

RESULT 4
BH488315

```
LOCUS       BH488315               685 bp    DNA     linear   GSS 13-DEC-2001
DEFINITION  BOGWD90TF BOGW Brassica oleracea genomic clone BOGWD90, genomic
            survey sequence.
ACCESSION   BH488315
VERSION     BH488315.1  GI:17696419
KEYWORDS    GSS.
SOURCE      Brassica oleracea
ORGANISM    Brassica oleracea
            Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
            Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
            rosids; eurosids II; Brassicales; Brassicaceae; Brassica.
REFERENCE   1  (bases 1 to 685)
AUTHORS     Town,C.D., Van Aken,S., Utterback,T., Koo,H. and Fraser,C.M.
TITLE       Whole genome shotgun sequencing of Brassica oleracea
JOURNAL     Unpublished (2001)
COMMENT     TIGR
            9712 Medical Center Drive, Rockville, MD 20850, USA.
            Tel: 301-838-3523
            Fax: 301-838-0208
            Email: cdtown@tigr.org
            DNA is from a doubled haploid provided by Tom Osborn.
            Seq primer: TF
            Class: sheared ends.
FEATURES             Location/Qualifiers
     source          1..685
                     /organism="Brassica oleracea"
                     /mol_type="genomic DNA"
                     /strain="TO1000DH3"
                     /db_xref="taxon:3712"
                     /clone="BOGWD90"
                     /clone_lib="BOGW"
                     /note="Vector: pHOS1; Site 1: BstXI; 2-3 kb sheared
                     genomic DNA inserted into pHOS1 using BstXI linkers"
ORIGIN

Query Match             26.9%;  Score 28.8;  DB 28;  Length 685;
Best Local Similarity   24.5%;  Pred. No. 1.6e+03;
Matches   26;  Conservative   10;  Mismatches 70;  Indels 0;  Gaps 0;

Qy    1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNJUNNNNNAAAAANUANAAACAUNNNNNC 60
          ||||||    : |:|   | ||    : ::       |||| |||| :  | |||
Db  463 GGAAAATATATTATTATAAGAGAATTTTTTTTTTATAGAATGAAAATTTCCACACAAATTTC 522

Qy   61 UUNAGNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAGCA 106
          ||||                ::
Db  523 TTCCATCAACAATTACTCAGAAATAACCAAAGCTGCTCCGCATCA 568
```

```
RESULT 5
H489963/c
LOCUS       BH489963               794 bp    DNA     linear   GSS 13-DEC-2001
DEFINITION  BOGKA57TR BOGK Brassica oleracea genomic clone BOGKA57, genomic
            survey sequence.
ACCESSION   BH489963
VERSION     BH489963.1  GI:17698067
KEYWORDS    GSS.
SOURCE      Brassica oleracea
ORGANISM    Brassica oleracea
            Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
            Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
            rosids; eurosids II; Brassicales; Brassicaceae; Brassica.
REFERENCE   1  (bases 1 to 794)
AUTHORS     Town,C.D., Van Aken,S., Utterback,T., Koo,H. and Fraser,C.M.
TITLE       Whole genome shotgun sequencing of Brassica oleracea
JOURNAL     Unpublished (2001)
COMMENT     Other_GSSs: BOGKA57TF
            TIGR
            9712 Medical Center Drive, Rockville, MD 20850, USA.
            Tel: 301-838-3523
            Fax: 301-838-0208
            Email: cdtown@tigr.org
            DNA is from a doubled haploid provided by Tom Osborn.
            Seq primer: TR
            Class: sheared ends.
FEATURES             Location/Qualifiers
     source          1..794
                     /organism="Brassica oleracea"
                     /mol_type="genomic DNA"
                     /strain="TO1000DH3"
                     /db_xref="taxon:3712"
                     /clone="BOGKA57"
                     /clone_lib="BOGK"
                     /note="Vector: pHOS1; Site 1: BstXI; 2-3 kb sheared
                     genomic DNA inserted into pHOS1 using BstXI linkers"
ORIGIN

Query Match             26.9%;  Score 28.8;  DB 28;  Length 794;
Best Local Similarity   24.5%;  Pred. No. 1.5e+03;
Matches   26;  Conservative   10;  Mismatches 70;  Indels 0;  Gaps 0;

Qy    1 GGAAAAUNNNNNUNAUAUGNNNNNCUNNNUUNNNNNAAAAANUANAAACAUNNNNNC 60
          ||||||    : |:|   | ||    : ::       |||| |||| :  | |||
Db  128 GGAAAATATATTATTATAAGAGAATTTTTTTTTTATAGAATGAAAATTTCCACACAAATTTC 69

Qy   61 UUNAGNNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAGCA 106
          ||||                ::
Db   68 TTCCATCAACAATTACTCAGAAATAACCAAAGCTGCTCCGCATCA 23
```

```
RESULT 6
CNS057N6/c
LOCUS       CNS057N6              1125 bp    DNA     linear   GSS 26-JUL-2000
DEFINITION  Tetraodon nigroviridis genome survey sequence T7 end of clone
            010K04 of library A from Tetraodon nigroviridis, genomic survey
            sequence.
ACCESSION   AL324843
VERSION     AL324843.1  GI:9557725
KEYWORDS    GSS; genome survey sequence.
SOURCE      Tetraodon nigroviridis
ORGANISM    Tetraodon nigroviridis
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
            Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
            Tetraodontoidea; Tetraodontidae; Tetraodon.
REFERENCE   1
AUTHORS     Roest Crollius,H., Jaillon,O., Dasilva,C., Bouneau,L., Fisher,C.,
            Bernot,A., Fizames,C., Wincker,P., Brottier,P., Quetier,F.,
            Saurin,W. and Weissenbach,J.
TITLE       Estimate of human gene number provided by genome-wide analysis
            using Tetraodon nigroviridis DNA sequence
JOURNAL     Nat. Genet. 25 (2), 235-238 (2000)
MEDLINE     20296633
PUBMED      10835645
REFERENCE   2
AUTHORS     Roest Crollius,H., Jaillon,O., Dasilva,C., Ozouf-Costaz,C.,
            Fizames,C., Fischer,C., Bouneau,L., Billault,A., Quetier,F.,
            Saurin,W., Bernot,A. and Weissenbach,J.
TITLE       Characterization and repeat analysis of the compact genome of the
            freshwater pufferfish Tetraodon nigroviridis
JOURNAL     Genome Res. 10 (7), 939-949 (2000)
MEDLINE     20359837
PUBMED      10899143
REFERENCE   3  (bases 1 to 1125)
AUTHORS     Genoscope.
TITLE       Direct Submission
JOURNAL     Submitted (12-APR-2000) Genoscope - Centre National de Sequencage :
            BP 191 91006 EVRY cedex - FRANCE (E-mail : seqref@genoscope.cns.fr
            - Web : www.genoscope.cns.fr)
COMMENT     This sequence is a single read and was generated as part of a large
            scale clone-end sequencing project of the Tetraodon nigroviridis
            genome. For more information, please take a look at
            http://www.genoscope.cns.fr/Tetraodon.
FEATURES             Location/Qualifiers
     source          1..1125
```

```
                     /organism="Tetraodon nigroviridis"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:99883"
                     /clone="010K04"
                     /note="Genoscope sequence ID : C0AA010BF02C3~end : T7"
ORIGIN

Query Match    26.7%;  Score 28.6; DB 29;  Length 1125;
Best Local Similarity  21.8%;  Pred. No. 1.5e+03;
Matches  22;  Conservative  12;  Mismatches  67;  Indels  0;  Gaps  0;

Qy   3 AAAAUNNNNNNUNAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
        |||||:     |:|:      ::      ||||||     ||||||
Db 247 AAAATAACTAAAATATTTTAACTTGCATTTATATATCAAAGCATAAACATTAACTCTT 188

Qy  63 NAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUUA 103
           |||
Db 187 AGCTTTTATCAGATGAACAAAGTGTATTTGAGGTCTGTTTA 147

RESULT 7
AQ135026
LOCUS       AQ135026   367 bp   DNA   linear   GSS 24-SEP-1998
DEFINITION  HS_3053_A2_A11_MR_CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=3053 Col=22 Row=A, genomic survey
            sequence.
ACCESSION   AQ135026
VERSION     AQ135026.1  GI:3526392
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 367)
AUTHORS     Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
TITLE       Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
JOURNAL     Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
MEDLINE     99380589
PUBMED      10449764
COMMENT     Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Sequence Tagged Connector
            Plate: 3053  row: A  column: 22
            Class: BAC ends
            High quality sequence stop: 367.
FEATURES             Location/Qualifiers
     source          1..367
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=3053 Col=22 Row=A"
                     /sex="male"
                     /clone_lib="CIT Approved Human Genomic Sperm Library D"
                     /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                     E-Coli DH10B"
ORIGIN

Query Match    26.2%;  Score 28; DB 28;  Length 367;
Best Local Similarity  23.5%;  Pred. No. 3.1e+03;
Matches  24;  Conservative  10;  Mismatches  68;  Indels  0;  Gaps  0;

Qy   2 GAAAAUNNNNNNUNAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 61
        |||||:     |:|:      ::      ||||||     ||||| :|||||
Db 233 GAAAATCTCTTTAAAATATACTTGACTGCTTAAAGCAAAAGAATTAGTAACATGACATCC 292

Qy  62 UNAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUUA 103
         :|:     |||
Db 293 TAAGGTTTTATAATGTGTAGAAGTAAAGTGTATTATAACCATA 334

RESULT 8
AQ205663
LOCUS       AQ205663   394 bp   DNA   linear   GSS 17-SEP-1998
DEFINITION  HS_3236_B2_A03_MR_CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=3236 Col=6 Row=B, genomic survey
            sequence.
ACCESSION   AQ205663
VERSION     AQ205663.1  GI:3616233
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 394)
AUTHORS     Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
TITLE       Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
JOURNAL     Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
MEDLINE     99380589
PUBMED      10449764
COMMENT     Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Sequence Tagged Connector
            Plate: 3236  row: B  column: 6
            Class: BAC ends
            High quality sequence stop: 394.
FEATURES             Location/Qualifiers
     source          1..394
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=3236 Col=6 Row=B"
                     /sex="male"
                     /clone_lib="CIT Approved Human Genomic Sperm Library D"
                     /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                     E-Coli DH10B"
ORIGIN

Query Match    26.2%;  Score 28; DB 28;  Length 394;
Best Local Similarity  23.5%;  Pred. No. 3e+03;
Matches  24;  Conservative  10;  Mismatches  68;  Indels  0;  Gaps  0;

Qy   2 GAAAAUNNNNNNUNAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 61
        |||||:     |:|:      ::      ||||||     ||||| :|||||
Db 233 GAAAATCTCTTTAAAATATACTTGACTGCTTAAAGCAAAAGAATTAGTAACATGACATCC 292

Qy  62 UNAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNUUA 103
         :|:     |||
Db 293 TAAGGTTTTATAATGTGTAGAAGTAAAGTGTATTATAACCATA 334

RESULT 9
AQ268612
LOCUS       AQ268612   394 bp   DNA   linear   GSS 27-APR-1999
DEFINITION  RPCI11-71J23.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-71J23,
            genomic survey sequence.
ACCESSION   AQ268612
VERSION     AQ268612.1  GI:3796216
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
```

```
ORGANISM  Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1  (bases 1 to 394)
  AUTHORS  Adams,M.D., Rounsley,S.D., Zhao,S., Bass,S., Linher,K., Golden,K.,
           Berry,K., Granger,D., Suh,E., Wible,C., de Jong,P. and Venter,J.C.
  TITLE    Use of human BAC End Sequences for Sequence-Ready Map Building
  JOURNAL  Unpublished (1998)
  COMMENT  Contact: Mark Adams
           Department of Eukaryotic Genomics
           The Institute for Genomic Research
           9712 Medical Center Dr., Rockville, MD 20850, USA
           Tel: 301 838 0200
           Fax: 301 838 0208
           Email: mdadams@tigr.org
           Clones are derived from the human BAC library RPCI-11. For BAC
           library availability, please contact Pieter de Jong
           (pieter@dejong.med.buffalo.edu). Clones may be purchased from
           BACPAC Resources (http://bacpac.med.buffalo.edu/ordering) or from
           Research Genetics (info@resgen.com). BAC end search page:
           http://www.tigr.org/tdb/humgen/bac_end_search/bac_end_search.html
           Seq primer: SP6
           Class: BAC ends.
FEATURES             Location/Qualifiers
     source          1..394
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="GDB:7527118"
                     /db_xref="taxon:9606"
                     /clone="RPCI-11-71J23"
                     /sex="Male"
                     /cell_type="Lymphocytes"
                     /clone_lib="RPCI-11"
                     /note="Vector: pBACe3.6; Site_1: EcoRI; Site_2: EcoRI;
                     RPCI11 Human Male BAC Library"
ORIGIN

Query Match       26.2%;  Score 28;  DB 28;  Length 394;
Best Local Similarity  23.5%;  Pred. No. 3e+03;
Matches  24;  Conservative  10;  Mismatches  68;  Indels  0;  Gaps  0;

Qy    2  GAAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU   61
         ||||:  |:::          ::          |||||
Db  201  GAAAATCTCTTTAAAATATACTTGACTGCTTAAAGCAAAAGAATTAATAACATGACATCC  260

Qy   62  UNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUA  103
         ||||                 :||
Db  261  TAAGGTTTTATAATGTGTAGAAGTAAAGTGTATTATAACCATA  302

RESULT 10
Q211558
LOCUS       AQ211558          406 bp    DNA     linear   GSS 18-SEP-1998
DEFINITION  HS_3235 B2 E01 MR CIT Approved Human Genomic Sperm Library D Homo
            sapiens genomic clone Plate=3235 Col=2 Row=J, genomic survey
            sequence.
ACCESSION   AQ211558
VERSION     AQ211558.1  GI:3622759
KEYWORDS    GSS.
SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 406)
  AUTHORS   Mahairas,G.G., Wallace,J.C., Smith,K., Swartzell,S., Holzman,T.,
            Keller,A., Shaker,R., Furlong,J., Young,J., Zhao,S., Adams,M.D. and
            Hood,L.
  TITLE     Sequence-tagged connectors: A sequence approach to mapping and
            scanning the human genome
  JOURNAL   Proc. Natl. Acad. Sci. U.S.A. 96 (17), 9739-9744 (1999)
  MEDLINE   99380589
   PUBMED   10449764
  COMMENT   Contact: Mahairas GG, Wallace JC, Hood L
            High Throughput Sequencing Center
            University of Washington
            401 Queen Anne Avenue North, Seattle, WA 98109, USA
            Tel: (206) 616-3618
            Fax: (206) 616-3887
            Email: jwallace@u.washington.edu
            Sequence Tagged Connector
            Plate: 3235 row: J column: 2
            Class: BAC ends
            High quality sequence stop: 406.
FEATURES             Location/Qualifiers
     source          1..406
                     /organism="Homo sapiens"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:9606"
                     /clone="Plate=3235 Col=2 Row=J"
                     /sex="male"
                     /clone_lib="CIT Approved Human Genomic Sperm Library D"
                     /note="Organ: sperm; Vector: pBeloBAC11; BAC Clones in
                     E-Coli DH10B"
ORIGIN

Query Match       26.2%;  Score 28;  DB 28;  Length 406;
Best Local Similarity  23.5%;  Pred. No. 3e+03;
Matches  24;  Conservative  10;  Mismatches  68;  Indels  0;  Gaps  0;

Qy    2  GAAAAUNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU   61
         ||||:  |:::          ::          |||||
Db  233  GAAAATCTCTTTAAAATATACTTGACTGCTTAAAGCAAAAGAATTAGTAACATGACATCC  292

Qy   62  UNAGNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUA  103
         ||||                 :||
Db  293  TAAGGTTTTATAATGTGTAGAAGTAAAGTGTATTATAACCATA  334

RESULT 11
AL915410
LOCUS       AL915410          539 bp    mRNA    linear   EST 18-SEP-2002
DEFINITION  AL915410 PJR-Z1+Z2 Danio rerio cDNA clone 193-E07-1, mRNA sequence.
ACCESSION   AL915410
VERSION     AL915410.1  GI:23180708
KEYWORDS    EST.
SOURCE      Danio rerio (zebrafish)
  ORGANISM  Danio rerio
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Actinopterygii; Neopterygii; Teleostei; Ostariophysi;
            Cypriniformes; Cyprinidae; Danio.
REFERENCE   1  (bases 1 to 539)
  AUTHORS   Lo,J., Lee,S., Xu,M., Liu,F., Ruan,H., Eun,A., He,Y., Ma,W.,
            Wang,W., Wen,Z. and Peng,J.
  TITLE     15000 unique zebrafish EST clusters and their future use in
            microarray for profiling gene expression patterns during
            embryogenesis
  JOURNAL   Genome Res. 13 (3), 455-456 (2003)
  MEDLINE   22505427
   PUBMED   12618376
  COMMENT   Contact: Peng J
            Lab of Functional Genomics
            Institute of Molecular and Cell Biology
            30 Medical Drive, Singapore, 117609, Singapore
            Email: pengjr@imcb.a-star.edu.sg.
            Clone requests: pengjr@imcb.a-star.edu.sg.
FEATURES             Location/Qualifiers
     source          1..539
                     /organism="Danio rerio"
                     /mol_type="mRNA"
                     /strain="local wildtype"
                     /db_xref="taxon:7955"
                     /clone="193-E07-1"
                     /tissue_type="whole embryo or fish"
                     /dev_stage="mixed stages"
                     /clone_lib="PJR-Z1+Z2"
ORIGIN
```

RESULT 12
LOCUS   AL915411
ACCESSION   AL915411 PJR-Z1+Z2 Danio rerio cDNA clone 192-E07-1, mRNA sequence.
VERSION   AL915411.1 GI:23180709
KEYWORDS   EST.
SOURCE   Danio rerio (zebrafish)
ORGANISM   Danio rerio
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Actinopterygii; Neopterygii; Teleostei; Ostariophysi;
            Cypriniformes; Cyprinidae; Danio.
REFERENCE   1 (bases 1 to 539)
AUTHORS   Lo,J., Lee,S., Xu,M., Liu,F., Ruan,H., Eun,A., He,Y., Ma,W.,
            Wang,W., Wen,Z. and Peng,J.
TITLE   15000 unique zebrafish EST clusters and their future use in
            microarray for profiling gene expression patterns during
            embryogenesis
JOURNAL   Genome Res. 13 (3), 455-456 (2003)
MEDLINE   22505427
PUBMED   12618376
COMMENT   Contact: Peng J
            Lab of Functional Genomics
            Institute of Molecular and Cell Biology
            30 Medical Drive, Singapore, 117609, Singapore
            Email: pengjr@imcb.a-star.edu.sg
            Clone requests: pengjr@imcb.a-star.edu.sg.
FEATURES   Location/Qualifiers
     source   1..539
                     /organism="Danio rerio"
                     /mol_type="mRNA"
                     /strain="local wildtype"
                     /db_xref="taxon:7955"
                     /clone="192-E07-1"
                     /tissue_type="whole embryo or fish"
                     /dev_stage="mixed stages"
                     /clone_lib="PJR-Z1+Z2"
ORIGIN

Query Match   26.0%; Score 27.8; DB 9; Length 539;
Best Local Similarity   25.7%; Pred. No. 2.9e+03;
Matches 27; Conservative 8; Mismatches 70; Indels 0; Gaps 0;

Qy   3 AAAAUNNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAANUANAAACAUNNNNNCUU 62
           ||||: || ::   ::: |:| | || ::
Db   7 AAAACTGAACAAATGAAAACACTTAGTCTAAACTAAAATCGTATAAAGATTTGGGATT 66

Qy   63 NAGNNNNNNNNNNNNNNGAAAUNNNNNNNNNNNNNNNNNNNNNNUUAGCAG 107
           ||| |||| ||||
Db   67 GAGCATACAGAGGGCAAAAAAAAAAAAAAAAAAAGTGATAAAGCAG 111

RESULT 13
LOCUS   BH719067
ACCESSION   BH719067 BOHXL74TF BO_2_3_KB Brassica oleracea genomic clone BOHXL74,
VERSION   BH719067.1 GI:18818288
DEFINITION genomic survey sequence.

Query Match   26.0%; Score 27.8; DB 9; Length 539;
Best Local Similarity   25.7%; Pred. No. 2.9e+03;
Matches 27; Conservative 8; Mismatches 70; Indels 0; Gaps 0;

Qy   3 AAAAUNNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAANUANAAACAUNNNNNCUU 62
           ||||: || ::   ::: |:| | || ::
Db   7 AAAACTGAACAAATGAAAACACTTAGTCTAAACTAAAATCGTATAAAGATTTGGGATT 66

Qy   63 NAGNNNNNNNNNNNNNNGAAAUNNNNNNNNNNNNNNNNNNNNNNUUAGCAG 107
           ||| |||| ||||
Db   67 GAGCATACAGAGGGCAAAAAAAAAAAAAAAAAAAGTGATAAAGCAG 111

618 bp   DNA   linear   GSS 20-FEB-2002
KEYWORDS   GSS.
SOURCE   Brassica oleracea
ORGANISM   Brassica oleracea
            Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
            Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
            rosids; eurosids II; Brassicales; Brassicaceae; Brassica.
REFERENCE   1 (bases 1 to 618)
AUTHORS   Town,C.D., Van Aken,S., Utterback,T., Koo,H. and Fraser,C.M.
TITLE   Whole genome shotgun sequencing of Brassica oleracea
JOURNAL   Unpublished (2001)
COMMENT   Other GSSs: BOHXL74TR
            Contact: Chris Town
            TIGR
            9712 Medical Center Drive, Rockville, MD 20850, USA.
            Tel: 301-838-3523
            Fax: 301-838-0208
            Email: cdtown@tigr.org
            DNA is from a doubled haploid provided by Tom Osborn.
            Seq primer: TF
            Class: sheared ends.
FEATURES   Location/Qualifiers
     source   1..618
                     /organism="Brassica oleracea"
                     /mol_type="genomic DNA"
                     /strain="TO1000DH3"
                     /db_xref="taxon:3712"
                     /clone="BOHXL74"
                     /clone_lib="BO_2_3_KB"
                     /note="Vector: pHOS1; Site_1: BstXI; 2-3 kb sheared
                     genomic DNA inserted into pHOS1 using BstXI linkers"
ORIGIN

Query Match   25.8%; Score 27.6; DB 28; Length 618;
Best Local Similarity   27.4%; Pred. No. 3.1e+03;
Matches 23; Conservative 10; Mismatches 51; Indels 0; Gaps 0;

Qy   1 GGAAAAUNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAANUANAAACAUNNNNNC 60
           ||||||:   :|:|:: || :: ||
Db   504 GGAAAATATATATTATTATAAGAGAATTTTTTTTTATAGAATGAAATTTCACACAAATTTC 563

Qy   61 UUNAGNNNNNNNNNNNNNNNNNAGAAAU 84
           :: ||||||:
Db   564 TTTCATCAACAATTACTCAGAAAT 587

RESULT 14
LOCUS   BH654909
DEFINITION BOHTZ17TF BO_2_3_KB Brassica oleracea genomic clone BOHTZ17,
            807 bp   DNA   linear   GSS 19-FEB-2002
            genomic survey sequence.
ACCESSION   BH654909
VERSION   BH654909.1 GI:18713150
KEYWORDS   GSS.
SOURCE   Brassica oleracea
ORGANISM   Brassica oleracea
            Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
            Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
            rosids; eurosids II; Brassicales; Brassicaceae; Brassica.
REFERENCE   1 (bases 1 to 807)
AUTHORS   Town,C.D., Van Aken,S., Utterback,T., Koo,H. and Fraser,C.M.
TITLE   Whole genome shotgun sequencing of Brassica oleracea
JOURNAL   Unpublished (2001)
COMMENT   Contact: Chris Town
            TIGR
            9712 Medical Center Drive, Rockville, MD 20850, USA.
            Tel: 301-838-3523
            Fax: 301-838-0208
            Email: cdtown@tigr.org
            DNA is from a doubled haploid provided by Tom Osborn.
            Seq primer: TF
            Class: sheared ends.
FEATURES   Location/Qualifiers
     source   1..807

```
                /organism="Brassica oleracea"
                /mol_type="genomic DNA"
                /strain="TO100DH3"
                /db_xref="taxon:3712"
                /clone="BOHTZ17"
                /clone_lib="BO_2_3_KB"
                /note="Vector: pHOS1; Site_1: BstXI; 2-3 kb sheared
                genomic DNA inserted into pHOS1 using BstXI linkers"
RIGIN

Query Match    25.8%;  Score 27.6;  DB 28;  Length 807;
Best Local Similarity   19.0%;  Pred. No. 2.8e+03;
Matches   19;  Conservative   14;  Mismatches   67;  Indels   0;  Gaps   0;

Y     3 AAAAUNNNNNNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCUU 62
          ||||:       |:.:      |: :::       |||||| :|:||| :: ::
b   504 AAAATATTTGATATGATATAGTCTTATTTTTATCACAAAATATAAAAATATTACTAATT 563

Y    63 NAGNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNU 102
                     |||:
b   564 AAAATTTAAAAAATAGTTTAAATTTTATATGAATATAAATT 603

ESULT 15
B050688
OCUS          CB050688
BFINITION     NISC_gj19b02.y1 NCI_CGAP_Pr28 Homo sapiens cDNA clone IMAGE:3272018
              5', mRNA sequence.                204 bp    mRNA    linear    EST 17-JAN-2003
CCESSION      CB050688
ERSION        CB050688.1  GI:27788975
EYWORDS       EST.
OURCE         Homo sapiens (human)
ORGANISM      Homo sapiens
              Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
              Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
EFERENCE   1  (bases 1 to 204)
AUTHORS       NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE         National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
              Tumor Gene Index
JOURNAL       Unpublished (1997)
OMMENT        Contact: Robert Strausberg, Ph.D.
              Email: cgapbs-r@mail.nih.gov
              cDNA Library Preparation:
              cDNA Library Arrayed by: The I.M.A.G.E. Consortium/LLNL
              DNA Sequencing by: National Institutes of Health Intramural
              Sequencing Center (NISC)
              Clone distribution: NCI-CGAP clone distribution information can be
              found through the I.M.A.G.E. Consortium/LLNL at:
              info@image.llnl.gov
              Plate: LLAM8010 row: D column: 3
              Seq primer: M13RPI reverse primer (ABI).
EATURES
     source   1..204
              /organism="Homo sapiens"
              /mol_type="mRNA"
              /db_xref="taxon:9606"
              /clone="IMAGE:3272018"
              /sex="male"
              /dev_stage="adult"
              /lab_host="DH10B"
              /clone_lib="NCI_CGAP_Pr28"
              /note="Organ: prostate; Vector: pT7T3D-Pac (Pharmacia)
              with a modified polylinker; Plasmid DNA from the
              normalized library NCI_CGAP_Pr22 was prepared, and ss
              circles were made in vitro. Following HAP purification,
              this DNA was used as tracer in a subtractive hybridization
              reaction. The driver was PCR-amplified cDNAs from a pool
              of 5,000 clones made from the same library (cloneIDs
              985608-986759, 1101192-1101959, and 1217928-1220615).
              Subtraction by Bento Soares and M. Fatima Bonaldo."
RIGIN

Query Match    25.6%;  Score 27.4;  DB 14;  Length 204;
```

Best Local Similarity   24.3%; Pred. No. 5.3e+03;
Matches   25; Conservative   9; Mismatches   69; Indels   0; Gaps   0;

```
Qy     2 GAAAAUNNNNNNUNAUAUGNNNNNCUNNNUUUNNNNNAAAAANUANAAACAUNNNNNCU 61
          |||||         :|.|        :          :     ||||| :|:||||| :
Db    99 GAAAACTCTTGTTAGACATGATGTTCCTATACAGAAGAAAAGATACAAACTTGATTGCT 158

Qy    62 UNAGNNNNNNNNNNNNNNAGAAAUNNNNNNNNNNNNNNNNUUAG 104
          :.||                   |||:
Db   159 TCAGTAAAAACACTTTTAGAGATTGTGTTCCTTTTGTGAG 201
```

Search completed: March 8, 2004, 06:00:27
Job time : 2387 secs